PDF-XCHANGE
Click to buy NOW!
www.docu-track.com

Biomass Feedstocks and Their Technical Potential

Joint IEPR and Renewables Committee Workshop on Biopower in California

Steve Kaffka , Quinn Hart,
Nathan Parker, Peter Tittman,
Rob Williams, Bryan Jenkins

PDF-XCHANGE Click to buy NOW! www.docu-track.com

California Biomass Collaborative

- Statewide biomass coordinating group
- Biomass Facilities Reporting System
- Biomass resource assessments
- Technology assessments
- Planning Functions/Policy
  - Needs Assessment
  - Roadmap for biomass development
- Coordination with State Bioenergy Interagency Working Group



California Biomass Facilities Reporting System (BFRS)
Power Generation Assessments

The BFRS database contains Biomass power plants and related facilities, including thermal station power plants, digesters, landfill gas systems, fermentation plants, bio refineries, other biomass energy converters, material handling and processing operations, and storage units with technical and environmental performance. Gross and technical resources, estimates of electricity capacity and energy from biomass for year 2003, 2005,2007, 2010 and 2017 are included in this database.

Specific information can be retrieved by following steps.



California Biomass Facilities Reporting System (BFRS)
Resource Assessments

The BFRS database contains Biomass power plants and related facilities, including thermal station power plants, digesters, landfill gas systems, fermentation plants, bio refineries, other biomass energy converters, material handling and processing operations, and storage units with technical and environmental performance. Gross and technical resources, estimates of electricity capacity and energy from biomass for year 2003, 2005,2007, 2010 and 2017 are included in this database.

Specific information can be retrieved by following steps.



http://biomass.ucdavis.edu
Email: biomass@ucdavis.edu

California biomass Collaborative

UCDAVIS · University of California · pier · SMUD Sacramento Municipal Utility District The Power To Do More. · Integrated Waste Management Board

PDF-XCHANGE
Click to buy NOW!
www.docu-track.com

Overview

1. Technical potential of biopower technologies
2. Competition for feedstocks between the biopower and biofuel industries

PDF-XCHANGE
Click to buy NOW!
www.docu-track.com

PDF-XCHANGE Click to buy NOW! www.docu-track.com







Potential Feedstock Energy in Biomass 507 Trillion Btu/year

California Biomass Resources

Jenkins et al. (2006) A roadmap for the development of biomass in California

University of California, Davis

PDF-XCHANGE Click to buy NOW! www.docu-track.com

Principal Biomass Conversion Pathways

- Production
- Collection
- Processing
- Storage
- Transportation

- Thermochemical Conversion
  - Combustion
  - Gasification
  - Pyrolysis
- Bioconversion
  - Anaerobic/Fermentation
  - Aerobic Processing
  - Biophotolysis
- Physicochemical
  - Heat/Pressure/Catalysts
  - Refining
  - Makes e.g. Esters (Biodiesel), Alkanes

- Energy
  - Heat
  - Electricity
- Fuels
  - Solids
  - Liquids
  - Gases
- Products
  - Chemicals
  - Materials

PDF-XCHANGE Click to buy NOW! www.docu-track.com

Total Bioenergy Potentials by Category in California (Ligno-cellulosic sources)

Category	Biomass (Million BDT/year)	Energy in Product (Trillion Btu/year)	Total Capacity
Electricity CHP Heat	32	118 (35 TWh) 230	4,650 MWe 9,050 MWt
Biochemical Biofuel	32	188	1.5 BGY gasoline equivalent
Thermochemical Biofuel	27*	250	1.7 BGY diesel equivalent
Biomethane	5 + Landfill gas and WWTP	106	106 BCF/y methane
Hydrogen (bio + thermal)	32	305	2.5 Million tons/y

** Tonnage for thermochemical biofuel assumed to be constrained by moisture content.*

Current California consumption:

16 billion gallons gasoline + 4 billion gallons diesel = 2,500 Trillion Btu/year direct energy content

300 TWh/y electrical energy = 1,024 Trillion Btu/year direct energy

Jenkins et al. (2006) A roadmap for the development of biomass in California

One development scenario for California biomass (1.5 billion dry tons utilized through 2050)

In-state tonnage



Energy



About 5 of the 32 million BDT are currently utilized.
Assumes 10 million BDT from dedicated energy crops ultimately available; ramping up from 2012 to 2018.

Potential technical recovery, not including economic costs

Jenkins et al. (2006) A roadmap for the development of biomass in California



~2006 Biomass Power Capacity in California

Technology/ Fuel Source	Number of facilities	Gross Capacity (MW)
Solid Fuel Combustion (includes 3 MSW facilities)	30 -33	640
Landfill gas-to-energy	60	275
Wastewater treatment *	20	64
Animal and food waste digester	22	5.7
Totals*	132	985
* Suspect - Probably higher		

Solid Combustion Fuel Sources



PDF-XCHANGE Click to buy NOW! www.docu-track.com

Electricity Generation– To meet Governor's goal of 20% of renewables from Biomass – Shown for accelerated RPS in 2010 and 2020

Year	Incremental Capacity (MW at 85% CF)	Cumulative Capacity (MW at 85% CF)
2007	-	900
2010	600	1,600
2020	1,550	2,450

Biomass Power– Levelized cost of electricity (COE)/solid-fuel thermal systems (2006)



- Current biomass steam plants typically installed for $2,000-2,800/kWe
- Net efficiencies from 15-25%
- Fuel costs range 0 - $50/dry ton, average $28/dry ton in California
- Tipping (disposal) fees available in some cases, reduce COE
- Benchmark comparison for California: Natural gas combined cycle with heat rate of 7,000 Btu/kWh (49% efficiency)—at $9/MMBtu gas price COE=$0.074/kWh (fuel cost = $0.063/kWh or 85% of COE)

Cost of Electricity: Biomass Combined Heat and Power





- CHP provides opportunities for low cost power
- Long utilized in forest products industry
- Matching generator to thermal host often difficult for large scale development

PDF-XCHANGE
Click to buy NOW!
www.docu-track.com

PDF-XCHANGE
Click to buy NOW!
www.docu-track.com

ECONOMIC POTENTIAL OF CALIFORNIA BIOMASS RESOURCES FOR ENERGY AND BIOFUEL

PIER Collaborative Report

Peter Tittman, Nathan Parker, Quinn Hart, Mui Lay, Bryan Jenkins

September 2008

Also part of a research project carried out for the Western Governors Association

PDF-XCHANGE
Click to buy NOW!
www.docu-track.com

PDF-XCHANGE
Click to buy NOW!
www.docu-track.com

Assumptions for evaluating biomass potential

"Economically available" biomass depends on:

- Value of products that can be made
- Cost and efficiency of conversion to products
- Engineering/economics of acquisition of biomass

PDF-XCHANGE
Click to buy NOW!
www.docu-track.com

PDF-XCHANGE
Click to buy NOW!
www.docu-track.com

Model Limitations

- The status and development of the included technologies is highly uncertain…
- Relies heavily on biomass resource assessments that currently lack their own economic modeling…
- No feedback between siting and resource…

PDF-XCHANGE
Click to buy NOW!
www.docu-track.com

Modeling Approach

Engineering/Economic Models of Biorefineries

Spatially Explicit Resource Assessment

GIS-based Transportation Cost Model

Supply Chain Optimization Model





PDF-XCHANGE
Click to buy NOW!
www.docu-track.com

PDF-XCHANGE
Click to buy NOW!
www.docu-track.com

PDF-XCHANGE
Click to buy NOW!
www.docu-track.com

Supply Chain Optimization Model

- Objective: maximize total industry annualized profit
- Formulated as mixed integer-linear programming model
- Locates and sizes biorefineries based on distribution of biomass resource
- Chooses which technology to use
- Allocates resource and demand to each biorefinery

Overview of optimization

	Price Levels	Biomass Types	Biomass Supply Points	Potential Biorefinery Sites	Fuel Distribution Terminals	Electricity Substations
Set index	p	f	i	j	k	
[# of indices]	[40]	[12]	[134]	[188]	[32]	



Model Parameters	S_{ifp}, P_{ifp}	TC_{ijf}	η, a_t, b_t, c_t	DC_{jk}	$fuel_price_{tk}$ Max_demand_{tk}	Elec_price
Decision Variables		F_{ijfp}	X_{jt}, Yf_{fjt}, Yb_{jt}	T_{ijt}	LDC_{jkt}	

PDF-XCHANGE Click to buy NOW! www.docu-track.com
PDF-XCHANGE Click to buy NOW! www.docu-track.com

Feedstock Class	Specific Feedstock	Geography	Source
Agricultural Resources			
Residues	Corn stover, small grain straws	County	Dr. Richard Nelson, Kansas State University [1] and CBC [2]
Grains	Corn	County	
Forest Resources			
Forest Thinnings	Public and Private lands includes juniper and pinyon pine	County	USFS Forest Products Lab [1] and CBC [2]
Residues and Byproducts			
Animal Fats & Waste Greases	Beef Tallow, Pork Lard, Yellow Grease	County & municipality (waste greases)	Dr. Richard Nelson, Kansas State University [1]
Municipal Solid Waste (MSW)	Wood residues, paper, yard waste, etc	municipality	SWIS [3]
Woody Residues	Orchard and vineyard waste	County	CBC [2]

PDF-XCHANGE Click to buy NOW! www.docu-track.com
PDF-XCHANGE Click to buy NOW! www.docu-track.com

Feedstock Conversion Pathways



PDF-XCHANGE
Click to buy NOW!
www.docu-track.com

Summary of Conversion Cost Model

- Biorefineries are assumed to operate at design capacity for an economic lifetime of 20 years.
- Cost curves are fitted to match the economies of scale from the detailed model of conversion costs.
- The cost functions of each technology depend on either feedstock input or fuel product or both.
- Biorefineries are modeled to consume a constant mix of feedstock for the entire production period. The feedstock mix designates the conversion costs.

PDF-XCHANGE
Click to buy NOW!
www.docu-track.com

PDF-XCHANGE Click to buy NOW! www.docu-track.com
PDF-XCHANGE Click to buy NOW! www.docu-track.com

Why geography is important

- Dispersion of potential biomass resource affects delivered biomass costs
- Adjusts value of products due to market access



PDF-XCHANGE Click to buy NOW! www.docu-track.com

System design for cellulosic ethanol



Clean Lignocellulosics
@ $30/dry ton



Clean Lignocellulosics
@ $50/dry ton



PDF-XCHANGE Click to buy NOW! www.docu-track.com

Example of detailed model

Inputs

Feedstock Type	**Poplar**
Economic Lifetime of Plant (Years)	20
Weighted Cost of Capital	12%

	Short Term (2010)	Mid Term (2015-2020)	Long Term (2025+)
Applicable Feedstocks	clean herbaceous feedstocks (agricultural residues and grasses) and de-barked wood chips		
Applicable Size Range (MGY)	25 - 60	60 - 150	60 - 300
Feedstock Input (dry ton/yr)	500,000	1,225,000	2,500,000
Feedstock Input (MMBtu/yr)	9,000,000	22,050,000	45,000,000
Yield - Dilute Acid (gal/dry ton)	76.9	85.9	91.9
Yield - Advanced Tech (gal/dry ton)	--	81.2	98.6
Conversion efficiency (HHV)	36%	38%	46%
Ethanol Production (MGY)	**38**	**99**	**246**
Pretreatment Technology	Dilute Acid	Steam Explosion	LHW
Capital Cost ($/gallon)	7.13	3.06	3.62
Consumables and By-Products			
CO2 Stream (ton/yr) (1)	121,800	315,100	780,800
Water Consumption (1000 gal/yr) (2)	267,100	654,400	1,335,400
Net Electricity Production (kWh/gal) (3)	2.62	6.33	2.11
Ethanol Production Costs			
Fixed O&M ($/yr) (3)	$ 10,421,977	$ 17,598,813	$ 24,219,933
Fixed O&M ($/gal/yr)	$ 0.27	$ 0.18	$ 0.10
Variable O&M ($/gal/yr) (3)	$ 0.25	$ 0.21	$ 0.09
Electricity Value ($/gal/yr) (4)	$ (0.15)	$ (0.36)	$ (0.12)
Net Electricity Value ($/yr) - credit	$ 5,732,921	$ 35,870,896	$ 29,629,081
Annual Operating Cost ($/yr)	***$ 14,119,838***	***$ 2,907,821***	***$ 17,499,764***
Total Capital Cost ($) (5)	$ 274,189,133	$ 304,400,977	$ 891,873,839
Economic Lifetime (Years)	20	20	20
Weighted Cost of Capital	12%	12%	12%
Annual Payment ($/gal/yr)	$ 0.95	$ 0.41	$ 0.48
Annual Payment ($/yr)	***$ 36,708,107***	***$ 40,752,831***	***$ 119,402,981***
Non-Feedstock Ethanol Production Cost ($/gal)	**$ 1.32**	**$ 0.44**	**$ 0.56**

Technology is expected to change over time, with increasing efficiency and lower overall costs per unit. All potential changes are estimated.

PDF-XCHANGE
Click to buy NOW!
www.docu-track.com

Importance of biorefinery size



PDF-XCHANGE
Click to buy NOW!
www.docu-track.com

PDF-XCHANGE Click to buy NOW! www.docu-track.com

Some Results: ECONOMIC POTENTIAL OF CALIFORNIA BIOMASS RESOURCES FOR ENERGY AND BIOFUEL

PIER Collaborative Report

Peter Tittman, Nathan Parker, Quinn Hart, Mui Lay, Bryan Jenkins

September 2008

Also part of a research project carried out for the Western Governors Association

PDF-XCHANGE Click to buy NOW! www.docu-track.com

Distribution of biomass "waste" and approximate amounts



PDF-XCHANGE Click to buy NOW! www.docu-track.com

PDF-XCHANGE Click to buy NOW! www.docu-track.com



PDF-XCHANGE Click to buy NOW! www.docu-track.com

PDF-XCHANGE Click to buy NOW! www.docu-track.com
PDF-XCHANGE Click to buy NOW! www.docu-track.com

Supply Curve for All Biofuels Combined



PDF-XCHANGE Click to buy NOW! www.docu-track.com

Type of Biomass Consumed



PDF-XCHANGE Click to buy NOW! www.docu-track.com

PDF-XCHANGE
Click to buy NOW!
www.docu-track.com

The state-wide supply in CA is most sensitive to:

- The development of low-cost, cellulosic ethanol (LCE) technology or a technology with similar performance to LCE as modeled,
- The demand for biomass for the production of electricity,
- Availability of low-cost cellulosic feedstock from Natural Forest Stands



PDF-XCHANGE Click to buy NOW! www.docu-track.com

Consumption of lignocellulosic biomass for energy production



PDF-XCHANGE Click to buy NOW! www.docu-track.com

Competition between biofuels and biopower



PDF-XCHANGE Click to buy NOW! www.docu-track.com

PDF-XCHANGE Click to buy NOW! www.docu-track.com

Model sensitivity to 20% RPS from biomass



PDF-XCHANGE Click to buy NOW! www.docu-track.com
PDF-XCHANGE Click to buy NOW! www.docu-track.com

Biofuel Supply without Dedicated Crops (WGA region)



Potential future bio-refinery



S. Phillips and J. Jechura

NREL National Renewable Energy Laboratory

PDF-XCHANGE Click to buy NOW! www.docu-track.com



Biogas to electricity facility in Germany, 2009

PDF-XCHANGE Click to buy NOW! www.docu-track.com

PDF-XCHANGE Click to buy NOW! www.docu-track.com

Summary

- At current prices and with current technology, there is a limited potential for biofuels production from biomass resources in the western U.S.
- More than two-thirds of the potential for biomass energy in the WGA region requires production of energy crops on agricultural lands, but this is not necessarily true for CA under the conditions modeled and assumptions used so far.
- The costs of production from advanced conversion technologies are still largely uncertain due to lack of commercial demonstration.
- The feed-in tariff price for electricity will strongly influence the relative competitiveness of conversion technologies.

PDF-XCHANGE
Click to buy NOW!
www.docu-track.com

6th Annual Forum

Evaluating the Net Environmental and Social Benefits of Biomass Energy

Cal EPA Building

(Sher Auditorium)

May 12/13, 2009

PDF-XCHANGE
Click to buy NOW!
www.docu-track.com