



<b>CERTIFICATE OF COMPLIANCE</b>	<b>NRCC-LTS-01-E</b>
<b>Sign Lighting</b>	(Page 1 of 5)
Project Name:	Date Prepared:

<b>A. General Information</b>	
Project Address:	
Location of Sign	<input type="checkbox"/> Outdoor Signs <input type="checkbox"/> Indoor Signs
Phase of Sign Construction	<input type="checkbox"/> New Signs <input type="checkbox"/> Sign Alterations
Type of Lighting Control	<input type="checkbox"/> New Lighting Controls <input type="checkbox"/> Replaced Lighting Controls <input type="checkbox"/> Not Installing Lighting Controls
This Certificate of Compliance includes the following components (check all that apply):	
<input type="checkbox"/> Mandatory Measures (Lighting Controls) <input type="checkbox"/> Maximum Allowed Lighting Power <input type="checkbox"/> Specific Lighting Sources	

<b>1. Mandatory Sign Lighting Controls</b>	
<i>NOTES:</i>	
<ol style="list-style-type: none"> <li>1. <i>The same responsible person may install both the sign lighting power and the sign lighting controls, or a different responsible person may install the sign lighting controls than the responsible person installing the sign lighting power.</i></li> <li>2. <i>The Mandatory Measures (sign lighting controls) are required for compliance with the sign lighting Standards. If the person responsible for installing the sign lighting power is not also responsible for the sign lighting controls, then the owner of the sign, general contractor, or architect shall be responsible to have the sign lighting controls installed.</i></li> <li>3. <i>If more than one person has responsibility for compliance, each responsible person shall prepare and sign a Certificate of Compliance and an Installation Certificate applicable to the portion of construction for which they are responsible; alternatively, the person with chief responsibility for construction shall prepare and sign the Certificate of Compliance Declaration Statement for the entire construction.</i></li> </ol>	
<b>1a. Statements of Responsibility</b>	
Any person signing the Certificate of Compliance Declaration Statement on this NRCC-LTS-01-E shall complete Part 1a. Check Yes or No for all of the following statements:	
1	I have responsibility for installing the sign lighting controls: <input type="checkbox"/> Yes, complete parts 1a and 1b of this form <input type="checkbox"/> No, complete part 1a of this form
2	There are no existing sign lighting controls and I will be installing compliant sign lighting controls: <input type="checkbox"/> Yes <input type="checkbox"/> No
3	There are no existing sign lighting controls and someone else will be responsible to install compliant sign lighting controls: <input type="checkbox"/> Yes <input type="checkbox"/> No
4	There are existing sign lighting controls that do not comply with the applicable provision of §110.9 and §130.3 and I will be installing compliant sign lighting controls: <input type="checkbox"/> Yes <input type="checkbox"/> No
5	There are existing sign lighting controls that do not comply with the applicable provision of §110.9 and §130.3 and someone else will be responsible to install compliant sign lighting controls: <input type="checkbox"/> Yes <input type="checkbox"/> No



CERTIFICATE OF COMPLIANCE	NRCC-LTS-01-E
Sign Lighting	(Page 2 of 5)
Project Name:	Date Prepared:

**1b. Mandatory Sign Lighting Controls**

If the person signing the Certificate of Compliance Declaration Statement on this NRCC-LTS-01-E is responsible for complying with the sign lighting control requirements, that person shall answer all of the following questions:

If there are construction documents, indicate where on the building plans the mandatory measures (sign lighting control) note block can be located:

1	§130.3(a)1. All <b>indoor sign lighting</b> is controlled with an automatic time-switch control or astronomical time-switch control.	Y <input type="checkbox"/>	N <input type="checkbox"/>	NA <input type="checkbox"/>
2	§130.3(a)2A. All <b>outdoor sign lighting</b> is controlled with a photocontrol in addition to an automatic time-switch control, or an astronomical time-switch control.	Y <input type="checkbox"/>	N <input type="checkbox"/>	NA <input type="checkbox"/>
	<b>EXCEPTION to Section 130.3(a)2A:</b> Outdoor signs in tunnels, and signs in large permanently covered outdoor areas that are intended to be continuously lit, 24 hours per day and 365 days per year.	Y <input type="checkbox"/>		NA <input type="checkbox"/>
3	§130.3(a)2B. All <b>outdoor sign lighting</b> that is ON both day and night is controlled with a dimmer that provides the ability to automatically reduce sign lighting power by a minimum of 65% during nighttime hours. Signs that are illuminated at night and for more than 1 hour during daylight hours shall be considered ON both day and night.	Y <input type="checkbox"/>	N <input type="checkbox"/>	NA <input type="checkbox"/>
	<b>EXCEPTION to Section 130.3(a)2B:</b> Outdoor signs in tunnels and large covered areas that are intended to be illuminated both day and night.	Y <input type="checkbox"/>		NA <input type="checkbox"/>
4	§130.3(a)3. <b>Demand Responsive Electronic Message Center Control.</b> An Electronic Message Center (EMC) having a new connected lighting power load greater than 15 kW has a control installed that is capable of reducing the lighting power by a minimum of 30% when receiving a demand response signal.	Y <input type="checkbox"/>	N <input type="checkbox"/>	N/A <input type="checkbox"/>
	<b>EXCEPTION to Section 130.3(a)3:</b> Lighting for EMCs that is not permitted by a health or life safety statute, ordinance, or regulation to be reduced by 30%.	Y <input type="checkbox"/>		NA <input type="checkbox"/>

Field Inspector Notes:



<b>CERTIFICATE OF COMPLIANCE</b>	<b>NRCC-LTS-01-E</b>
<b>Sign Lighting</b>	(Page 4 of 5)
Project Name:	Date Prepared:

**3. Specific Lighting Source Method of Compliance**  
 Certificate of Compliance and Field Inspection Energy Checklist  
 Complete this part if there are signs using the Specific Lighting Source method of compliance. (Complete part 2 of this Certificate of Compliance if there are signs using the maximum allowed lighting power method of compliance)

A	B	C	D	E
Symbol or Code	Description	<b>OPTIONAL</b> ENERGY VERIFIED label (see instructions below)	Specific light source used for compliance Shall include only lighting technologies listed below (List all that apply)	Field Inspector Check that Sign Complies ✓
		<input type="checkbox"/>		<input type="checkbox"/>
		<input type="checkbox"/>		<input type="checkbox"/>
		<input type="checkbox"/>		<input type="checkbox"/>
		<input type="checkbox"/>		<input type="checkbox"/>
		<input type="checkbox"/>		<input type="checkbox"/>

A Symbol or code used on the plans (when plans are required) and other documents.

B A narrative description of the sign, or location of sign on the building; and the location of sign on construction documents

C **OPTIONAL** - Check this box only if this sign has a permanent, pre-printed, factory-installed ENERGY VERIFIED label, confirming that this sign complies with the Section 140.8 of the California 2016 Title 24, Part 6 Standards, using the Specific Lighting Source Method of Compliance. The only labels that will be recognized for this purpose are ENERGY VERIFIED Certification Marks authorized by Underwriters Laboratories (UL) or other Product Certification Body accredited to ISO/IEC Guide 65 by the American National Standards Institute in accordance with ISO/IEC 17011. Surveillance by the Accredited Certification Body shall be an ongoing annual inspection program carried out by a Type A Inspection body in accordance with ISO/IEC 17020. For signs with such an ENERGY VERIFIED label, column 'D' is not required to be filled out. Note: Using an ENERGY VERIFIED label is an optional method to validate compliance. An ENERGY VERIFIED label is not needed for compliance.

D Specific Light Source Compliance Method. The sign(s) identified above use only the following lighting technologies:  
 List all applicable numbers (1 through 9) that apply in column D above for each row.

- |   |  |
|---|--|
| 1 | High pressure sodium lamps   |
| 2 | Metal halide lamps that are pulse start or ceramic served by a ballast that has a minimum efficiency of 88% or greater. Ballast efficiency is the measured output wattage to the lamp divided by the measured operating input wattage when tested according to ANSI C82.6-2005.  |
| 3 | Metal halide lamps that are pulse start that are 320 watts or smaller, are not 250 watt or 175 watt lamps, and are served by a ballast that has a minimum efficiency of 80%. Ballast efficiency is the measured output wattage to the lamp divided by the measured operating input wattage when tested according to ANSI C82.6-2005. |
| 4 | Neon or cold cathode lamps with transformer or power supply efficiency greater than or equal to a minimum efficiency of 75% when the transformer or power supply rated output current is less than 50 mA. The ratio of the output wattage to the input wattage is at 100% tubing load.   |
| 5 | Neon or cold cathode lamps with transformer or power supply efficiency greater than or equal to a minimum efficiency of 68% when the transformer or power supply rated output current is 50 mA or greater. The ratio of the output wattage to the input wattage is at 100% tubing load.  |
| 6 | Fluorescent lighting systems meeting one of the following requirements: A.) Use only lamps with a minimum color rendering index (CRI) of 80; or B.) Use only electronic ballasts with a fundamental output frequency not less than 20 kHz.   |
| 7 | Light emitting diodes (LEDs) with a power supply having an efficiency of 80% or greater.   |
| 8 | Single voltage external power supplies that are designed to convert 120 volt AC input into lower voltage DC or AC output, and have a nameplate output power less than or equal to 250 watts, shall comply with the applicable requirements of the Appliance Efficiency Regulations (Title 20).                                       |
| 9 | Compact fluorescent lamps that do not contain a medium screw base sockets (E24/E26).   |

E This page doubles as a field inspection checklist.

Field Inspector Notes:

---



---



---

<b>CERTIFICATE OF COMPLIANCE</b>		<b>NRCC-LTS-01-E</b>
<b>Sign Lighting</b>		<b>(Page 5 of 5)</b>
Project Name:	Date Prepared:	

<b>DOCUMENTATION AUTHOR'S DECLARATION STATEMENT</b>	
1. I certify that this Certificate of Compliance documentation is accurate and complete.	
Documentation Author Name:	Documentation Author Signature:
Company:	Signature Date:
Address:	CEA Certification Identification (if applicable):
City/State/Zip:	Phone:

<b>RESPONSIBLE PERSON'S DECLARATION STATEMENT</b>	
I certify the following under penalty of perjury, under the laws of the State of California:	
<ol style="list-style-type: none"> <li>1. The information provided on this Certificate of Compliance is true and correct.</li> <li>2. I am eligible under Division 3 of the Business and Professions Code to accept responsibility for the building design or system design identified on this Certificate of Compliance (responsible designer).</li> <li>3. The energy features and performance specifications, materials, components, and manufactured devices for the building design or system design identified on this Certificate of Compliance conform to the requirements of Title 24, Part 1 and Part 6 of the California Code of Regulations.</li> <li>4. The building design features or system design features identified on this Certificate of Compliance are consistent with the information provided on other applicable compliance documents, worksheets, calculations, plans and specifications submitted to the enforcement agency for approval with this building permit application.</li> <li>5. I will ensure that a completed signed copy of this Certificate of Compliance shall be made available with the building permit(s) issued for the building, and made available to the enforcement agency for all applicable inspections. I understand that a completed signed copy of this Certificate of Compliance is required to be included with the documentation the builder provides to the building owner at occupancy.</li> </ol>	
Responsible Designer Name:	Responsible Designer Signature:
Company :	Date Signed:
Address:	License:
City/State/Zip:	Phone:

### NRCC-LTS-01-E User Instructions

A copy of this document must be submitted to the enforcement agency at the time of building permit application. With enforcement agency approval, the applicant may use alternative formats of these documents (rather than the official Energy Commission compliance documents), provided the information is the same and in a similar format.

#### Section A. General Information

- **Project Address** is the address of the project as shown on the plans (the address where the sign is installed).
- **Location of Sign** – check appropriate box, to identify if this job includes Outdoor Signs, Indoor Signs, or both.
- **Phase of Sign Construction** – check appropriate box to identify if this job includes New Signs, or Sign Alterations, or both.
- **Type of Lighting Control** - check appropriate box to identify if the job includes New Lighting Controls, Replaced Lighting Controls, or Not Installing Lighting Controls (because someone else has accepted responsibility for the lighting controls).

This Certificate of Compliance includes the following components (check all that apply) – check appropriate box to indicate if this job includes installing the Mandatory Measures (Mandatory lighting Controls), uses the Maximum Allowed Lighting Power as the method to achieve compliance with the lighting power requirements in the Standards, and/or uses Specific Lighting Sources to achieve compliance with the lighting power requirements in the Standards.

#### Section 1. Mandatory Sign Lighting Controls

##### Section 1a. Statement of Responsibility

If the person signing the Certificate of Compliance Declaration Statement on the last page is responsible for complying with the sign lighting control requirements, that person shall answer all statement questions by checking either yes or no.

##### Section 1b. Mandatory Sign Lighting Controls

If there are construction documents, indicate in the blank space provided on the compliance document of where on the building plans the mandatory measures (sign lighting controls) note block can be located.

Answer all statement questions by checking Yes (Y), NO (N), or Not Applicable (NA).

Field Inspector Notes: This section provides a space on the document for the field inspector to make notes.

In addition to the mandatory sign lighting control requirements, there are two options for complying with the sign lighting power requirements, as follows:

1. Maximum Allowed Lighting Power, which is documented on page 3, and
2. Specific Lighting Source, which is documents on page 4.

#### Section 2. Maximum Allowed Lighting Power Method of Compliance

Certificate of Compliance and Field Inspection Energy Checklist

This page is for documenting compliance when using the maximum allowed lighting power method. A sign which complies with the specific lighting source method is not required to comply with the maximum allowed lighting power method.

Fill out a separate row for each sign as follows:

- |           |  |
|-----------|--|
| Column A. | List the symbol or code used to identify the sign on the plans (when plans are required) and other documents.  |
| Column B  | A description of the sign, or location of sign on the building; and the location of the sign on construction documents.  |
| Column C  | <p>OPTIONAL – this is an optional, voluntary method for documenting that a sign complies with the lighting power requirements.</p> <p>Check this box only if this sign has a permanent, pre-printed, factory-installed, ENERGY VERIFIED label, confirming that the sign complies with the Section 140.8 of the California 2016 Title 24, Part 6 Standards, using the Maximum Allowed Lighting Power method of compliance.</p> <p>The only labels that will be recognized for this purpose are ENERGY VERIFIED Certification Marks authorized by Underwriters Laboratories (UL) or other Product Certification Body accredited to ISO/IEC Guide 65 by the American National Standards Institute in accordance with ISO/IEC 17011. Surveillance by the Accredited Certification Body shall be an ongoing annual inspection program carried out by a Type A Inspection body in accordance with ISO/IEC 17020. For signs with such an ENERGY VERIFIED label,</p> |

	columns ‘D’ through ‘I’ are not required to be filled out. Note: Using an ENERGY VERIFIED label is an optional method to validate compliance. An ENERGY VERIFIED label is not needed for compliance.
Column D	The sign area in square feet.
Column E	List “I” if the sign is an internally illuminated sign. List “E” if the sign is an externally illuminated sign.
Column F	Allowed watts per square foot. Enter 12 if the sign is listed as “I” in column E. Enter 2.3 if sign is listed as “E” in column E. These two numbers are the only numbers which can be used when using the maximum lighting power method of compliance.
Column G	Multiply the square footage in column D times the allowed Lighting Power Density (LPD = watts) in column F.
Column H	Show the total installed watts in the sign, as determined according to the applicable provisions of §130.0(c).
Column I	Enter ‘Y’ if the number in column ‘H’ is less than or equal to the number in column ‘G’. This entry is a declaration that the sign complies with the sign lighting power requirements by using the maximum lighting power method of compliance. Otherwise, the sign does not comply.
Column J	This page doubles as a field inspection checklist.

Field Inspector Notes: This section provides a space on the document for the field inspector to make notes.

**Section 3. Specific Lighting Source Method of Compliance**

Certificate of Compliance and Field Inspection Energy Checklist

This page is for documenting compliance when using the specific lighting source compliance method. Watts per square foot are not required to be calculated when signs consist solely of one or more of the specified lighting technologies listed on this page.

Fill out a separate row for each sign as follows:

Column A.	List the symbol or code used to identify the sign on the plans (when plans are required) and other documents.
Column B	A narrative description of the sign, or location of sign on the building; and the location of the sign on construction documents.
Column C	OPTIONAL – this is an optional, voluntary method for documenting that a sign complies with the lighting power requirements. Check this box only if this sign has a permanent, pre-printed, factory-installed, ENERGY VERIFIED label, confirming that the sign complies with the Section 140.8 of the California 2016 Title 24, Part 6 Standards, using the Specific Lighting Source Method of compliance. The only labels that will be recognized for this purpose are ENERGY VERIFIED Certification Marks authorized by Underwriters Laboratories (UL) or other Product Certification Body accredited to ISO/IEC Guide 65 by the American National Standards Institute in accordance with ISO/IEC 17011. Surveillance by the Accredited Certification Body shall be an ongoing annual inspection program carried out by a Type A Inspection body in accordance with ISO/IEC 17020. For signs with such an ENERGY VERIFIED label, columns ‘D’ through ‘I’ are not required to be filled out. Note: Using an ENERGY VERIFIED label is an optional method to validate compliance. An ENERGY VERIFIED label is not needed for compliance.
Column D	Specific Light Source Compliance Method. In this cell, list one or more of the following numbers (1 through 9) to identify which of the specified lighting technologies are used to comply with the sign lighting power requirements: <ol style="list-style-type: none"> <li>1 High pressure sodium lamps</li> <li>2 Metal halide lamps that are pulse start or ceramic served by a ballast that has a minimum efficiency of 88% or greater. Ballast efficiency is the measured output wattage to the lamp divided by the measured operating input wattage when tested according to ANSI C82.6-2005.</li> <li>3 Metal halide lamps that are pulse start that are 320 watts or smaller, are not 250 watt or 175 watt lamps, and are served by a ballast that has a minimum efficiency of 80%. Ballast efficiency is the measured output wattage to the lamp divided by the measured operating input wattage when tested according to ANSI C82.6-2005.</li> <li>4 Neon or cold cathode lamps with transformer or power supply efficiency greater than or equal to a minimum efficiency of 75% when the transformer or power supply rated output current is less than 50 mA. The ratio of the output wattage to the input wattage is at 100% tubing load.</li> </ol>

- 5 Neon or cold cathode lamps with transformer or power supply efficiency greater than or equal to a minimum efficiency of 68% when the transformer or power supply rated output current is 50 mA or greater. The ratio of the output wattage to the input wattage is at 100% tubing load.
- 6 Fluorescent lighting systems meeting one of the following requirements: A.) Use only lamps with a minimum color rendering index (CRI) of 80; or B.) Use only electronic ballasts with a fundamental output frequency not less than 20 kHz.
- 7 Light emitting diodes (LEDs) with a power supply having an efficiency of 80% or greater.
- 8 Single voltage external power supplies that are designed to convert 120 volt AC input into lower voltage DC or AC output, and have a nameplate output power less than or equal to 250 watts, shall comply with the applicable requirements of the Appliance Efficiency Regulations (Title 20).
- 9 Compact fluorescent lamps that do not contain a medium screw base sockets (E24/E26).

Column E This page doubles as a field inspection checklist.

Field Inspector Notes: This section provides a space on the document for the field inspector to make notes.

#### **Documentation Author's Declaration Statement**

The "documentation author" is the person who prepares a Title 24 Part 6 compliance document that must subsequently be reviewed and signed by a responsible person (see below) in order to certify compliance with Part 6. Subject to the requirements of §10-103(a)1 and §10-103(a)2, the person who prepares the Certificate of Compliance documents (documentation authors) shall sign a declaration statement on the documents they prepare to certify the information provided on the documentation is accurate and complete.

A documentation author may have additional certifications such as a Certified Energy Analyst certification number. Enter number in the CEA# field provided, if applicable.

The person's telephone number is given to facilitate response to any questions that arise.

#### **Responsible Person's Declaration Statement**

The "responsible person" signing the Certificate of Compliance is required to be eligible under Division 3 of the Business and Professions Code to accept responsibility for the building design, to certify conformance with Part 6. If more than one person has responsibility for the building design, each person (such as an eligible lighting designer) shall sign the Certificate of Compliance document(s) applicable to that portion of the design for which the person is responsible. Alternatively, the person with chief responsibility for the building design shall prepare and sign the Certificate of Compliance document(s) for the entire building design.