

Adequacy Issue: Adequate _____ Inadequate _____

DATA ADEQUACY WORKSHEET

Revision No. 0 Date _____

Technical Area: Air Quality

Project: _____

Technical Staff: _____

Project Manager: _____

Docket: _____

Technical Senior: _____

SITING REGULATIONS	INFORMATION	AFC PAGE NUMBER AND SECTION NUMBER	ADEQUATE YES OR NO	INFORMATION REQUIRED TO MAKE AFC CONFORM WITH REGULATIONS
Appendix B (g) (1)	...provide a discussion of the existing site conditions, the expected direct, indirect and cumulative impacts due to the construction, operation and maintenance of the project, the measures proposed to mitigate adverse environmental impacts of the project, the effectiveness of the proposed measures, and any monitoring plans proposed to verify the effectiveness of the mitigation.	Affected Environment, Section 7.1.1, p. 7.1-1 Environmental Consequences, Section 7.1.2, p. 7.1-7 Cumulative Impacts Analysis and Protocol, Section 7.1.3, p. 7.1-24 Mitigation Measures, Section 7.1.4, p. 7.1-25		
Appendix B (g) (8) (A)	The information necessary for the air pollution control district where the project is located to complete a Determination of Compliance.	State Section 7.1.6.2, p. 7.1-31		
Appendix B (g) (8) (B)	The heating value and chemical characteristics of the proposed fuels, the stack height and diameter, the exhaust velocity and temperature, the heat rate and the expected capacity factor of the proposed facility.	Facility Description and Location, Section 2.0, p. 2-1 Emergency Engine Emission Parameters, Table 7.1-15, p. 7.1-51 Concentration Data Summary for Particulate Matter (PM₁₀) at Palm Springs-Fire Station, Table 7.1-3, p. 7.1-42 Operating Emissions, Appendix I-3		
Appendix B (g) (8) (C)	A description of the control technologies proposed to limit the emission of criteria pollutants.	Best Available Control Technology Analysis, Section 7.1.5, p. 7.1-26 Summary of Proposed BACT, Table 7.1-30, p. 7.1-64 BACT Analysis, Appendix I-7		

Adequacy Issue: Adequate _____ Inadequate _____

DATA ADEQUACY WORKSHEET

Revision No. 0 Date _____

Technical Area: **Air Quality**

Project: _____

Technical Staff: _____

Project Manager: _____

Docket: _____

Technical Senior: _____

SITING REGULATIONS	INFORMATION	AFC PAGE NUMBER AND SECTION NUMBER	ADEQUATE YES OR NO	INFORMATION REQUIRED TO MAKE AFC CONFORM WITH REGULATIONS
Appendix B (g) (8) (D)	A description of the cooling system, the estimated cooling tower drift rate, the rate of water flow through the cooling tower, and the maximum concentrations of total dissolved solids.	Cooling Tower Plume Characteristics, Section 7.11.2.5.1, p. 7.11-11 Cooling Tower, Section 2.6.4, p. 2-24 Cooling Tower Systems, Section 2.4.4.3.2, p. 2-9 Major Equipment List Table 2.4-1, p. 2-40 Construction Water Requirements Table 2.4-4, p. 2-43 Water Balances, Table 2.4-5, p. 2-45 Operating Emissions, Appendix I-3		

Adequacy Issue: Adequate _____ Inadequate _____

DATA ADEQUACY WORKSHEET

Revision No. 0 Date _____

Technical Area: **Air Quality**

Project: _____

Technical Staff: _____

Project Manager: _____

Docket: _____

Technical Senior: _____

SITING REGULATIONS	INFORMATION	AFC PAGE NUMBER AND SECTION NUMBER	ADEQUATE YES OR NO	INFORMATION REQUIRED TO MAKE AFC CONFORM WITH REGULATIONS
Appendix B (g) (8) (E)	The emission rates of criteria pollutants and greenhouse gases (CO2, CH4, N2O, and SF6) from the stack, cooling towers, fuels and materials handling processes, delivery and storage systems, and from all on-site secondary emission sources.	Environmental Consequences, Section 7.1.2, p. 7.1-7 1-Hour Operating Emission Rates and Stack Parameters for CTG Operating Load Scenarios, Table 7.1-13, p. 7.1-49 Criteria Pollutant Emission Rates During CTG Startup and Shutdown, Table 7.1-14, p. 7.1-51 Estimated Total Project Annual Emissions of Criteria Pollutants, Table 7.1-17, p. 7.1-53 Durations and Criteria Pollutant Emissions for Commissioning of a Single CTG, Table 7.1-18, p. 7.1-53 Construction Emissions, Appendix I-2 Operating Emissions, Appendix I-3 Greenhouse Emissions, Appendix I-4		

Adequacy Issue: Adequate _____ Inadequate _____

DATA ADEQUACY WORKSHEET

Revision No. 0 Date _____

Technical Area: Air Quality

Project: _____

Technical Staff: _____

Project Manager: _____

Docket: _____

Technical Senior: _____

SITING REGULATIONS	INFORMATION	AFC PAGE NUMBER AND SECTION NUMBER	ADEQUATE YES OR NO	INFORMATION REQUIRED TO MAKE AFC CONFORM WITH REGULATIONS
Appendix B (g) (8) (F)(i)	A description of typical operational modes, and start-up and shutdown modes for the proposed project, including the estimated frequency of occurrence and duration of each mode, and estimated emission rate for each criteria pollutant during each mode.	Operational Emissions, Section 7.1.2.2, p. 7.1-8 Section 7.1.2.4, p. 7.1-16 Maximum Proposed CTG Operating Schedules, Table 7.1-12, p. 7.1-48 1-Hour Operating Emission Rates and Stack Parameters for CTG Operating Load Scenarios, Table 7.1-13, p. 7.1-49 Criteria Pollutant Emission Rates During CTG Startup and Shutdown, Table 7.1-14, p. 7.1-51		
Appendix B (g) (8) (F)(ii)	A description of the project's planned initial commissioning phase, which is the phase between the first firing of emissions sources and the commercial operations date, including the types and durations of equipment tests, criteria pollutant emissions, and monitoring techniques to be used during such tests.	Environmental Consequences, Section 7.1.2, p. 7.1-7 Maximum Proposed CTG Operating Schedules, Table 7.1-12, p. 7.1-48 Durations and Criteria Pollutant Emissions for Commissioning of a Single CTG, Table 7.1-18, p. 7.1-53 Proposed Project Commissioning Modeling Results, Table 7.1-24, p. 7.1-59 Laws, Ordinances, Regulations, and Standards, Section 7.1.6.3, p. 7.1-31		

Adequacy Issue: Adequate _____ Inadequate _____
 Technical Area: **Air Quality**
 Project Manager: _____

DATA ADEQUACY WORKSHEET

Revision No. 0 Date _____
 Technical Staff: _____
 Technical Senior: _____

Project: _____
 Docket: _____

SITING REGULATIONS	INFORMATION	AFC PAGE NUMBER AND SECTION NUMBER	ADEQUATE YES OR NO	INFORMATION REQUIRED TO MAKE AFC CONFORM WITH REGULATIONS
Appendix B (g) (8) (G)	The ambient concentrations of all criteria pollutants for the previous three years as measured at the three Air Resources Board certified monitoring stations located closest to the project site, and an analysis of whether this data is representative of conditions at the project site. The applicant may substitute an explanation as to why information from one, two, or all stations is either not available or unnecessary.	Affected Environment, Section 7.1.1, p. 7.1-1 Concentration Data Summary for Ozone at Palm Springs-Fire Station, Table 7.1-2, p. 7.1-41 Concentration Data Summary for Particulate Matter (PM₁₀) at Palm Springs-Fire Station, Table 7.1-3, p. 7.1-42 Concentration Data Summary for Particulate Matter (PM_{2.5}) at Palm Springs-Fire Station, Table 7.1-4, p. 7.1-42 Concentration Data Summary for Carbon Monoxide at Palm Springs-Fire Station, Table 7.1-5, p. 7.1-43 Concentration Data Summary for Nitrogen Dioxide at Palm Springs-Fire Station, Table 7.1-6, p. 7.1-43 Concentration Data Summary for Sulfur Dioxide at Riverside-Rubidoux Station, Table 7.1-7, p. 7.1-43 Concentration Data Summary for Lead at Riverside-Rubidoux Station, Table 7.1-8, p. 7.1-44		

Adequacy Issue: Adequate _____ Inadequate _____

DATA ADEQUACY WORKSHEET

Revision No. 0 Date _____

Technical Area: **Air Quality**

Project: _____

Technical Staff: _____

Project Manager: _____

Docket: _____

Technical Senior: _____

SITING REGULATIONS	INFORMATION	AFC PAGE NUMBER AND SECTION NUMBER	ADEQUATE YES OR NO	INFORMATION REQUIRED TO MAKE AFC CONFORM WITH REGULATIONS
Appendix B (g) (8) (H)	One year of meteorological data collected from either the Federal Aviation Administration Class 1 station nearest to the project or from the project site, or meteorological data approved by the California Air Resources Board or the local air pollution control district.	Affected Environment, Section 7.1.1, p. 7.1-1 Climatological Normals – Historical Average Temperature and Precipitation Data (1971-2000) for Palm Springs, California, Table 7.1-1, p. 7.1-41 Seasonal Windroses, Appendix I-1 Air Quality DVD		
Appendix B (g) (8) (H) (i)	If the data is collected from the project site, the applicant shall demonstrate compliance with the requirements of the U.S. Environmental Protection Agency document entitled “On-Site Meteorological Program Guidance for Regulatory Modeling Applications” (EPA - 450/4-87-013 (August 1995)), which is incorporated by reference in its entirety.	Not Applicable		
Appendix B (g) (8) (H) (ii)	The data shall include quarterly wind tables and wind roses, ambient temperatures, relative humidity, stability and mixing heights, upper atmospheric air data, and an analysis of whether this data is representative of conditions at the project site.	Affected Environment, Section 7.1.1.1, p. 7.1-1 Seasonal Windroses, Appendix I-1 Climatological Normals – Historical Average Temperature and Precipitation Data (1971-2000) for Palm Springs, California, Table 7.1-1, p. 7.1-41 Air Quality DVD		
Appendix B (g) (8) (I)	An evaluation of the project’s direct and cumulative air quality impacts, consisting of the following:	Environmental Consequences, Section 7.1.2, p. 7.1-7 Cumulative Impacts, Section 7.1.3, p. 7.1-24		

Adequacy Issue: Adequate _____ Inadequate _____

DATA ADEQUACY WORKSHEET

Revision No. 0 Date _____

Technical Area: **Air Quality**

Project: _____

Technical Staff: _____

Project Manager: _____

Docket: _____

Technical Senior: _____

SITING REGULATIONS	INFORMATION	AFC PAGE NUMBER AND SECTION NUMBER	ADEQUATE YES OR NO	INFORMATION REQUIRED TO MAKE AFC CONFORM WITH REGULATIONS
Appendix B (g) (8) (I) (i)	A screening level air quality modeling analysis, or a more detailed modeling analysis if so desired by the applicant, of the direct criteria pollutant impacts of project construction activities on ambient air quality conditions, including fugitive dust (PM ₁₀) emissions from grading, excavation and site disturbance, as well as the combustion emissions [nitrogen oxides (NO _x), sulfur dioxide (SO ₂), carbon monoxide (CO), and particulate matter less than 10 microns in diameter (PM ₁₀) and particulate matter less than 2.5 microns in diameter (PM _{2.5})] from construction-related equipment;	Environmental Consequences, Section 7.1.2, p. 7.1-7 Daily Maximum Construction Emissions of Criteria Pollutants, Table 7.1-10, p. 7.1-47 Maximum Annual Construction Emissions of Criteria Pollutants, Table 7.1-11, p. 7.1-48 Air Quality DVD		

Adequacy Issue: Adequate _____ Inadequate _____
 Technical Area: Air Quality
 Project Manager: _____

DATA ADEQUACY WORKSHEET

Revision No. 0 Date _____
 Technical Staff: _____
 Technical Senior: _____

Project: _____
 Docket: _____

SITING REGULATIONS	INFORMATION	AFC PAGE NUMBER AND SECTION NUMBER	ADEQUATE YES OR NO	INFORMATION REQUIRED TO MAKE AFC CONFORM WITH REGULATIONS
Appendix B (g) (8) (I) (ii)	A screening level air quality modeling analysis, or a more detailed modeling analysis if so desired by the applicant, of the direct criteria pollutant (NO _x , SO ₂ , CO, PM ₁₀ , and PM _{2.5}) impacts on ambient air quality conditions of the project during typical (normal) operation, and during shutdown and startup modes of operation. Identify and include in the modeling of each operating mode the estimated maximum emissions rates and the assumed meteorological conditions;	Environmental Consequences , Section 7.1.2, p. 7.1-7 Maximum Proposed CTG Operating Schedules , Table 7.1-12, p. 7.1-48 1-Hour Operating Emission Rates and Stack Parameters for CTG Operating Load Scenarios , Table 7.1-13, p. 7.1-49 Criteria Pollutant Emission Rates During CTG Startup and Shutdown , Table 7.1-14, p. 7.1-51 Criteria Pollutant Sources and Emission Totals for the Worst-Case Project Emissions Scenarios for All Averaging Times , Table 7.1-16, p. 7.1-52 Estimated Total Project Annual Emissions of Criteria Pollutants , Table 7.1-17, p. 7.1-53 AERMOD Refined Modeling Results for the Operational Project , Table 7.1-23, p. 7.1-58 Modeling Protocol , Appendix I-5		

Adequacy Issue: Adequate _____ Inadequate _____

DATA ADEQUACY WORKSHEET

Revision No. 0 Date _____

Technical Area: **Air Quality**

Project: _____

Technical Staff: _____

Project Manager: _____

Docket: _____

Technical Senior: _____

SITING REGULATIONS	INFORMATION	AFC PAGE NUMBER AND SECTION NUMBER	ADEQUATE YES OR NO	INFORMATION REQUIRED TO MAKE AFC CONFORM WITH REGULATIONS
Appendix B (g) (8) (I) (iii)	A protocol for a cumulative air quality modeling impacts analysis of the project's typical operating mode in combination with other stationary emissions sources within a six mile radius which have received construction permits but are not yet operational, or are in the permitting process. The cumulative inert pollutant impact analysis should assess whether estimated emissions concentrations will cause or contribute to a violation of any ambient air quality standard; and	Cumulative impact Analysis and Protocol , Section 7.1.3, p. 7.1-24 Modeling Protocol , Appendix I-5		
Appendix B (g) (8) (I) (iv)	An air dispersion modeling analysis of the impacts of the initial commissioning phase emissions on state and federal ambient air quality standards for NO _x , SO ₂ , CO, PM ₁₀ , and PM _{2.5} .	Environmental Consequences , Section 7.1.2, p. 7.1-7 Proposed Project Commissioning Modeling Results , Table 7.1-24, p. 7.1-59 Air Quality DVD		
Appendix B (g) (8) (J)	If an emission offset strategy is proposed to mitigate the project's impacts under subsection (g)(1), provide the following information:			
Appendix B (g) (8) (J) (i)	The quantity of offsets or emission reductions that are needed to satisfy air permitting requirements of local permitting agencies (such as the air district), state and federal oversight air agencies, and the California Energy Commission. Identify by criteria air pollutant, and if appropriate, greenhouse gas; and	Mitigation Measures , Section 7.1.4, p. 7.1-25 Estimated Emission Offset Requirements for the Proposed Project Emissions , Table 7.1-29, p. 7.1-63		
Appendix B (g) (8) (J) (ii)	Potential offset sources, including location, and quantity of emission reductions;	Mitigation Measures , Section 7.1.4, p. 7.1-25 Estimated Emission Offset Requirements for the Proposed Project Emissions , Table 7.1-29, p. 7.1-63		

Adequacy Issue: Adequate _____ Inadequate _____

DATA ADEQUACY WORKSHEET

Revision No. 0 Date _____

Technical Area: Air Quality

Project: _____

Technical Staff: _____

Project Manager: _____

Docket: _____

Technical Senior: _____

SITING REGULATIONS	INFORMATION	AFC PAGE NUMBER AND SECTION NUMBER	ADEQUATE YES OR NO	INFORMATION REQUIRED TO MAKE AFC CONFORM WITH REGULATIONS
Appendix B (g) (8) (K)	A detailed description of the mitigation, if any, which an applicant may propose, for all projects impacts from criteria pollutants that currently exceed state or federal ambient air quality standards, but are not subject to offset requirements under the district's new source review rule.	Mitigation Measures, Section 7.1.4, p. 7.1-25		
Appendix B (i) (1) (A)	Tables which identify laws, regulations, ordinances, standards, adopted local, regional, state, and federal land use plans, leases, and permits applicable to the proposed project, and a discussion of the applicability of, and conformance with each. The table or matrix shall explicitly reference pages in the application wherein conformance, with each law or standard during both construction and operation of the facility is discussed; and	Laws, Ordinances, Regulations and Standards, Section 7.1.6, p. 7.1-26 Laws, Ordinances, Regulations, and Standards, Table 7.1-34, p. 7.1-34		
Appendix B (i) (1) (B)	Tables which identify each agency with jurisdiction to issue applicable permits, leases, and approvals or to enforce identified laws, regulations, standards, and adopted local, regional, state and federal land use plans, and agencies which would have permit approval or enforcement authority, but for the exclusive authority of the commission to certify sites and related facilities.	Permits Required and Permitting Schedule, Section 7.1.8, p. 7.1-38		
Appendix B (i) (2)	The name, title, phone number, address (required), and email address (if known), of an official who was contacted within each agency, and also provide the name of the official who will serve as a contact person for Commission staff.	Involved Agency and Agency Contacts, Section 7.1.7, p. 7.1-38		
Appendix B (i) (3)	A schedule indicating when permits outside the authority of the commission will be obtained and the steps the applicant has taken or plans to take to obtain such permits.	Permits Required and Permitting Schedule, Section 7.1.8, p. 7.1-38		

Adequacy Issue: Adequate _____ Inadequate _____

DATA ADEQUACY WORKSHEET

Revision No. 0 Date _____

Technical Area: **Alternatives**

Project: _____

Technical Staff: _____

Project Manager: _____

Docket: _____

Technical Senior: _____

SITING REGULATIONS	INFORMATION	AFC PAGE NUMBER AND SECTION NUMBER	ADEQUATE YES OR NO	INFORMATION REQUIRED TO MAKE AFC CONFORM WITH REGULATIONS
Appendix B (b) (1) (D)	A description of how the site and related facilities were selected and the consideration given to engineering constraints, site geology, environmental impacts, water, waste and fuel constraints, electric transmission constraints, and any other factors considered by the applicant.	Alternatives , Section 8.0, p. 8-1		
Appendix B (f) (1)	A discussion of the range of reasonable alternatives to the project, or to the location of the project, including the no project alternative, which would feasibly attain most of the basic objectives of the project but would avoid or substantially lessen any of the significant effects of the project, and an evaluation of the comparative merits of the alternatives. In accordance with Public Resources Code section 25540.6(b), a discussion of the applicant's site selection criteria, any alternative sites considered for the project, and the reasons why the applicant chose the proposed site.	No Project Alternative , Section 8.3, p. 8-2 Site Alternatives , Section 8.4, p. 8-3 Generation Technology and Design Alternatives , Section 8.5, p. 8-4 Water Supply Alternatives , Section 8.6, p. 8-7 Transmission Interconnection Route Alternatives , Section 8.7, p. 8-9 Gas Supply Route Alternatives , Section 8.8, p. 8-9		

Adequacy Issue: Adequate _____ Inadequate _____

DATA ADEQUACY WORKSHEET

Revision No. 0 Date _____

Technical Area: **Alternatives**

Project: _____

Technical Staff: _____

Project Manager: _____

Docket: _____

Technical Senior: _____

SITING REGULATIONS	INFORMATION	AFC PAGE NUMBER AND SECTION NUMBER	ADEQUATE YES OR NO	INFORMATION REQUIRED TO MAKE AFC CONFORM WITH REGULATIONS
Appendix B (f) (2)	An evaluation of the comparative engineering, economic, and environmental merits of the alternatives discussed in subsection (f)(1).	No Project Alternative, Section 8.3, p. 8-2 Site Alternatives, Section 8.4, p. 8-3 Generation Technology and Design Alternatives, Section 8.5, p. 8-4 Water Supply Alternatives, Section 8.6, p. 8-7 Transmission Interconnection Route Alternatives, Section 8.7, p. 8-9 Gas Supply Route Alternatives, Section 8.8, p. 8-9		

Adequacy Issue: Adequate _____ Inadequate _____

DATA ADEQUACY WORKSHEET

Revision No. 0 Date _____

Technical Area: **Biological Resources**

Project: _____

Technical Staff: _____

Project Manager: _____

Docket: _____

Technical Senior: _____

SITING REGULATIONS	INFORMATION	AFC PAGE NUMBER AND SECTION NUMBER	ADEQUATE YES OR NO	INFORMATION REQUIRED TO MAKE AFC CONFORM WITH REGULATIONS
Appendix B (g) (1)	...provide a discussion of the existing site conditions, the expected direct, indirect and cumulative impacts due to the construction, operation and maintenance of the project, the measures proposed to mitigate adverse environmental impacts of the project, the effectiveness of the proposed measures, and any monitoring plans proposed to verify the effectiveness of the mitigation.	Affected Environment, Section 7.2.1 Environmental Consequences, Section 7.2.2 Cumulative Impacts, Section 7.2.3 Mitigation Measures, Section 7.2.4		
Appendix B (g) (13) (A)	A regional overview and discussion of terrestrial and aquatic biological resources, with particular attention to sensitive biological resources within ten (10) miles of the project. Include a map at a scale of 1:100,000 (or other suitable scale) showing sensitive biological resource location(s) in relation to the project site and related facilities and any boundaries of a local Habitat Conservation Plan or similar open space land use plan or designation. Sensitive biological resources include the following:	Affected Environment, Section 7.2.1.5, Table 7.2-4 CNDDB Sensitive Species, Figure 7.2-2		
Appendix B (g) (13) (A) (i)	species listed under state or federal Endangered Species Acts;	Affected Environment, Tables 7.2-5, 7.2-6		
Appendix B (g) (13) (A) (ii)	resources defined in sections 1702(q) and (v) of Title 20 of the California Code of Regulations;	Affected Environment, Section 7.2.1.5 Environmental Consequences, Section 7.2.2.2 Tables 7.2-5, 7.2-6		
Appendix B (g) (13) (A) (iii)	species identified as state Fully Protected;	Affected Environment, Section 7.2.1.5 Environmental Consequences, Section 7.2.2.2 Tables 7.2-5, 7.2-6		

Adequacy Issue: Adequate _____ Inadequate _____

DATA ADEQUACY WORKSHEET

Revision No. 0 Date _____

Technical Area: **Biological Resources**

Project: _____

Technical Staff: _____

Project Manager: _____

Docket: _____

Technical Senior: _____

SITING REGULATIONS	INFORMATION	AFC PAGE NUMBER AND SECTION NUMBER	ADEQUATE YES OR NO	INFORMATION REQUIRED TO MAKE AFC CONFORM WITH REGULATIONS
Appendix B (g) (13) (A) (iv)	species covered by Migratory Bird Treaty Act;	Affected Environment, Section 7.2.1.5 Environmental Consequences, Section 7.2.2.2 Table 7.2-3		
Appendix B (g) (13) (A) (v)	species and habitats identified by local, state, and federal agencies as needing protection, including but not limited to those identified by the California Natural Diversity Database, or where applicable, in Local Coastal Programs or in relevant decisions of the California Coastal Commission; and	Affected Environment, Section 7.2.1.5		
Appendix B (g) (13) (A) (vi)	fish and wildlife species that have commercial and/or recreational value.	Affected Environment, Section 7.2.1.1		
Appendix B (g) (13) (B)	Include a list of the species actually observed and those with a potential to occur within 1 mile of the project site and 1,000 feet from the outer edge of linear facility corridors. Maps or aerial photographs shall include the following:	Introduction, Section 7.2 Affected Environment, Section 7.2.1 Tables 7.2-2, 7.2-3		
Appendix B (g) (13) (B) (i)	Detailed maps at a scale of 1:6,000 or color aerial photographs taken at a recommended scale of 1 inch equals 500 feet (1:6,000) with a 30 percent overlap that show the proposed project site and related facilities, biological resources including, but not limited to, those found during project-related field surveys and in records from the California Natural Diversity Database, and the associated areas where biological surveys were conducted. Label the biological resources and survey areas as well as the project facilities;	Figure 7.2-3, CNDDDB Sensitive Species		

Adequacy Issue: Adequate _____ Inadequate _____

DATA ADEQUACY WORKSHEET

Revision No. 0 Date _____

Technical Area: **Biological Resources**

Project: _____

Technical Staff: _____

Project Manager: _____

Docket: _____

Technical Senior: _____

SITING REGULATIONS	INFORMATION	AFC PAGE NUMBER AND SECTION NUMBER	ADEQUATE YES OR NO	INFORMATION REQUIRED TO MAKE AFC CONFORM WITH REGULATIONS
Appendix B (g) (13) (B) (ii)	A depiction of the extent of the thermal plume at the surface of the water if cooling water is proposed to be discharged to a water source. Provide the location for the intake and discharge structures on an aerial photograph(s) or detailed maps. Water sources include, but are not limited to, waterways, lakes, impoundments, oceans, bays, rivers, and estuaries; and	Not Applicable		
Appendix B (g) (13) (B) (iii)	An aerial photo or wetlands delineation maps at a scale of (1:2,400) showing any potential jurisdictional and non-jurisdictional wetlands delineated out to 250 feet from the edge of disturbance if wetlands occur within 250 feet of the project site and/or related facilities that would be included with the US Army Corps of Engineers Section 404 Permit application. For projects proposed to be located within the coastal zone, also provide aerial photographs or maps as described above that identify wetlands as defined by the Coastal Act.	Figure 7.2-1 , Biological Resources Study Area Coverage and Waters of the U.S.		
Appendix B (g) (13) (C)	A discussion of the biological resources at the proposed project site and related facilities. Related facilities include, but are not limited to, laydown and parking areas, gas and water supply pipelines, transmission lines, and roads. The discussion shall address the distribution of vegetation community types, denning or nesting sites, population concentrations, migration corridors, breeding habitats, and other appropriate biological resources including the following:	Affected Environment , Section 7.2.1		
Appendix B (g) (13) (C) (i)	A list of all the species actually observed;	Affected Environment , Tables 7.2-2, 7.2-3		
Appendix B (g) (13) (C) (ii)	A list of sensitive species and habitats with a potential to occur (as defined in (A) above); and	Affected Environment , Section 7.2.1.5 Tables 7.2-5, 7.2-6		

Adequacy Issue: Adequate _____ Inadequate _____

DATA ADEQUACY WORKSHEET

Revision No. 0 Date _____

Technical Area: **Biological Resources**

Project: _____

Technical Staff: _____

Project Manager: _____

Docket: _____

Technical Senior: _____

SITING REGULATIONS	INFORMATION	AFC PAGE NUMBER AND SECTION NUMBER	ADEQUATE YES OR NO	INFORMATION REQUIRED TO MAKE AFC CONFORM WITH REGULATIONS
Appendix B (g) (13) (C) (iii)	If cooling water is taken directly from or discharged to a surface water feature source, include a description of the intake structure, screens, water volume, intake velocity hydraulic zone field of influence, and the thermal plume dispersion area as depicted in response to B(ii) above. Describe the thermal plume size and dispersion under high and low tides, and in response to local currents and seasonal changes. Provide a discussion of the aquatic habitats, biological resources, and critical life stages found in these affected waters. For repower projects that anticipate no change in cooling water flow, this information shall be provided in the form of the most recent federal Clean Water Act 316(a) and (b) studies of entrainment and impingement impacts that has been completed within the last five (5) years. For new projects or repower projects proposing to use once-through cooling and anticipating an increase in cooling water flow, provide a complete impingement and entrainment analysis per guidance in (D)(ii), below.	Not Applicable (no water habitats)		
Appendix B (g) (13) (D)	A description and results of all field studies and seasonal surveys used to provide biological baseline information about the project site and associated facilities. Include copies of the California Natural Diversity Database records and field survey forms completed by the applicant's biologist(s). Identify the date(s) the surveys were completed, methods used to complete the surveys, and the name(s) and qualifications of the biologists conducting the surveys. Include:	Biological Appendix, Appendix J		

Adequacy Issue: Adequate _____ Inadequate _____

DATA ADEQUACY WORKSHEET

Revision No. 0 Date _____

Technical Area: **Biological Resources**

Project: _____

Technical Staff: _____

Project Manager: _____

Docket: _____

Technical Senior: _____

SITING REGULATIONS	INFORMATION	AFC PAGE NUMBER AND SECTION NUMBER	ADEQUATE YES OR NO	INFORMATION REQUIRED TO MAKE AFC CONFORM WITH REGULATIONS
Appendix B (g) (13) (D) (i)	Current biological resources surveys conducted using appropriate field survey protocols during the appropriate season(s). State and federal agencies with jurisdiction shall be consulted for field survey protocol guidance prior to surveys if a protocol exists;	Table 7.2-1 Biological Appendix, Appendix J		
Appendix B (g) (13) (D) (ii)	If cooling water is proposed to be taken directly from or discharged to a surface water feature source, seasonal aquatic resource studies and surveys shall be conducted. Aquatic resource survey data shall include, but is not limited to, fish trawls, ichthyoplankton and benthic sampling, and related temperature and water quality samples. For new projects or repower projects anticipating a change in cooling water flows, sampling protocols shall be provided to the Energy Commission staff for review and concurrence prior to the start of sampling. For repower projects not anticipating a change in cooling water flows, this information shall be provided in the form of the most recent federal Clean Water Act 316(b) impingement and entrainment impact study completed within five (5) years of the AFC filing date; and	Not Applicable (no water sources)		
Appendix B (g) (13) (D) (iii)	If the project or any related facilities could impact a jurisdictional or non-jurisdictional wetland, provide completed Army Corps of Engineers wetland delineation forms and/or determination of wetland status pursuant to Coastal Act requirements, name(s) and qualifications of biologist(s) completing the delineation, the results of the delineation and a table showing wetland acreage amounts to be impacted.	Affected Environment, Section 7.2.1.4		
Appendix B (g) (13) (E)	Impacts discussion of the following:			

Adequacy Issue: Adequate _____ Inadequate _____

DATA ADEQUACY WORKSHEET

Revision No. 0 Date _____

Technical Area: **Biological Resources**

Project: _____

Technical Staff: _____

Project Manager: _____

Docket: _____

Technical Senior: _____

SITING REGULATIONS	INFORMATION	AFC PAGE NUMBER AND SECTION NUMBER	ADEQUATE YES OR NO	INFORMATION REQUIRED TO MAKE AFC CONFORM WITH REGULATIONS
Appendix B (g) (13) (E) (i)	all impacts (direct, indirect, and cumulative) to biological resources from project site preparation, construction activities, plant operation, maintenance, and closure. Discussion shall also address sensitive species habitat impacts from cooling tower drift and air emissions;	Environmental Consequences, Section 7.2.2		
Appendix B (g) (13) (E) (ii)	facilities that propose to take water directly from, and/or discharge water to surface water features, daytime and nighttime impacts from the intake and discharge of water during operation, water velocity at the intake screen, the intake field of influence, impingement, entrainment, and thermal discharge. Provide a discussion of the extent of the thermal plume, effluent chemicals, oxygen saturation, intake pump operations, and the volume and rate of cooling water flow at the intake and discharge location; and	Not Applicable (no water sources)		
Appendix B (g) (13) (E) (iii)	Methods to control biofouling and chemical concentrations, and temperatures that are currently being discharged or will be discharged to receiving waters.	Not Applicable (no water sources)		
Appendix B (g) (13) (F)	A discussion of all feasible mitigation measures including, but not limited to the following:	Mitigation Measures, Section 7.2.4		
Appendix B (g) (13) (F) (i)	All measures proposed to avoid and/or reduce adverse impacts to biological resources;	Mitigation Measures, Section 7.2.4		
Appendix B (g) (13) (F) (ii)	All off-site habitat mitigation and habitat improvement or compensation, and an identification of contacts for compensation habitat and management;	Not Applicable		
Appendix B (g) (13) (F) (iii)	Design features to better disperse or eliminate a thermal discharge;	Not Applicable		

Adequacy Issue: Adequate _____ Inadequate _____

DATA ADEQUACY WORKSHEET

Revision No. 0 Date _____

Technical Area: **Biological Resources**

Project: _____

Technical Staff: _____

Project Manager: _____

Docket: _____

Technical Senior: _____

SITING REGULATIONS	INFORMATION	AFC PAGE NUMBER AND SECTION NUMBER	ADEQUATE YES OR NO	INFORMATION REQUIRED TO MAKE AFC CONFORM WITH REGULATIONS
Appendix B (g) (13) (F) (iv)	All measures proposed to avoid or minimize adverse impacts of cooling water intake. This shall include a Best Technology Available (BTA) discussion. If BTA is not being proposed, the rationale for not selecting BTA must be provided; and	Mitigation Measure BIO-7, page 7.2-22		
Appendix B (g) (13) (F) (v)	Educational programs to enhance employee awareness during construction and operation to protect biological resources.	Mitigation Measures, Section 7.2.4		
Appendix B (g) (13) (G)	A discussion of compliance and monitoring programs to ensure the effectiveness of impact avoidance and mitigation measures incorporated into the project.	None are Proposed		
Appendix B (g) (13) (H)	Submit copies of any preliminary correspondence between the project applicant and state and federal resource agencies regarding whether federal or state permits from other agencies such as the U. S. Fish and Wildlife Service, the National Marine Fisheries Service, the U.S. Army Corps of Engineers, the California Department of Fish and Game, and the Regional Water Quality Control Board will be required for the proposed project.	Not Applicable		
Appendix B (i) (1) (A)	Tables which identify laws, regulations, ordinances, standards, adopted local, regional, state, and federal land use plans, leases, and permits applicable to the proposed project, and a discussion of the applicability of, and conformance with each. The table or matrix shall explicitly reference pages in the application wherein conformance, with each law or standard during both construction and operation of the facility is discussed; and	Laws, Ordinances, Regulations, and Standards, Section 7.2.5		

Adequacy Issue: Adequate _____ Inadequate _____

DATA ADEQUACY WORKSHEET

Revision No. 0 Date _____

Technical Area: **Biological Resources**

Project: _____

Technical Staff: _____

Project Manager: _____

Docket: _____

Technical Senior: _____

SITING REGULATIONS	INFORMATION	AFC PAGE NUMBER AND SECTION NUMBER	ADEQUATE YES OR NO	INFORMATION REQUIRED TO MAKE AFC CONFORM WITH REGULATIONS
Appendix B (i) (1) (B)	Tables which identify each agency with jurisdiction to issue applicable permits, leases, and approvals or to enforce identified laws, regulations, standards, and adopted local, regional, state and federal land use plans, and agencies which would have permit approval or enforcement authority, but for the exclusive authority of the commission to certify sites and related facilities.	Permits Required and Permit Schedule Section 7.2.7		
Appendix B (i) (2)	The name, title, phone number, address (required), and email address (if known), of an official who was contacted within each agency, and also provide the name of the official who will serve as a contact person for Commission staff.	Involved Agency and Agency Contacts, Section 7.2.6		
Appendix B (i) (3)	A schedule indicating when permits outside the authority of the commission will be obtained and the steps the applicant has taken or plans to take to obtain such permits.	Permits Required and Permit Schedule Section 7.2.7		

Adequacy Issue: Adequate _____ Inadequate _____

DATA ADEQUACY WORKSHEET

Revision No. 0 Date _____

Technical Area: **Cultural Resources**

Project: _____

Technical Staff: _____

Project Manager: _____

Docket: _____

Technical Senior: _____

SITING REGULATIONS	INFORMATION	AFC PAGE NUMBER AND SECTION NUMBER	ADEQUATE YES OR NO	INFORMATION REQUIRED TO MAKE AFC CONFORM WITH REGULATIONS
Appendix B (g) (1)	...provide a discussion of the existing site conditions, the expected direct, indirect and cumulative impacts due to the construction, operation and maintenance of the project, the measures proposed to mitigate adverse environmental impacts of the project, the effectiveness of the proposed measures, and any monitoring plans proposed to verify the effectiveness of the mitigation.	Affected Environment , Section 7.3.1, p. 7.3-1 Environmental Consequences , Section 7.3.2, p. 7.3-15 Cumulative Impacts , Section 7.3.3, p. 7.3-17 Mitigation Measures , Section 7.3.4, p. 7.3-18		
Appendix B (g) (2) (A)	A summary of the ethnology, prehistory, and history of the region with emphasis on the area within no more than a 5-mile radius of the project location.	Prehistoric Background , Section 7.3.1.2, p. 7.3-1 Ethnographic Background , Section 7.3.1.3, p. 7.3-4 Historical Background , Section 7.3.1.4, p. 7.3-5		

Adequacy Issue: Adequate _____ Inadequate _____

DATA ADEQUACY WORKSHEET

Revision No. 0 Date _____

Technical Area: **Cultural Resources**

Project: _____

Technical Staff: _____

Project Manager: _____

Docket: _____

Technical Senior: _____

SITING REGULATIONS	INFORMATION	AFC PAGE NUMBER AND SECTION NUMBER	ADEQUATE YES OR NO	INFORMATION REQUIRED TO MAKE AFC CONFORM WITH REGULATIONS
<p>Appendix B (g) (2) (B)</p>	<p>The results of a literature search to identify cultural resources within an area not less than a 1-mile radius around the project site and not less than one-quarter (0.25) mile on each side of the linear facilities. Identify any cultural resources listed pursuant to ordinance by a city or county, or recognized by any local historical or archaeological society or museum. Literature searches to identify the above cultural resources must be completed by, or under the direction of, individuals who meet the Secretary of the Interior's Professional Standards for the technical area addressed.</p> <p>Copies of California Department of Parks and Recreation (DPR) 523 forms (Title 14 CCR §4853) shall be provided for all cultural resources (ethnographic, architectural, historical, and archaeological) identified in the literature search as being 45 years or older or of exceptional importance as defined in the National Register Bulletin Guidelines, (36CFR60.4(g)). A copy of the USGS 7.5' quadrangle map of the literature search area delineating the areas of all past surveys and noting the California Historical Resources Information System (CHRIS) identifying number shall be provided. Copies also shall be provided of all technical reports whose survey coverage is wholly or partly within .25 mile of the area surveyed for the project under Section (g)(2)(C), or which report on any archaeological excavations or architectural surveys within the literature search area.</p>	<p>Resources Inventory, Section 7.3.1.6, p .7.3-11</p> <p>Archaeological Inventory Report for the Sentinel Energy Project, Appendix K</p> <p>Project Ownership, Section 1.6, p. 1-4</p> <p>Previous Studies/Surveys within 1 Mile of the Project Site, Figure 7.3-4</p>		

Adequacy Issue: Adequate Inadequate

DATA ADEQUACY WORKSHEET

Revision No. 0 Date _____

Technical Area: **Cultural Resources**

Project: _____

Technical Staff: _____

Project Manager: _____

Docket: _____

Technical Senior: _____

SITING REGULATIONS	INFORMATION	AFC PAGE NUMBER AND SECTION NUMBER	ADEQUATE YES OR NO	INFORMATION REQUIRED TO MAKE AFC CONFORM WITH REGULATIONS
<p>Appendix B (g) (2) (C)</p>	<p>The results of new surveys or surveys less than 5 years old shall be provided if survey records of the area potentially affected by the project are more than five (5) years old. Surveys to identify new cultural resources must be completed by (or under the direction of) individuals who meet the Secretary of the Interior’s Professional Standards for the technical area addressed.</p> <p>New pedestrian archaeological surveys shall be conducted inclusive of the project site and project linear facility routes, extending to no less than 200’ around the project site, substations and staging areas, and to no less than 50’ to either side of the right-of-way of project linear facility routes. New historic architecture field surveys in rural areas shall be conducted inclusive of the project site and the project linear facility routes, extending no less than .5 mile out from the proposed plant site and from the routes of all above-ground linear facilities. New historic architecture field surveys in urban and suburban areas shall be conducted inclusive of the project site, extending no less than one parcel’s distance from all proposed plant site boundaries. New historic architecture field reconnaissance (“windshield survey”) in urban and suburban areas shall be conducted along the routes of all linear facilities to identify, inventory, and characterize structures and districts that appear to be older than 45 years or that are exceptionally significant, whatever their age.</p> <p>A technical report of the results of the new surveys, conforming to the Archaeological Resource Management Report format (CA Office of Historic Preservation Feb 1990), which is incorporated by reference, shall be separately provided and submitted (under confidential cover if archaeological site locations are included).</p>	<p>Previous Studies/Surveys within 1 Mile of the Project Site, Figure 7.3-4 Affected Environment, Section 7.3.1, p. 7.3-1 Area Surveyed for Archaeological Resources, Figure 7.3-5</p> <p>Resources Inventory, Section 7.3.1.6, p. 7.3-11</p> <p>Archaeological Resources Area of Potential Effects, Figure 7.3-1 Historic and Architectural Resources Area of Potential Effects, Figure 7.3-2</p> <p>Archaeological Inventory Report for the Sentinel Energy Project, Appendix K</p>		

Adequacy Issue: Adequate _____ Inadequate _____
 Technical Area: **Cultural Resources**
 Project Manager: _____

DATA ADEQUACY WORKSHEET

Revision No. 0 Date _____
 Technical Staff: _____
 Technical Senior: _____

Project: _____
 Docket: _____

SITING REGULATIONS	INFORMATION	AFC PAGE NUMBER AND SECTION NUMBER	ADEQUATE YES OR NO	INFORMATION REQUIRED TO MAKE AFC CONFORM WITH REGULATIONS
Appendix B (g) (2) (C) cont.	Information included in the technical report shall also be provided in the Application for Certification, except that confidential information (archaeological sites or areas of religious significance) shall be submitted under a request for confidentiality pursuant to Title 20, California Code of Regulations, § 2501 et seq. At a minimum, the technical report shall include the following:	Archaeological Inventory Report for the Sentinel Energy Project , Appendix K		
Appendix B (g) (2) (C) (i)	The summary from Appendix B (g)(2)(A) and the literature search results from Appendix B (g)(2)(B);	Resources Inventory , Section 7.3.1.6, p. 7.3-11		
Appendix B (g) (2) (C) (ii)	The survey procedures and methodology used to identify cultural resources and a discussion of the cultural resources identified by the survey;	Resources Inventory , Section 7.3.1.6, p. 7.3-11		
Appendix B (g) (2) (C) (iii)	Copies of all new and updated DPR 523(A) forms. If a cultural resource may be impacted by the project, also include the appropriate DPR 523 detail form for each such resource;	Archaeological Inventory Report for the Sentinel Energy Project , Appendix K		
Appendix B (g) (2) (C) (iv)	A map at a scale of 1:24,000 U.S. Geological Survey quadrangle depicting the locations of all previously known and newly identified cultural resources compiled through the research required by Appendix B (g)(2)(B) and Appendix B (g)(2)(C) (ii); and	Archaeological Inventory Report for the Sentinel Energy Project , Appendix K		
Appendix B (g) (2) (C) (v)	The names and qualifications of the cultural resources specialists who contributed to and were responsible for literature searches, surveys, and preparation of the technical report.	Archaeological Inventory Report for the Sentinel Energy Project , Appendix K		

Adequacy Issue: Adequate _____ Inadequate _____

DATA ADEQUACY WORKSHEET

Revision No. 0 Date _____

Technical Area: **Cultural Resources**

Project: _____

Technical Staff: _____

Project Manager: _____

Docket: _____

Technical Senior: _____

SITING REGULATIONS	INFORMATION	AFC PAGE NUMBER AND SECTION NUMBER	ADEQUATE YES OR NO	INFORMATION REQUIRED TO MAKE AFC CONFORM WITH REGULATIONS
Appendix B (g) (2) (D)	Provide a copy of your request to the Native American Heritage Commission (NAHC) for information on Native American sacred sites and lists of Native Americans interested in the project vicinity, and copies of any correspondence received from the NAHC. Notify the Native Americans on the NAHC list about the project, including a project description and map. Provide a copy of all correspondence sent to Native American individuals and groups listed by the NAHC and copies of all responses. Provide a written summary of any oral responses.	Resources Inventory , Section 7.3.1.6, p. 7.3-11 Archaeological Inventory Report for the Sentinel Energy Project , Appendix K		
Appendix B (g) (2) (E)	Include in the discussion of proposed mitigation measures required by subdivision (g)(1):	Mitigation Measures , Section 7.3.4, p. 7.3-18		
Appendix B (g) (2) (E) (i)	A discussion of measures proposed to mitigate project impacts to known cultural resources;	Mitigation Measures , Section 7.3.4, p. 7.3-18		
Appendix B (g) (2) (E) (ii)	A set of contingency measures proposed to mitigate potential impacts to previously unknown cultural resources and any unanticipated impacts to known cultural resources; and	Mitigation Measures , Section 7.3.4, p. 7.3-18		
Appendix B (g) (2) (E) (iii)	Educational programs to enhance employee awareness during construction and operation to protect cultural resources.	Mitigation Measures , Section 7.3.4, p. 7.3-18		
Appendix B (i) (1) (A)	Tables which identify laws, regulations, ordinances, standards, adopted local, regional, state, and federal land use plans, leases, and permits applicable to the proposed project, and a discussion of the applicability of, and conformance with each. The table or matrix shall explicitly reference pages in the application wherein conformance, with each law or standard during both construction and operation of the facility is discussed; and	Laws, Ordinances, Regulations, and Standards , Section 7.3.5, p. 7.3-20 Archaeological Resources Area of Potential Effects , Table 7.3-1, p. 7.3-33		

Adequacy Issue: Adequate _____ Inadequate _____

DATA ADEQUACY WORKSHEET

Revision No. 0 Date _____

Technical Area: **Cultural Resources**

Project: _____

Technical Staff: _____

Project Manager: _____

Docket: _____

Technical Senior: _____

SITING REGULATIONS	INFORMATION	AFC PAGE NUMBER AND SECTION NUMBER	ADEQUATE YES OR NO	INFORMATION REQUIRED TO MAKE AFC CONFORM WITH REGULATIONS
Appendix B (i) (1) (B)	Tables which identify each agency with jurisdiction to issue applicable permits, leases, and approvals or to enforce identified laws, regulations, standards, and adopted local, regional, state and federal land use plans, and agencies which would have permit approval or enforcement authority, but for the exclusive authority of the commission to certify sites and related facilities.	Involved Agencies and Agency Contacts , Section 7.3.6, p. 7.3-22		
Appendix B (i) (2)	The name, title, phone number, address (required), and email address (if known), of an official who was contacted within each agency, and also provide the name of the official who will serve as a contact person for Commission staff.	Involved Agencies and Agency Contacts , Section 7.3.6, p. 7.3-22		
Appendix B (i) (3)	A schedule indicating when permits outside the authority of the commission will be obtained and the steps the applicant has taken or plans to take to obtain such permits.	Permits Required and Permit Schedule , Section 7.3.7, p. 7.3-23		

Adequacy Issue: Adequate _____ Inadequate _____

DATA ADEQUACY WORKSHEET

Revision No. 0 Date _____

Technical Area: **Efficiency** _____

Project: _____

Technical Staff: _____

Project Manager: _____

Docket: _____

Technical Senior: _____

SITING REGULATIONS	INFORMATION	AFC PAGE NUMBER AND SECTION NUMBER	ADEQUATE YES OR NO	INFORMATION REQUIRED TO MAKE AFC CONFORM WITH REGULATIONS
Appendix B (g) (1)	...provide a discussion of the existing site conditions, the expected direct, indirect and cumulative impacts due to the construction, operation and maintenance of the project, the measures proposed to mitigate adverse environmental impacts of the project, the effectiveness of the proposed measures, and any monitoring plans proposed to verify the effectiveness of the mitigation.	Entire AFC		
Appendix B (h) (4) (A)	Heat and mass balance diagrams for design conditions for each mode of operation.	Heat and Mass Balance, Table 2.4-3, p. 2-42 Heat and Mass Balance Diagram, Figure 2.4-4		
Appendix B (h) (4) (B)	Annual fuel consumption in BTUs for each mode of operation, including hot restarts and cold starts.	Plant Performance Summary, Table 2.9-1, p. 2-60 Natural Gas Requirements, Section 5.2, p.5-1		
Appendix B (h) (4) (C)	Annual net electrical energy produced in MWh for each mode of operation including starts and shutdowns.	Plant Performance Summary Table 2.9-1, p. 2-60		
Appendix B (h) (4) (D)	Number of hours the plant will be operated in each design condition in each year.	Operations Schedule, Section 2.7.1, p. 2-26		
Appendix B (h) (4) (E)	If the project will be a cogeneration facility, calculations showing compliance with applicable efficiency and operating standards.	Not Applicable		
Appendix B (h) (4) (F)	A discussion of alternative generating technologies available for the project, including the projected efficiency of each, and an explanation why the chosen equipment was selected over these alternatives.	Generation Technology Alternatives, Section 8.5.1, p. 8-4		

Adequacy Issue: Adequate _____ Inadequate _____

DATA ADEQUACY WORKSHEET

Revision No. 0 Date _____

Technical Area: **Efficiency**

Project: _____

Technical Staff: _____

Project Manager: _____

Docket: _____

Technical Senior: _____

SITING REGULATIONS	INFORMATION	AFC PAGE NUMBER AND SECTION NUMBER	ADEQUATE YES OR NO	INFORMATION REQUIRED TO MAKE AFC CONFORM WITH REGULATIONS
Appendix B (i) (1) (A)	Tables which identify laws, regulations, ordinances, standards, adopted local, regional, state, and federal land use plans, leases, and permits applicable to the proposed project, and a discussion of the applicability of, and conformance with each. The table or matrix shall explicitly reference pages in the application wherein conformance, with each law or standard during both construction and operation of the facility is discussed; and	Laws, Ordinances, Regulations, and Standards , Section 2.10, p. 2-35		
Appendix B (i) (1) (B)	Tables which identify each agency with jurisdiction to issue applicable permits, leases, and approvals or to enforce identified laws, regulations, standards, and adopted local, regional, state and federal land use plans, and agencies which would have permit approval or enforcement authority, but for the exclusive authority of the commission to certify sites and related facilities.	Involved Agencies and Agency Contacts , Section 2.11, p. 2-36		
Appendix B (i) (2)	The name, title, phone number, address (required), and email address (if known), of an official who was contacted within each agency, and also provide the name of the official who will serve as a contact person for Commission staff.	Involved Agencies and Agency Contacts , Section 2.11, p. 2-36		
Appendix B (i) (3)	A schedule indicating when permits outside the authority of the commission will be obtained and the steps the applicant has taken or plans to take to obtain such permits.	Transmission Line Agreements and Necessary Approvals , Section 4.6, p. 4-6		

Adequacy Issue: Adequate _____ Inadequate _____

DATA ADEQUACY WORKSHEET

Revision No. 0 Date _____

Technical Area: **Facility Design**

Project: _____

Technical Staff: _____

Project Manager: _____

Docket: _____

Technical Senior: _____

SITING REGULATIONS	INFORMATION	AFC PAGE NUMBER AND SECTION NUMBER	ADEQUATE YES OR NO	INFORMATION REQUIRED TO MAKE AFC CONFORM WITH REGULATIONS
Appendix B (h) (1) (A)	A description of the site conditions and investigations or studies conducted to determine the site conditions used as the basis for developing design criteria. The descriptions shall include, but not be limited to, seismic and other geologic hazards, adverse conditions that could affect the project's foundation, adverse meteorological and climatic conditions, and flooding hazards, if applicable.	Power Plant Site Description, Section 2.3, p. 2-3 Site Grading and Drainage, Section 2.5.10, p. 2-21 Site Flood Issues, Section 2.5.11, p. 2-21 Earthwork, Section 2.5.13, p. 2-22 Plant Operation, Section 2.7.1.1, p. 2-26 Daily and Seasonal Variation in Temperature and Demand, Section 2.7.1.2, p. 2-27		
Appendix B (h) (1) (B)	A discussion of any measures proposed to improve adverse site conditions.	Site Grading and Drainage, Section 2.5.10, p. 2-21 Site Flood Issues, Section 2.5.11, p. 2-21 Earthwork, Section 2.5.13, p. 2-22 Mitigation Measures, Section 7.15.4, p. 7.15-9 Civil Engineering Design Criteria, Appendix B Structural Engineering Design Criteria, Appendix C Geologic Hazards and Resources, Section 7.15, p. 7.15-1		

Adequacy Issue: Adequate _____ Inadequate _____

DATA ADEQUACY WORKSHEET

Revision No. 0 Date _____

Technical Area: **Facility Design**

Project: _____

Technical Staff: _____

Project Manager: _____

Docket: _____

Technical Senior: _____

SITING REGULATIONS	INFORMATION	AFC PAGE NUMBER AND SECTION NUMBER	ADEQUATE YES OR NO	INFORMATION REQUIRED TO MAKE AFC CONFORM WITH REGULATIONS
Appendix B (h) (1) (C)	A description of the proposed foundation types, design criteria (including derivation), analytical techniques, assumptions, loading conditions, and loading combinations to be used in the design of facility structures and major mechanical and electrical equipment	Facility Civil/Structural Features , Section 2.5 p.2-18 Civil Engineering Design Criteria , Appendix B Structural Engineering Design Criteria , Appendix C Geologic Hazards and Resources , Section 7.15, p. 7.15-1		
Appendix B (h) (1) (D)	For each of the following facilities and/or systems, provide a description including drawings, dimensions, surface-area requirements, typical operating data, and performance and design criteria for protection from impacts due to adverse site conditions:	See below		
Appendix B (h) (1) (D) (i)	The power generation system;	Power Plant Site Arrangement , Section 2.4.1, p. 2-4 Facility Civil/Structural Features , Section 2.5, p. 2-18 Plot Plan , Figure 2.4-1		
Appendix B (h) (1) (D) (ii)	The heat dissipation system;	Power Plant Cycle , Section 2.4.2, p. 2-5 Facility Civil/Structural Features , Section 2.5, p. 2-18 Plot Plan , Figure 2.4-1 Heat and Mass Balance Diagram , Figure 2.4-4		

Adequacy Issue: Adequate _____ Inadequate _____

DATA ADEQUACY WORKSHEET

Revision No. 0 Date _____

Technical Area: **Facility Design**

Project: _____

Technical Staff: _____

Project Manager: _____

Docket: _____

Technical Senior: _____

SITING REGULATIONS	INFORMATION	AFC PAGE NUMBER AND SECTION NUMBER	ADEQUATE YES OR NO	INFORMATION REQUIRED TO MAKE AFC CONFORM WITH REGULATIONS
Appendix B (h) (1) (D) (iii)	The cooling water supply system, and, where applicable, pre-plant treatment procedures;	Power Plant Site Arrangement, Section 2.4.1, p. 2-4 Water Supply and Treatment, Section 2.4.4, p. 2-7 Plot Plan, Figure 2.4-1		
Appendix B (h) (1) (D) (iv)	The atmospheric emission control system;	Power Plant Site Arrangement, Section 2.4.1, p. 2-4 Emissions Control and Monitoring Equipment, Section 2.4.7, p. 2-14 Plot Plan, Figure 2.4-1		
Appendix B (h) (1) (D) (v)	The waste disposal system and on-site disposal sites;	Power Plant Site Arrangement, Section 2.4.1, p. 2-4 Collection, Treatment and Disposition of Liquid Process Wastes, Section 2.4.4.4.1, p. 2-9 Summary of Chemical Usage and Storage - Water and Wastewater Treatment, Table 2.4-7, p. 2-48 Summary of Construction Waste Streams and Management Methods, Table 2.4-8, p. 2-49 Summary of Operation Waste Streams and Management Methods, Table 2.4.9, p. 2-50		

Adequacy Issue: Adequate _____ Inadequate _____

DATA ADEQUACY WORKSHEET

Revision No. 0 Date _____

Technical Area: **Facility Design**

Project: _____

Technical Staff: _____

Project Manager: _____

Docket: _____

Technical Senior: _____

SITING REGULATIONS	INFORMATION	AFC PAGE NUMBER AND SECTION NUMBER	ADEQUATE YES OR NO	INFORMATION REQUIRED TO MAKE AFC CONFORM WITH REGULATIONS
Appendix B (h) (1) (D) (vi)	The noise emission abatement system;	Mitigation Measures , Section 7.5.5, p. 7-5-11		
Appendix B (h) (1) (D) (vii)	The geothermal resource conveyance and re-injection lines (if applicable);	Not applicable		
Appendix B (h) (1) (D) (viii)	Switchyards/transformer systems; and	Power Plant Site Arrangement , Section 2.4.1, p. 2-4 Plot Plan , Figure 2.4-1		
Appendix B (h) (1) (D) (ix)	Other significant facilities, structures, or system components proposed by the applicant.	Power Plant Site Arrangement , Section 2.4.1, p. 2-4 Plot Plan , Figure 2.4-1		

Adequacy Issue: Adequate _____ Inadequate _____

DATA ADEQUACY WORKSHEET

Revision No. 0 Date _____

Technical Area: **Geological Hazards**

Project: _____

Technical Staff: _____

Project Manager: _____

Docket: _____

Technical Senior: _____

SITING REGULATIONS	INFORMATION	AFC PAGE NUMBER AND SECTION NUMBER	ADEQUATE YES OR NO	INFORMATION REQUIRED TO MAKE AFC CONFORM WITH REGULATIONS
Appendix B (g) (1)	...provide a discussion of the existing site conditions, the expected direct, indirect and cumulative impacts due to the construction, operation and maintenance of the project, the measures proposed to mitigate adverse environmental impacts of the project, the effectiveness of the proposed measures, and any monitoring plans proposed to verify the effectiveness of the mitigation.	Affected Environment, Section 7.15.1, p. 7.15-1 Environmental Consequences, Section 7.15.2, p. 7.15-6 Cumulative Impacts, Section 7.15.3, p. 7.15-18 Mitigation Measures, Section 7.15.4, p. 7.15-19		
Appendix B (g) (17) (A)	A summary of the geology, seismicity, and geologic resources of the project site and related facilities, including linear facilities.	Affected Environment, Section 7.15.1, p. 7.15-1		
Appendix B (g) (17) (B)	A map at a scale of 1:24,000 and description of all recognized stratigraphic units, geologic structures, and geomorphic features within two (2) miles of the project site and along proposed facilities. Include an analysis of the likelihood of ground rupture, seismic shaking, mass wasting and slope stability, liquefaction, subsidence, tsunami runup, and expansion or collapse of soil structures at the plant site. Describe known geologic hazards along or crossing linear facilities.	Regional Geologic Map, Figures 7.15-1 Geologic Units in the Project Area, Figure 7.15-2 Local Geologic Map, Figure 7.15-3 Affected Environment, Section 7.15.1, p. 7.15-1 Environmental Consequences, Section 7.15.2, p. 7.15-6		
Appendix B (g) (17) (C)	A map and description of geologic resources of recreational, commercial, or scientific value which may be affected by the project. Include a discussion of the techniques used to identify and evaluate these resources.	Geologic Resources, Section 7.15.1.6, p. 7.15-16		

Adequacy Issue: Adequate _____ Inadequate _____
 Technical Area: **Geological Hazards**
 Project Manager: _____

DATA ADEQUACY WORKSHEET

Revision No. 0 Date _____
 Technical Staff: _____
 Technical Senior: _____

Project: _____
 Docket: _____

SITING REGULATIONS	INFORMATION	AFC PAGE NUMBER AND SECTION NUMBER	ADEQUATE YES OR NO	INFORMATION REQUIRED TO MAKE AFC CONFORM WITH REGULATIONS
Appendix B (i) (1) (A)	Tables which identify laws, regulations, ordinances, standards, adopted local, regional, state, and federal land use plans, leases, and permits applicable to the proposed project, and a discussion of the applicability of, and conformance with each. The table or matrix shall explicitly reference pages in the application wherein conformance, with each law or standard during both construction and operation of the facility is discussed; and	Laws, Ordinances, Regulations, and Standards, Table 7.15-3, p. 7.15-29		
Appendix B (i) (1) (B)	Tables which identify each agency with jurisdiction to issue applicable permits, leases, and approvals or to enforce identified laws, regulations, standards, and adopted local, regional, state and federal land use plans, and agencies which would have permit approval or enforcement authority, but for the exclusive authority of the commission to certify sites and related facilities.	Involved Agencies and Agency Contacts, Section, 7.15.6, p. 7.15-21		
Appendix B (i) (2)	The name, title, phone number, address (required), and email address (if known), of an official who was contacted within each agency, and also provide the name of the official who will serve as a contact person for Commission staff.	Involved Agencies and Agency Contacts, Section, 7.15.6, p. 7.15-21		
Appendix B (i) (3)	A schedule indicating when permits outside the authority of the commission will be obtained and the steps the applicant has taken or plans to take to obtain such permits.	Permit Required and Permit Schedule, Section 7.15.7, p. 7.15-22		

Adequacy Issue: Adequate _____ Inadequate _____
 Technical Area: Hazardous Materials Handling
 Project Manager: _____

DATA ADEQUACY WORKSHEET

Revision No. 0 Date _____
 Technical Staff: _____
 Technical Senior: _____

Project: _____
 Docket: _____

SITING REGULATIONS	INFORMATION	AFC PAGE NUMBER AND SECTION NUMBER	ADEQUATE YES OR NO	INFORMATION REQUIRED TO MAKE AFC CONFORM WITH REGULATIONS
Appendix B (e) (1)	A discussion of how facility closure will be accomplished in the event of premature or unexpected cessation of operations.	Mitigation Measures, Section 7.12.4, p. 7.12-11		
Appendix B (g) (1)	...provide a discussion of the existing site conditions, the expected direct, indirect and cumulative impacts due to the construction, operation and maintenance of the project, the measures proposed to mitigate adverse environmental impacts of the project, the effectiveness of the proposed measures, and any monitoring plans proposed to verify the effectiveness of the mitigation.	Affected Environment, Section 7.12.1, p. 7.12-1 Environmental Consequences, Section 7.12.2, p. 7.12-1 Cumulative Impacts, Section 7.12.3, p. 7.12-10 Mitigation Measures, Section 7.12.4, p. 7.12-11		
Appendix B (g) (10) (A)	A list of all materials used or stored on-site which are hazardous or acutely hazardous, as defined in Title 22, California Code of Regulations, § 66261.20 et seq., and a discussion of the toxicity of each material.	Toxicity of Hazardous and Acutely Hazardous Materials On Site, Table 7.12-1, p. 7.12-21		
Appendix B (g) (10) (B)	A map at a scale of 1:24,000 depicting the location of schools, hospitals, day-care facilities, emergency response facilities and long-term health care facilities, within the area potentially affected by any release of hazardous materials.	Worst-Case Release Scenario Predicted Ammonia Concentrations, Figure 7.12-2 Alternative Release Scenario Predicated Ammonia Concentrations, Figure 7.12-3		
Appendix B (g) (10) (C)	A discussion of the storage and handling system for each hazardous material used or stored at the site.	Application of Risk Management Plan, Section 7.12.5.5, p. 7.12-19 Summary of Hazardous Material Usage and Storage, Table 7.12.2, p. 7.12-25		

Adequacy Issue: Adequate _____ Inadequate _____
 Technical Area: Hazardous Materials Handling
 Project Manager: _____

DATA ADEQUACY WORKSHEET

Revision No. 0 Date _____
 Technical Staff: _____
 Technical Senior: _____

Project: _____
 Docket: _____

SITING REGULATIONS	INFORMATION	AFC PAGE NUMBER AND SECTION NUMBER	ADEQUATE YES OR NO	INFORMATION REQUIRED TO MAKE AFC CONFORM WITH REGULATIONS
Appendix B (g) (10) (D)	The protocol that will be used in modeling potential consequences of accidental releases that could result in off site impacts. Identify the model(s) to be used, a description of all input assumptions, including meteorological conditions. The results of the modeling analysis can be submitted after the AFC is complete.	Offsite Consequence Analysis, Section 7.12.2.2, p. 7.12-4		
Appendix B (g) (10) (E)	A discussion of whether a risk management plan (Health and Safety Code § 25531 et seq.) will be required, and if so, the requirements that will likely be incorporated into the plan.	Application for Risk Management Plan, Section 7.12.5.5, p. 7.12-19		
Appendix B (g) (10) (F)	A discussion of measures proposed to reduce the risk of any release of hazardous materials.	Mitigation Measures, Section 7.12.4, p. 7.12-11		
Appendix B (g) (10) (G)	A discussion of the fire and explosion risks associated with the project.	Fire and Explosion Risk, Section 7.12.2.2, p. 7.12-9		
Appendix B (i) (1) (A)	Tables which identify laws, regulations, ordinances, standards, adopted local, regional, state, and federal land use plans, leases, and permits applicable to the proposed project, and a discussion of the applicability of, and conformance with each. The table or matrix shall explicitly reference pages in the application wherein conformance, with each law or standard during both construction and operation of the facility is discussed; and	Laws, Ordinances, Regulations, and Standards, Table 7.12-4, p. 7.12-29		
Appendix B (i) (1) (B)	Tables which identify each agency with jurisdiction to issue applicable permits, leases, and approvals or to enforce identified laws, regulations, standards, and adopted local, regional, state and federal land use plans, and agencies which would have permit approval or enforcement authority, but for the exclusive authority of the commission to certify sites and related facilities.	Permits required and Permit Schedule, Section 7.12.7, p. 7.12-20		

Adequacy Issue: Adequate _____ Inadequate _____
 Technical Area: **Hazardous Materials Handling**
 Project Manager: _____

DATA ADEQUACY WORKSHEET

Revision No. 0 Date _____
 Technical Staff: _____
 Technical Senior: _____

Project: _____
 Docket: _____

SITING REGULATIONS	INFORMATION	AFC PAGE NUMBER AND SECTION NUMBER	ADEQUATE YES OR NO	INFORMATION REQUIRED TO MAKE AFC CONFORM WITH REGULATIONS
Appendix B (i) (2)	The name, title, phone number, address (required), and email address (if known), of an official who was contacted within each agency, and also provide the name of the official who will serve as a contact person for Commission staff.	Involved Agencies and Agency Contacts, Section 7.12.6, p. 7.12-20		
Appendix B (i) (3)	A schedule indicating when permits outside the authority of the commission will be obtained and the steps the applicant has taken or plans to take to obtain such permits.	Permits required and Permit Schedule, Section 7.12.7, p. 7.12-20		

Adequacy Issue: Adequate _____ Inadequate _____

DATA ADEQUACY WORKSHEET

Revision No. 0 Date _____

Technical Area: Land Use

Project: _____

Technical Staff: _____

Project Manager: _____

Docket: _____

Technical Senior: _____

SITING REGULATIONS	INFORMATION	AFC PAGE NUMBER AND SECTION NUMBER	ADEQUATE YES OR NO	INFORMATION REQUIRED TO MAKE AFC CONFORM WITH REGULATIONS
Appendix B (g) (1)	...provide a discussion of the existing site conditions, the expected direct, indirect and cumulative impacts due to the construction, operation and maintenance of the project, the measures proposed to mitigate adverse environmental impacts of the project, the effectiveness of the proposed measures, and any monitoring plans proposed to verify the effectiveness of the mitigation.	Affected Environment, Section 7.4.1, p. 7.4-1 Environmental Consequences, Section 7.4.2, p. 7.4-5 Cumulative Impacts, Section 7.4.3, p. 7.4-6 Mitigation Measures, Section 7.4.4, p. 7.4-7		
Appendix B (g) (3) (A)	A discussion of existing land uses and current zoning at the site, land uses and land use patterns within one mile of the proposed site and within one-quarter mile of any project-related linear facilities. Include:	Affected Environment, Section 7.4.1, p. 7.4-1		
Appendix B (g) (3) (A) (i)	An identification of residential, commercial, industrial, recreational, scenic, agricultural, natural resource protection, natural resource extraction, educational, religious, cultural, and historic areas, and any other area of unique land uses;	Affected Environment, Section 7.4.1, p. 7.4-1		
Appendix B (g) (3) (A) (ii)	A discussion of any recent or proposed zone changes and/or general plan amendments; noticed by an elected or appointed board, commission, or similar entity at the state or local level;	Affected Environment, Section 7.4.1, p. 7.4-1		
Appendix B (g) (3) (A) (iii)	Identification of all discretionary reviews by public agencies initiated or completed within 18 months prior to filing the application for those changes or developments identified in subsection (g)(3)(A)(ii); and	Discretionary Reviews, Appendix L, p. L-1		

Adequacy Issue: Adequate _____ Inadequate _____

DATA ADEQUACY WORKSHEET

Revision No. 0 Date _____

Technical Area: Land Use

Project: _____

Technical Staff: _____

Project Manager: _____

Docket: _____

Technical Senior: _____

SITING REGULATIONS	INFORMATION	AFC PAGE NUMBER AND SECTION NUMBER	ADEQUATE YES OR NO	INFORMATION REQUIRED TO MAKE AFC CONFORM WITH REGULATIONS
Appendix B (g) (3) (A) (iv)	Legible maps of the areas identified in subsection (g)(3)(A) potentially affected by the project, on which existing land uses, jurisdictional boundaries, general plan designations, specific plan designations, and zoning have been clearly delineated.	Existing Land Use, Figure 7.4-1 General Plan Land Uses, Figure 7.4-3 Zoning Designations, Figure 7.4-4		
Appendix B (g) (3) (B)	A discussion of the compatibility of the proposed project with present and expected land uses, and conformity with any long-range land use plans adopted by any federal, state, regional, or local planning agencies. The discussion shall identify the need, if any, for land use decisions by another public agency or as part of the commission's decision that would be necessary to make the project conform to adopted federal, state, regional, or local coastal plans, land use plans, or zoning ordinances. Examples of land use decisions include: general plan amendments, zoning changes, lot line adjustments, parcel mergers, subdivision maps, Agricultural Land Conservation Act contracts cancellation, and Airport Land Use Plan consistency determinations.	Environmental Consequences, Section 7.4.2, p. 7.4-4		
Appendix B (g) (3) (C)	A discussion of the legal status of the parcel(s) on which the project is proposed. If the proposed site consists of more than one legal parcel, describe the method and timetable for merging or otherwise combining those parcels so that the proposed project, excluding linears and temporary laydown or staging area, will be located on a single legal parcel. The merger need not occur prior to a decision on the Application but must be completed prior to the start of construction.	Local Setting, Section 7.4.1.2, p. 7.4-1		

Adequacy Issue: Adequate _____ Inadequate _____

DATA ADEQUACY WORKSHEET

Revision No. 0 Date _____

Technical Area: **Land Use**

Project: _____

Technical Staff: _____

Project Manager: _____

Docket: _____

Technical Senior: _____

SITING REGULATIONS	INFORMATION	AFC PAGE NUMBER AND SECTION NUMBER	ADEQUATE YES OR NO	INFORMATION REQUIRED TO MAKE AFC CONFORM WITH REGULATIONS
Appendix B (g) (3) (D)	A map at a scale of 1:24,000 and written description of agricultural land uses found within all areas affected by the proposed project. The description shall include:	Agricultural Land , Section 7.4.1.3, p. 7.4-3 Farmlands , Figure 7.4-2		
Appendix B (g) (3) (D) (i)	Crop types, irrigation systems, and any special cultivation practices;	Agricultural Land , Section 7.4.1.3, p. 7.4-3		
Appendix B (g) (3) (D) (ii)	Whether farmland affected by the project is prime, of statewide importance, or unique as defined by the California Department of Conservation; and	Agricultural Land , Section 7.4.1.3, p. 7.4-3 Farmlands , Figure 7.4-2		
Appendix B (g) (3) (D) (iii)	Direct, indirect, and cumulative effects on agricultural land uses. If the proposed site or related facilities are subject to an Agricultural Land Conservation contract, provide a written copy and a discussion of the status of the expiration or canceling of such contract.	Environmental Consequences , Section 7.4.2, p. 7.4-5		
Appendix B (i) (1) (A)	Tables which identify laws, regulations, ordinances, standards, adopted local, regional, state, and federal land use plans, leases, and permits applicable to the proposed project, and a discussion of the applicability of, and conformance with each. The table or matrix shall explicitly reference pages in the application wherein conformance, with each law or standard during both construction and operation of the facility is discussed; and	Laws, Ordinances, Regulations, and Standards , Table 7.4-3, p. 7.4-15		
Appendix B (i) (1) (B)	Tables which identify each agency with jurisdiction to issue applicable permits, leases, and approvals or to enforce identified laws, regulations, standards, and adopted local, regional, state and federal land use plans, and agencies which would have permit approval or enforcement authority, but for the exclusive authority of the commission to certify sites and related facilities.	Involved Agencies and Agency Contacts Section 7.4.6, p. 7.4-9		

Adequacy Issue: Adequate _____ Inadequate _____

DATA ADEQUACY WORKSHEET

Revision No. 0 Date _____

Technical Area: **Land Use**

Project: _____

Technical Staff: _____

Project Manager: _____

Docket: _____

Technical Senior: _____

SITING REGULATIONS	INFORMATION	AFC PAGE NUMBER AND SECTION NUMBER	ADEQUATE YES OR NO	INFORMATION REQUIRED TO MAKE AFC CONFORM WITH REGULATIONS
Appendix B (i) (2)	The name, title, phone number, address (required), and email address (if known), of an official who was contacted within each agency, and also provide the name of the official who will serve as a contact person for Commission staff.	Involved Agencies and Agency Contacts Section 7.4.6, p. 7.4-9		
Appendix B (i) (3)	A schedule indicating when permits outside the authority of the commission will be obtained and the steps the applicant has taken or plans to take to obtain such permits.	Permits Required and Permit Schedule , Section 7.4.7, p. 7.4-10		

Adequacy Issue: Adequate _____ Inadequate _____

DATA ADEQUACY WORKSHEET

Revision No. 0 Date _____

Technical Area: **Noise**

Project: _____

Technical Staff: _____

Project Manager: _____

Docket: _____

Technical Senior: _____

SITING REGULATIONS	INFORMATION	AFC PAGE NUMBER AND SECTION NUMBER	ADEQUATE YES OR NO	INFORMATION REQUIRED TO MAKE AFC CONFORM WITH REGULATIONS
Appendix B (g) (1)	...provide a discussion of the existing site conditions, the expected direct, indirect and cumulative impacts due to the construction, operation and maintenance of the project, the measures proposed to mitigate adverse environmental impacts of the project, the effectiveness of the proposed measures, and any monitoring plans proposed to verify the effectiveness of the mitigation.	Affected Environment, Section 7.5.2, p. 7.5-3 Environmental Consequences, Section 7.5.3, p. 7.5-6 Cumulative Impacts and Indirect Effects, Section 7.5.4, p. 7.5-10 Mitigation Measures, Section 7.5.5, p. 7.5-11		
Appendix B (g) (4) (A)	A land use map which identifies residences, hospitals, libraries, schools, places of worship, or other facilities where quiet is an important attribute of the environment within the area impacted by the proposed project. The area potentially impacted by the proposed project is that area where, during either construction or operation, there is a potential increase of 5 dB(A) or more, over existing background levels.	Proposed Project Site and Vicinity, Figure 7.5-1 Area of 5 dBA Increase, Figure 7.5-3		

Adequacy Issue: Adequate _____ Inadequate _____

DATA ADEQUACY WORKSHEET

Revision No. 0 Date _____

Technical Area: **Noise**

Project: _____

Technical Staff: _____

Project Manager: _____

Docket: _____

Technical Senior: _____

SITING REGULATIONS	INFORMATION	AFC PAGE NUMBER AND SECTION NUMBER	ADEQUATE YES OR NO	INFORMATION REQUIRED TO MAKE AFC CONFORM WITH REGULATIONS
Appendix B (g) (4) (B)	A description of the ambient noise levels at those sites identified under subsection (g)(4)(A) which the applicant believes provide a representative characterization of the ambient noise levels in the project vicinity, and a discussion of the general atmospheric conditions, including temperature, humidity, and the presence of wind and rain at the time of the measurements. The existing noise levels shall be determined by taking noise measurements for a minimum of 25 consecutive hours at a minimum of one site. Other sites may be monitored for a lesser duration at the applicant's discretion, preferably during the same 25-hour period. The results of the noise level measurements shall be reported as hourly averages in Leq (equivalent sound or noise level), Ldn (day-night sound or noise level) or CNEL (Community Noise Equivalent Level) in units of dB(A). The L10, L50, and L90 values (noise levels exceeded 10 percent, 50 percent, and 90 percent of the time, respectively) shall also be reported in units of dB(A).	Ambient Noise Surveys , Section 7.5.2.2, p. 7.5-4 Hourly Long-Term Noise Measurement Results , Table 7.5-2, p. 7.5-18 Short-Term Noise Measurement Data , Table 7.5-3, p. 7.5-19 L_{dn}/CNEL Calculation Based on Different Metrics , Table 7.5-4, p. 7.5-19		
Appendix B (g) (4) (C)	A description of the major noise sources of the project, including the range of noise levels and the tonal and frequency characteristics of the noise emitted.	Modeled Operational Noise , Section 7.5.3.2, p. 7.5-7 Tonal Noise , Section 7.5.3.3, p. 7.5-8 Power Transmission , Section 7.5.3.5, p. 7.5-8 Equipment Sound Power Levels , Appendix M-4		
Appendix B (g) (4) (D)	An estimate of the project noise levels, during both construction and operation, at residences, hospitals, libraries, schools, places of worship or other facilities where quiet is an important attribute of the environment, within the area impacted by the proposed project.	Change in Existing Sound Level with Proposed Project , Table 7.5-5, p. 7.5-20 Maximum Estimated Construction Noise Levels , Tables 7.5-6, p. 7.5-20		

Adequacy Issue: Adequate _____ Inadequate _____

DATA ADEQUACY WORKSHEET

Revision No. 0 Date _____

Technical Area: **Noise**

Project: _____

Technical Staff: _____

Project Manager: _____

Docket: _____

Technical Senior: _____

SITING REGULATIONS	INFORMATION	AFC PAGE NUMBER AND SECTION NUMBER	ADEQUATE YES OR NO	INFORMATION REQUIRED TO MAKE AFC CONFORM WITH REGULATIONS
Appendix B (g) (4) (E)	An estimate of the project noise levels within the project site boundary during both construction and operation and the impact to the workers at the site due to the estimated noise levels.	Modeled Operational Noise, Section 7.5.3.2, p. 7.5-7 Tonal Noise, Section 7.5.3.3, p. 7.5-8 Occupational Noise Exposure, Section 7.5.3.4, p. 7.5-8 Power Transmission, Section 7.5.3.5, p. 7.5-8 Modeled Construction Noise, Section 7.5.3.7, p. 7.5-9 Modeled Construction Traffic Noise, Section 7.5.3.8, p. 7.5-10		
Appendix B (g) (4) (F)	The audible noise from existing switchyards and overhead transmission lines that would be affected by the project and estimates of the future audible noise levels that would result from existing and proposed switchyards and transmission lines. Noise levels shall be calculated at the property boundary for switchyards and at the edge of the rights-of-way for transmission lines.	Power Transmission, Section 7.5.3.5, p. 7.5-8		
Appendix B (i) (1) (A)	Tables which identify laws, regulations, ordinances, standards, adopted local, regional, state, and federal land use plans, leases, and permits applicable to the proposed project, and a discussion of the applicability of, and conformance with each. The table or matrix shall explicitly reference pages in the application wherein conformance, with each law or standard during both construction and operation of the facility is discussed; and	Laws, Ordinances, Regulations, and Standards, Table 7.5-7, p. 7.5-21		

Adequacy Issue: Adequate _____ Inadequate _____

DATA ADEQUACY WORKSHEET

Revision No. 0 Date _____

Technical Area: **Noise**

Project: _____

Technical Staff: _____

Project Manager: _____

Docket: _____

Technical Senior: _____

SITING REGULATIONS	INFORMATION	AFC PAGE NUMBER AND SECTION NUMBER	ADEQUATE YES OR NO	INFORMATION REQUIRED TO MAKE AFC CONFORM WITH REGULATIONS
Appendix B (i) (1) (B)	Tables which identify each agency with jurisdiction to issue applicable permits, leases, and approvals or to enforce identified laws, regulations, standards, and adopted local, regional, state and federal land use plans, and agencies which would have permit approval or enforcement authority, but for the exclusive authority of the commission to certify sites and related facilities.	Involved Agencies and Agency Contacts, Section 7.5.7, p. 7.5-15		
Appendix B (i) (2)	The name, title, phone number, address (required), and email address (if known), of an official who was contacted within each agency, and also provide the name of the official who will serve as a contact person for Commission staff.	Involved Agencies and Agency Contacts, Section 7.5.7, p. 7.5-15		
Appendix B (i) (3)	A schedule indicating when permits outside the authority of the commission will be obtained and the steps the applicant has taken or plans to take to obtain such permits.	Permits Required and Permit Schedule, Section 7.5.8, p. 7.5-15		

Adequacy Issue: Adequate _____ Inadequate _____

DATA ADEQUACY WORKSHEET

Revision No. 0 Date _____

Technical Area: **Paleontological Resources**

Project: _____

Technical Staff: _____

Project Manager: _____

Docket: _____

Technical Senior: _____

SITING REGULATIONS	INFORMATION	AFC PAGE NUMBER AND SECTION NUMBER	ADEQUATE YES OR NO	INFORMATION REQUIRED TO MAKE AFC CONFORM WITH REGULATIONS
Appendix B (g) (1)	...provide a discussion of the existing site conditions, the expected direct, indirect and cumulative impacts due to the construction, operation and maintenance of the project, the measures proposed to mitigate adverse environmental impacts of the project, the effectiveness of the proposed measures, and any monitoring plans proposed to verify the effectiveness of the mitigation.	Affected Environment, Section 7.16.1, p. 7.16-1 Environmental Consequences, Section 7.16.2, p. 7.16-9 Cumulative Impacts, Section 7.16.3, p. 7.16-10 Mitigation Measures Section 7.16.4, p. 7.16-11		
Appendix B (g) (16) (A)	Identification of the physiographic province and a brief summary of the geologic setting, formations, and stratigraphy of the project area. The size of the paleontological study area may vary depending on the depositional history of the region.	Affected Environment, Section 7.16.1, p. 7.16-1		
Appendix B (g) (16) (B)	A discussion of the sensitivity of the project area described in subsection (g)(16)(A) and the presence and significance of any known paleontologic localities or other paleontologic resources within or adjacent to the project. Include a discussion of sensitivity for each geologic unit identified on the most recent geologic map at a scale of 1:24,000. Provide rationale as to why the sensitivity was assigned.	Paleontological Sensitivity, Section 7.16.1.4, p. 7.16-5 Resource Inventory Results, Section 7.16.1.5, p. 7.16-5 Site Location Map, Figure 7.16-1		
Appendix B (g) (16) (C)	A summary of all local museums, literature searches and field surveys used to provide information about paleontologic resources in the project area described in subsection (g)(16)(A). Identify the dates of the surveys, methods used in completing the surveys, and the names and qualifications of the individuals conducting the surveys.	Resource Inventory Methods, Section 7.16.1.3, p. 7.16-2 Resource Inventory Results, Section 7.16.1.5, p. 7.16-5		

Adequacy Issue: Adequate _____ Inadequate _____

DATA ADEQUACY WORKSHEET

Revision No. 0 Date _____

Technical Area: **Paleontological Resources**

Project: _____

Technical Staff: _____

Project Manager: _____

Docket: _____

Technical Senior: _____

SITING REGULATIONS	INFORMATION	AFC PAGE NUMBER AND SECTION NUMBER	ADEQUATE YES OR NO	INFORMATION REQUIRED TO MAKE AFC CONFORM WITH REGULATIONS
Appendix B (g) (16) (D)	Information on the specific location of known paleontologic resources, survey reports, locality records, and maps at a scale of 1:24,000, showing occurrences of fossil finds, if known, within a one-mile radius of the project and related facilities shall be included in a separate appendix to the Application and submitted to the Commission under a request for confidentiality, pursuant to Title 20, California Code of Regulations, s 2501 et seq.	Resource Inventory Results, Section 7.16.1.5, p. 7.16-5		
Appendix B (g) (16) (E)	A discussion of any educational programs proposed to enhance awareness of potential impacts to paleontological resources by employees, measures proposed for mitigation of impacts to known paleontologic resources, and a set of contingency measures for mitigation of potential impacts to currently unknown paleontologic resources.	Mitigation Measures, Section 7.16.4, p. 7.16-11		
Appendix B (i) (1) (A)	Tables which identify laws, regulations, ordinances, standards, adopted local, regional, state, and federal land use plans, leases, and permits applicable to the proposed project, and a discussion of the applicability of, and conformance with each. The table or matrix shall explicitly reference pages in the application wherein conformance, with each law or standard during both construction and operation of the facility is discussed; and	Laws, Ordinances, Regulations, and Standards, Table 7.16-1, p. 7.16-20		

Adequacy Issue: Adequate _____ Inadequate _____

DATA ADEQUACY WORKSHEET

Revision No. 0 Date _____

Technical Area: **Paleontological Resources**

Project: _____

Technical Staff: _____

Project Manager: _____

Docket: _____

Technical Senior: _____

SITING REGULATIONS	INFORMATION	AFC PAGE NUMBER AND SECTION NUMBER	ADEQUATE YES OR NO	INFORMATION REQUIRED TO MAKE AFC CONFORM WITH REGULATIONS
Appendix B (i) (1) (B)	Tables which identify each agency with jurisdiction to issue applicable permits, leases, and approvals or to enforce identified laws, regulations, standards, and adopted local, regional, state and federal land use plans, and agencies which would have permit approval or enforcement authority, but for the exclusive authority of the commission to certify sites and related facilities.	Permits Required and Permit Schedule, Section 7.16.7, p. 7.16-13		
Appendix B (i) (2)	The name, title, phone number, address (required), and email address (if known), of an official who was contacted within each agency, and also provide the name of the official who will serve as a contact person for Commission staff.	Involved Agency and Agency Contacts, Section 7.16.6, p. 7.16-13		
Appendix B (i) (3)	A schedule indicating when permits outside the authority of the commission will be obtained and the steps the applicant has taken or plans to take to obtain such permits.	Permits Required and Permit Schedule, Section 7.16.7, p. 7.16-13		

Adequacy Issue: Adequate _____ Inadequate _____

DATA ADEQUACY WORKSHEET

Revision No. 0 Date _____

Technical Area: **Project Overview**

Project: _____

Technical Staff: _____

Docket: _____

Technical Senior: _____

SITING REGULATIONS	INFORMATION	AFC PAGE NUMBER AND SECTION NUMBER	ADEQUATE YES OR NO	INFORMATION REQUIRED TO MAKE AFC CONFORM WITH REGULATIONS
Cal. Code Regs., tit. 20, § 1704, (a) (3) (A)	Descriptions of all significant assumptions, methodologies, and computational methods used in arriving at conclusions in the document.	Assumptions, Methodologies, Computational Methods, Entire AFC		
Cal. Code Regs., tit. 20, § 1704, (a) (3) (B)	Descriptions, including methodologies and findings, of all major studies or research efforts undertaken and relied upon to provide information for the document; and a description of ongoing research of significance to the project (including expected completion dates; and	Descriptions of Studies or Research Efforts and Ongoing Research, Entire AFC		
Cal. Code Regs., tit. 20, § 1704, (a) (3) (C)	A list of all literature relied upon or referenced in the documents, along with brief discussions of the relevance of each such reference	Literature Referenced, Entire AFC		
Cal. Code Regs., tit. 20, § 1704, (a) (4)	Each principal subject area covered in a notice or application shall be set forth in a separate chapter or section, each of which shall identify the person or persons responsible for its preparation.	Table of Contents List of Contributors, Section 9.0, p. 9-1		
Appendix B (a) (1) (A)	A general description of the proposed site and related facilities, including the location of the site or transmission routes, the type, size and capacity of the generating or transmission facilities, fuel characteristics, fuel supply routes and facilities, water supply routes and facilities, pollution control systems, and other general characteristics.	Power Plant Site Description, Section 2.3, p. 2-3 Facility Description, Section 2.4, p. 2-4		
Appendix B (a) (1) (B)	Identification of the location of the proposed site and related facilities by section, township, range, county and assessor's parcel numbers.	Project Location, Section 2.2, p. 2-2		
Appendix B (a) (1) (C)	A description of and maps depicting the region, the vicinity, and the site and its immediate surroundings.	Power Plant Site Description, Section 2.3, p. 2-3 Site Vicinity Map, Figure 1.1-1		

Adequacy Issue: Adequate _____ Inadequate _____

DATA ADEQUACY WORKSHEET

Revision No. 0 Date _____

Technical Area: **Project Overview**

Project: _____

Technical Staff: _____

Docket: _____

Technical Senior: _____

SITING REGULATIONS	INFORMATION	AFC PAGE NUMBER AND SECTION NUMBER	ADEQUATE YES OR NO	INFORMATION REQUIRED TO MAKE AFC CONFORM WITH REGULATIONS
Appendix B (a) (1) (D)	A full-page color photographic reproduction depicting the visual appearance of the site prior to construction, and a full-page color simulation or artist's rendering of the site and all project components at the site, after construction.	Photograph of Site, Figure 1.2-1 Simulation of Proposed Project, Figure 1.3-1		
Appendix B (a) (1) (E)	In an appendix to the application, a list of current assessor's parcel numbers and owners' names and addresses for all parcels within 500 feet of the proposed transmission line and other linear facilities, and within 1000 feet of the proposed powerplant and related facilities.	Project Location, Section 2.2, p. 2-2 Parcels and Location of Proposed Project Site Features, Table 2.2-1, p. 2-39		
Appendix B (a) (2)	Project Schedule: Proposed dates of initiation and completion of construction, initial start-up, and full-scale operation of the proposed facilities.	Construction Schedule, Section 2.6.1, p. 2-22 Operations Schedule, Section 2.7.1, p. 2-26 Project Schedule, Figure 2.6-1		
Appendix B (a) (3) (A)	A list of all owners and operators of the site(s), the power plant facilities, and, if applicable, thermal host, the geothermal leasehold, the geothermal resource conveyance lines, and the geothermal re-injection system, and a description of their legal interest in these facilities.	Overview, Section 2.1, p. 2-1 Project Location, Section 2.2, p. 2-2 Parcels Within Specified Distances of Project Site and Linear Features, Appendix A		
Appendix B (a) (3) (B)	A list of all owners and operators of the proposed electric transmission facilities.	Parcels Within Specified Distances of Project Site and Linear Features, Appendix A		
Appendix B (a) (3) (C)	A description of the legal relationship between the applicant and each of the persons or entities specified in subsections (a)(3)(A) and (B).	Overview, Section 2.1, p. 2-1 Project Location, Section 2.2, p. 2-2		
Appendix B (b) (1)	In a section entitled, "Generation Facility Description, Design, and Operation" provide the following information:			

Adequacy Issue: Adequate _____ Inadequate _____

DATA ADEQUACY WORKSHEET

Revision No. 0 Date _____

Technical Area: **Project Overview**

Project: _____

Technical Staff: _____

Docket: _____

Technical Senior: _____

SITING REGULATIONS	INFORMATION	AFC PAGE NUMBER AND SECTION NUMBER	ADEQUATE YES OR NO	INFORMATION REQUIRED TO MAKE AFC CONFORM WITH REGULATIONS
Appendix B (b) (1) (A)	Maps at a scale of 1:24,000 (1" = 2000'), (or appropriate map scale agreed to by staff) along with an identification of the dedicated leaseholds by section, township, range, county, and county assessor's parcel number, showing the proposed final locations and layout of the power plant and all related facilities;	Historical and Architectural Resources Area of Potential Effects , Figure 7.3-2 Parcels Within Specified Distances of Project Site and Linear Features , Appendix A		
Appendix B (b) (1) (B)	Scale plan and elevation drawings depicting the relative size and location of the power plant and all related facilities to establish the accuracy of the photo simulations required in Sections (a)(1)(D) and (g)(6)(F);	Plot Plan , Figure 2.4-1 Elevation Looking West , Figure 2.4-2 Elevations Looking North and South , Figure 2.4-3		
Appendix B (b) (1) (C)	A detailed description of the design, construction and operation of the facilities, specifically including the power generation, cooling, water supply and treatment, waste handling and control, pollution control, fuel handling, and safety, emergency and auxiliary systems, and fuel types and fuel use scenarios; and	Facility Description , Section 2.4, p. 2-4 Facility Civil/Structural Features , Section 2.5, p. 2-18 Project Construction , Section 2.6, p. 2-22 Facility Operations , Section 2.7, p. 2-26 Safety, Availability, and Reliability , Section 2.9, p. 2-29		
Appendix B (b) (1) (D)	A description of how the site and related facilities were selected and the consideration given to engineering constraints, site geology, environmental impacts, water, waste and fuel constraints, electric transmission constraints, and any other factors considered by the applicant.	Projective Objective , Section 8.2, p. 8-1		
Appendix B (b) (2)	In a section entitled, "Transmission Lines Description, Design, and Operation" provide the following information:			

Adequacy Issue: Adequate _____ Inadequate _____

DATA ADEQUACY WORKSHEET

Revision No. 0 Date _____

Technical Area: **Project Overview**

Project: _____

Technical Staff: _____

Docket: _____

Technical Senior: _____

SITING REGULATIONS	INFORMATION	AFC PAGE NUMBER AND SECTION NUMBER	ADEQUATE YES OR NO	INFORMATION REQUIRED TO MAKE AFC CONFORM WITH REGULATIONS
Appendix B (b) (2) (A)	Maps at a scale of 1:24,000 (or appropriate map scale agreed to by staff) of each proposed transmission line route, showing the settled areas, parks, recreational areas, scenic areas, and existing transmission lines within one mile of the proposed route(s);	Site Topography , Figure 2.3-2		
Appendix B (b) (2) (B)	A full-page color photographic reproduction depicting a representative above ground section of the transmission line route prior to construction and a full-page color photographic simulation of that section of the transmission line route after construction.	Photograph of Site , Figure 1.2-1 Simulation of Proposed Project , Figure 1.3-1		
Appendix B (b) (2) (C)	A detailed description of the design, construction, and operation of any electric transmission facilities, such as power lines, substations, switchyards, or other transmission equipment, which will be constructed or modified to transmit electrical power from the proposed power plant to the load centers to be served by the facility. Such description shall include the width of rights-of-way and the physical and electrical characteristics of electrical transmission facilities such as towers, conductors, and insulators.	Transmission Facilities , Section 4.0, p. 4-1		
Appendix B (b) (2) (D)	A description of how the route and additional transmission facilities were selected, and the consideration given to engineering constraints, environmental impacts, resource conveyance constraints, and electric transmission constraints; and	Site Alternatives , Section 8.4, p. 8-3		
Appendix B (e) (1)	A discussion of how facility closure will be accomplished in the event of premature or unexpected cessation of operations.	Facility Closure , Section 3.0, p. 3-1		

Adequacy Issue: Adequate Inadequate

DATA ADEQUACY WORKSHEET

Revision No. 0 Date

Technical Area: **Public Health**

Project:

Technical Staff:

Project Manager:

Docket:

Technical Senior:

SITING REGULATIONS	INFORMATION	AFC PAGE NUMBER AND SECTION NUMBER	ADEQUATE YES OR NO	INFORMATION REQUIRED TO MAKE AFC CONFORM WITH REGULATIONS
Appendix B (g) (1)	...provide a discussion of the existing site conditions, the expected direct, indirect and cumulative impacts due to the construction, operation and maintenance of the project, the measures proposed to mitigate adverse environmental impacts of the project, the effectiveness of the proposed measures, and any monitoring plans proposed to verify the effectiveness of the mitigation.	Affected Environment, Section 7.6.1, p. 7.6-1 Environmental Consequences, Section 7.6.2, p. 7.6-1 Cumulative Impacts, Section 7.6.3, p. 7.6-7 Mitigation Measures, Section 7.6.4, p. 7.6-7		
Appendix B (g) (9) (A)	An assessment of the potential risk to human health from the project's hazardous air emissions using the Air Resources Board Hotspots Analysis and Reporting Program (HARP) (HSC §§44360-44366) or its successor and Approved Risk Assessment Health Values. These values should include the cancer potency values and noncancer reference exposure levels approved by the Office of Environmental Health Hazard Assessment (OEHHA Guidelines, Cal-EPA 2005).	Environmental Consequences, Section 7.6.2, p. 7.6-1		
Appendix B (g) (9) (B)	A listing of the input data and output results, in both electronic and print formats, used to prepare the HARP health risk assessment.	Environmental Consequences, Section 7.6.2, p. 7.6-1		
Appendix B (g) (9) (C)	Identification of available health studies through the local public health department concerning the potentially affected population(s) within a six-mile radius of the proposed power plant site related to respiratory illnesses, cancers or related diseases.	Affected Environment, Section 7.6.1, p. 7.6-1		
Appendix B (g) (9) (D)	A map showing sensitive receptors within the area exposed to the substances identified in subsection (g)(9)(A).	Sensitive Receptors within 3 Miles of the Project Site, Figure 7.6-1		
Appendix B (g) (9) (E)	For purposes of this section, the following definitions apply:			

Adequacy Issue: Adequate Inadequate

DATA ADEQUACY WORKSHEET

Revision No. 0 Date _____

Technical Area: Public Health

Project: _____

Technical Staff: _____

Project Manager: _____

Docket: _____

Technical Senior: _____

SITING REGULATIONS	INFORMATION	AFC PAGE NUMBER AND SECTION NUMBER	ADEQUATE YES OR NO	INFORMATION REQUIRED TO MAKE AFC CONFORM WITH REGULATIONS
Appendix B (g) (9) (E) (i)	A sensitive receptor refers to infants and children, the elderly, and the chronically ill, and any other member of the general population who is more susceptible to the effects of the exposure than the population at large;	Environmental Consequences , Section 7.6.2, p. 7.6-1		
Appendix B (g) (9) (E) (ii)	An acute exposure is one which occurs over a time period of less than or equal to one (1) hour; and	Environmental Consequences , Section 7.6.2, p. 7.6-1		
Appendix B (g) (9) (E) (iii)	A chronic exposure is one which is greater than twelve (12) percent of a lifetime of seventy (70) years.	Environmental Consequences , Section 7.6.2, p. 7.6-1		
Appendix B (i) (1) (A)	Tables which identify laws, regulations, ordinances, standards, adopted local, regional, state, and federal land use plans, leases, and permits applicable to the proposed project, and a discussion of the applicability of, and conformance with each. The table or matrix shall explicitly reference pages in the application wherein conformance, with each law or standard during both construction and operation of the facility is discussed; and	Laws, Ordinances, Regulations, and Standards , Section 7.6.5, p. 7.6-7		
Appendix B (i) (1) (B)	Tables which identify each agency with jurisdiction to issue applicable permits, leases, and approvals or to enforce identified laws, regulations, standards, and adopted local, regional, state and federal land use plans, and agencies which would have permit approval or enforcement authority, but for the exclusive authority of the commission to certify sites and related facilities.	Involved Agencies and Agency Contacts , Section 7.6.6, p. 7.6-8		

Adequacy Issue: Adequate Inadequate

DATA ADEQUACY WORKSHEET

Revision No. 0 Date _____

Technical Area: Public Health

Project: _____

Technical Staff: _____

Project Manager: _____

Docket: _____

Technical Senior: _____

SITING REGULATIONS	INFORMATION	AFC PAGE NUMBER AND SECTION NUMBER	ADEQUATE YES OR NO	INFORMATION REQUIRED TO MAKE AFC CONFORM WITH REGULATIONS
Appendix B (i) (2)	The name, title, phone number, address (required), and email address (if known), of an official who was contacted within each agency, and also provide the name of the official who will serve as a contact person for Commission staff.	Involved Agencies and Agency Contacts , Section 7.6.6, p. 7.6-8		
Appendix B (i) (3)	A schedule indicating when permits outside the authority of the commission will be obtained and the steps the applicant has taken or plans to take to obtain such permits.	Permits Required and Permit Schedule , Section 7.6.7, p. 7.6-8		

Adequacy Issue: Adequate _____ Inadequate _____

DATA ADEQUACY WORKSHEET

Revision No. 0 Date _____

Technical Area: **Reliability**

Project: _____

Technical Staff: _____

Project Manager: _____

Docket: _____

Technical Senior: _____

SITING REGULATIONS	INFORMATION	AFC PAGE NUMBER AND SECTION NUMBER	ADEQUATE YES OR NO	INFORMATION REQUIRED TO MAKE AFC CONFORM WITH REGULATIONS
Appendix B (g) (1)	...provide a discussion of the existing site conditions, the expected direct, indirect and cumulative impacts due to the construction, operation and maintenance of the project, the measures proposed to mitigate adverse environmental impacts of the project, the effectiveness of the proposed measures, and any monitoring plans proposed to verify the effectiveness of the mitigation.	Entire AFC		
Appendix B (h) (3) (A)	A discussion of the sources and availability of the fuel or fuels to be used over the estimated service life of the facilities.	Fuel Availability, Section 2.9.6, p. 2-33		
Appendix B (h) (3) (B)	A discussion of the anticipated service life and degree of reliability expected to be achieved by the proposed facilities based on a consideration of:	Operations Schedule, Section 2.7.1, p. 2-26		
Appendix B (h) (3) (B) (i)	Expected overall availability factor, and annual and lifetime capacity factors;	Operations Schedule, Section 2.7.1, p. 2-26		
Appendix B (h) (3) (B) (ii)	The demonstrated or anticipated feasibility of the technologies, systems, components, and measures proposed to be employed in the facilities, including the power generation system, the heat dissipation system, the water supply system, the reinjection system, the atmospheric emission control system, resource conveyance lines, and the waste disposal system;	Facility Description, Section 2.4, p. 2-4		

Adequacy Issue: Adequate _____ Inadequate _____

DATA ADEQUACY WORKSHEET

Revision No. 0 Date _____

Technical Area: **Reliability**

Project: _____

Technical Staff: _____

Project Manager: _____

Docket: _____

Technical Senior: _____

SITING REGULATIONS	INFORMATION	AFC PAGE NUMBER AND SECTION NUMBER	ADEQUATE YES OR NO	INFORMATION REQUIRED TO MAKE AFC CONFORM WITH REGULATIONS
Appendix B (h) (3) (B) (iii)	Geologic and flood hazards, meteorologic conditions and climatic extremes, and cooling water availability;	Power Plant Site Description , Section 2.3, p. 2-3 Site Grading and Drainage , Section 2.5.10, p. 2-21 Site Flood Issues , Section 2.5.11, p. 2-21 Earthwork , Section 2.5.13, p. 2-22 Plant Operation , Section 2.7.1.1, p. 2-26 Daily and Seasonal Variation in Temperature and Demand , Section 2.7.1.2, p. 2-27 Water Supply and Treatment , Section 2.4.4, p. 2-7 Water Availability , Section 2.9.7, p. 2-33		
Appendix B (h) (3) (B) (iv)	Special design features adopted by the applicant or resource supplier to ensure power plant reliability including equipment redundancy; and	Distributive Control and Monitoring System , Section 2.7.1.7, p. 2-28 Equipment Redundancy , Section 2.9.4, p. 2-32		
Appendix B (h) (3) (B) (v)	For technologies not previously installed and operated in California, the expected power plant maturation period.	Facility Description , Section 2.4, p. 2-4		
Appendix B (i) (1) (A)	Tables which identify laws, regulations, ordinances, standards, adopted local, regional, state, and federal land use plans, leases, and permits applicable to the proposed project, and a discussion of the applicability of, and conformance with each. The table or matrix shall explicitly reference pages in the application wherein conformance, with each law or standard during both construction and operation of the facility is discussed; and	Applicable Laws, Ordinances, Regulations, and Standards , Section 2.10, p. 2-35		

Adequacy Issue: Adequate _____ Inadequate _____

DATA ADEQUACY WORKSHEET

Revision No. 0 Date _____

Technical Area: **Reliability**

Project: _____

Technical Staff: _____

Project Manager: _____

Docket: _____

Technical Senior: _____

SITING REGULATIONS	INFORMATION	AFC PAGE NUMBER AND SECTION NUMBER	ADEQUATE YES OR NO	INFORMATION REQUIRED TO MAKE AFC CONFORM WITH REGULATIONS
Appendix B (i) (1) (B)	Tables which identify each agency with jurisdiction to issue applicable permits, leases, and approvals or to enforce identified laws, regulations, standards, and adopted local, regional, state and federal land use plans, and agencies which would have permit approval or enforcement authority, but for the exclusive authority of the commission to certify sites and related facilities.	<p>Involved Agencies and Agency Contacts, Section 7.1.7, p. 7.1-38</p> <p>Involved Agencies and Agency Contacts, Section 7.2.6, p. 7.2-27</p> <p>Involved Agencies and Agency Contacts, Section 7.3.6, p. 7.3-22</p> <p>Involved Agencies and Agency Contacts, Section 7.4.6, p. 7.4-9</p> <p>Involved Agencies and Agency Contacts, Section 7.5.8, p. 7.5-12</p> <p>Involved Agencies and Agency Contacts, Section 7.6.6, p. 7.6-8</p> <p>Involved Agencies and Agency Contacts, Section 7.7.7, p. 7.7-11</p> <p>Involved Agencies and Agency Contacts, Section 7.8.6, p. 7.8-17</p> <p>Involved Agencies and Agency Contacts, Section 7.9.6, p. 7.9-6</p> <p>Involved Agencies and Agency Contacts, Section 7.10.6, p. 7.10-19</p> <p>Involved Agencies and Agency Contacts, Section 7.11.6, p. 7.11-16</p> <p>Involved Agencies and Agency Contacts, Section 7.12.6, p. 7.12-20</p> <p>Involved Agencies and Agency Contacts, Section 7.13.6, p. 7.13-13</p> <p>Involved Agencies and Agency Contacts, Section</p>		

Adequacy Issue: Adequate _____ Inadequate _____

DATA ADEQUACY WORKSHEET

Revision No. 0 Date _____

Technical Area: **Reliability**

Project: _____

Technical Staff: _____

Project Manager: _____

Docket: _____

Technical Senior: _____

SITING REGULATIONS	INFORMATION	AFC PAGE NUMBER AND SECTION NUMBER	ADEQUATE YES OR NO	INFORMATION REQUIRED TO MAKE AFC CONFORM WITH REGULATIONS
		7.14.6, p. 7.14-29 Involved Agencies and Agency Contacts , Section 7.15.6, p. 7.15-21 Involved Agencies and Agency Contacts , Section 7.16.6, p. 7.16-13		
Appendix B (i) (2)	The name, title, phone number, address (required), and email address (if known), of an official who was contacted within each agency, and also provide the name of the official who will serve as a contact person for Commission staff.	Involved Agencies and Agency Contacts , Section 7.1.7, p. 7.1-38 Involved Agencies and Agency Contacts , Section 7.2.6, p. 7.2-27 Involved Agencies and Agency Contacts , Section 7.3.6, p. 7.3-22 Involved Agencies and Agency Contacts , Section 7.4.6, p. 7.4-9 Involved Agencies and Agency Contacts , Section 7.5.8, p. 7.5-12 Involved Agencies and Agency Contacts , Section 7.6.6, p. 7.6-8 Involved Agencies and Agency Contacts , Section 7.7.7, p. 7.7-11 Involved Agencies and Agency Contacts , Section 7.8.6, p. 7.8-17 Involved Agencies and Agency Contacts , Section 7.9.6, p. 7.9-6 Involved Agencies and Agency Contacts , Section 7.10.6, p. 7.10-19 Involved Agencies and Agency Contacts , Section 7.11.6, p. 7.11-16 Involved Agencies and		

Adequacy Issue: Adequate _____ Inadequate _____

DATA ADEQUACY WORKSHEET

Revision No. 0 Date _____

Technical Area: **Reliability**

Project: _____

Technical Staff: _____

Project Manager: _____

Docket: _____

Technical Senior: _____

SITING REGULATIONS	INFORMATION	AFC PAGE NUMBER AND SECTION NUMBER	ADEQUATE YES OR NO	INFORMATION REQUIRED TO MAKE AFC CONFORM WITH REGULATIONS
		Agency Contacts , Section 7.12.6, p. 7.12-20 Involved Agencies and Agency Contacts , Section 7.13.6, p. 7.13-13 Involved Agencies and Agency Contacts , Section 7.14.6, p. 7.14-29 Involved Agencies and Agency Contacts , Section 7.15.6, p. 7.15-21 Involved Agencies and Agency Contacts , Section 7.16.6, p. 7.16-13		
Appendix B (i) (3)	A schedule indicating when permits outside the authority of the commission will be obtained and the steps the applicant has taken or plans to take to obtain such permits.	Not Applicable		

Adequacy Issue: Adequate _____ Inadequate _____

DATA ADEQUACY WORKSHEET

Revision No. 0 Date _____

Technical Area: **Socioeconomics**

Project: _____

Technical Staff: _____

Project Manager: _____

Docket: _____

Technical Senior: _____

SITING REGULATIONS	INFORMATION	AFC PAGE NUMBER AND SECTION NUMBER	ADEQUATE YES OR NO	INFORMATION REQUIRED TO MAKE AFC CONFORM WITH REGULATIONS
Appendix B (g) (1)	...provide a discussion of the existing site conditions, the expected direct, indirect and cumulative impacts due to the construction, operation and maintenance of the project, the measures proposed to mitigate adverse environmental impacts of the project, the effectiveness of the proposed measures, and any monitoring plans proposed to verify the effectiveness of the mitigation.	Affected Environment , Section 7.8.1, p. 7.8-1 Environmental Consequences , Section 7.8.2, p. 7.8-8 Cumulative Impacts , Section 7.8.3, p. 7.8-14 Mitigation Measures , Section 7.8.4, p. 7.8-15		
Appendix B (g) (7) (A)	A description of the socioeconomic circumstances of the vicinity and region affected by construction and operation of the project. Include:	Affected Environment , Section 7.8.1, p. 7.8-1		
Appendix B (g) (7) (A) (i)	The economic characteristics, including the economic base, fiscal resources, and a list of the applicable local agencies with taxing powers and their most recent and projected revenues;	Local Government Finance , Section 7.8.1.6, p. 7.8-7		
Appendix B (g) (7) (A) (ii)	The social characteristics, including population and demographic and community trends;	Affected Environment , Section 7.8.1, p. 7.8-1		
Appendix B (g) (7) (A) (iii)	Existing and projected unemployment rates;	Employment and Economy , Section 7.8.1.2, p. 7.8-1		
Appendix B (g) (7) (A) (iv)	Availability of skilled workers by craft required for construction and operation of the project;	Project Labor Needs and Available Labor by Craft/Skill Peak Configuration , Table 7.8-9, p. 7.8-29 Housing , Section 7.8.2.6, p. 7.8-11		
Appendix B (g) (7) (A) (v)	Availability of temporary and permanent housing and current vacancy rate; and	Housing , Section 7.8.1.4, p. 7.8-3		

Adequacy Issue: Adequate _____ Inadequate _____

DATA ADEQUACY WORKSHEET

Revision No. 0 Date _____

Technical Area: **Socioeconomics**

Project: _____

Technical Staff: _____

Project Manager: _____

Docket: _____

Technical Senior: _____

SITING REGULATIONS	INFORMATION	AFC PAGE NUMBER AND SECTION NUMBER	ADEQUATE YES OR NO	INFORMATION REQUIRED TO MAKE AFC CONFORM WITH REGULATIONS
Appendix B (g) (7) (A) (vi)	Capacities, existing and expected use levels, and planned expansion of utilities (gas, water and waste) and public services, including fire protection, law enforcement, emergency response, medical facilities, other assessment districts, and school districts. For projects outside metropolitan areas with a population of 500,000 or more, information for each school district shall include current enrollment and yearly expected enrollment by grade level groupings, excluding project-related changes for the duration of the project schedule.	Public Services , Section 7.8.1.5, p. 7.8-4		
Appendix B (g) (7) (B)	A discussion of the socioeconomic impacts caused by the construction and operation of the project (note year of estimate, model, if used, and appropriate sources), including:	Environmental Consequences , Section 7.8.2, p. 7.8-8		
Appendix B (g) (7) (B) (i)	An estimate of the number of workers to be employed each month by craft during construction, and for operations, an estimate of the number of permanent operations workers during a year;	Construction Staffing Schedule by Trade/Skill , Table 7.8-10, p. 7.8-30		
Appendix B (g) (7) (B) (ii)	An estimate of the percentage of non-local workers who will relocate to the project area to work on the project;	Housing , Section 7.8.2.6, p. 7.8-11 Cumulative Impacts , Section 7.8.3, p. 7.8-14		
Appendix B (g) (7) (B) (iii)	An estimate of the potential population increase caused directly and indirectly by the project;	Population , Section 7.8.2.5, p. 7.8-10		
Appendix B (g) (7) (B) (iv)	The potential impact of population increase on housing during the construction and operations phases;	Housing , Section 7.8.2.6, p. 7.8-11		

Adequacy Issue: Adequate _____ Inadequate _____

DATA ADEQUACY WORKSHEET

Revision No. 0 Date _____

Technical Area: **Socioeconomics**

Project: _____

Technical Staff: _____

Project Manager: _____

Docket: _____

Technical Senior: _____

SITING REGULATIONS	INFORMATION	AFC PAGE NUMBER AND SECTION NUMBER	ADEQUATE YES OR NO	INFORMATION REQUIRED TO MAKE AFC CONFORM WITH REGULATIONS
Appendix B (g) (7) (B) (v)	The potential impacts, including additional costs, on utilities (gas, water, and waste) and public services, including fire, law enforcement, emergency response, medical facilities, other assessment districts, and school districts. Include response times to hospitals and for police, and emergency services. For projects outside metropolitan areas with a population of 500,000 or more, information on schools shall include project-related enrollment changes by grade level groupings and associated facility and staffing impacts by school district during the construction and operating phases;	Public Services and Utilities , Section 7.8.2.7, p. 7.8-11		
Appendix B (g) (7) (B) (vi)	An estimate of applicable school impact fees;	Permits Required and Permit Schedule , Section 7.8.7, p. 7.8-16 Public Services and Utilities , Section 7.8.2.7, p. 7.8-11		
Appendix B (g) (7) (B) (vii)	An estimate of the total construction payroll and separate estimates of the total operation payroll for permanent and short-term (contract) operations employees;	Direct Economic Impacts , Section 7.8.2.2, p. 7.8-8		
Appendix B (g) (7) (B) (viii)	An estimate of the expenditures for locally purchased materials for the construction and operation phases of the project;	Direct Economic Impacts , Section 7.8.2.2, p. 7.8-8		
Appendix B (g) (7) (B) (ix)	An estimate of the capital cost (plant and equipment) of the project;	Direct Economic Impacts , Section 7.8.2.2, p. 7.8-8		
Appendix B (g) (7) (B) (x)	An estimate of sales taxes generated during construction and separately during an operational year of the project;	Indirect and Induced Economic Impacts , Section 7.8.2.3, p. 7.8-9 Fiscal Impacts , Section 7.8.2.4, p. 7.8-10		
Appendix B (g) (7) (B) (xi)	An estimate of property taxes generated during an operational year of the project; and	Fiscal Impacts , Section 7.8.2.4, p. 7.8-10		

Adequacy Issue: Adequate _____ Inadequate _____

DATA ADEQUACY WORKSHEET

Revision No. 0 Date _____

Technical Area: Socioeconomics

Project: _____

Technical Staff: _____

Project Manager: _____

Docket: _____

Technical Senior: _____

SITING REGULATIONS	INFORMATION	AFC PAGE NUMBER AND SECTION NUMBER	ADEQUATE YES OR NO	INFORMATION REQUIRED TO MAKE AFC CONFORM WITH REGULATIONS
Appendix B (g) (7) (B) (xii)	The expected direct, indirect, and induced income and employment effects due to construction, operation, and maintenance of the project.	Environmental Consequences , Section 7.8.2, p. 7.8-8		
Appendix B (i) (1) (A)	Tables which identify laws, regulations, ordinances, standards, adopted local, regional, state, and federal land use plans, leases, and permits applicable to the proposed project, and a discussion of the applicability of, and conformance with each. The table or matrix shall explicitly reference pages in the application wherein conformance, with each law or standard during both construction and operation of the facility is discussed; and	Laws, Ordinances, Regulations, and Standards , Section 7.8.5, p. 7.8-15 Laws, Ordinances, Regulations, and Standards , Table 7.8-12, p. 7.8-31		
Appendix B (i) (1) (B)	Tables which identify each agency with jurisdiction to issue applicable permits, leases, and approvals or to enforce identified laws, regulations, standards, and adopted local, regional, state and federal land use plans, and agencies which would have permit approval or enforcement authority, but for the exclusive authority of the commission to certify sites and related facilities.	Involved Agencies and Agency Contacts , Section 7.8.6, p. 7.8-17		
Appendix B (i) (2)	The name, title, phone number, address (required), and email address (if known), of an official who was contacted within each agency, and also provide the name of the official who will serve as a contact person for Commission staff.	Involved Agencies and Agency Contacts , Section 7.8.6, p. 7.8-17		
Appendix B (i) (3)	A schedule indicating when permits outside the authority of the commission will be obtained and the steps the applicant has taken or plans to take to obtain such permits.	Permits Required and Permit Schedule , Section 7.8.7, p. 7.8-17		

Adequacy Issue: Adequate _____ Inadequate _____

DATA ADEQUACY WORKSHEET

Revision No. 0 Date _____

Technical Area: **Soils** _____

Project: _____

Technical Staff: _____

Project Manager: _____

Docket: _____

Technical Senior: _____

SITING REGULATIONS	INFORMATION	AFC PAGE NUMBER AND SECTION NUMBER	ADEQUATE YES OR NO	INFORMATION REQUIRED TO MAKE AFC CONFORM WITH REGULATIONS
Appendix B (g) (1)	...provide a discussion of the existing site conditions, the expected direct, indirect and cumulative impacts due to the construction, operation and maintenance of the project, the measures proposed to mitigate adverse environmental impacts of the project, the effectiveness of the proposed measures, and any monitoring plans proposed to verify the effectiveness of the mitigation.	Affected Environment , Section 7.9.1, p. 7.9-1 Environmental Consequences , Section 7.9.2, p. 7.9-3 Cumulative Impacts , Section 7.9.3, p. 7.9-4 Mitigation Measures , Section 7.9.4, p. 7.9-5		
Appendix B (g) (15) (A)	A map at a scale of 1:24,000 and written description of soil types and all agricultural land uses that will be affected by the proposed project. The description shall include:	Soils , Figure 7.9-1		
Appendix B (g) (15) (A) (i)	The depth, texture, permeability, drainage, erosion hazard rating, and land capability class of the soil;	Soil Resources , Section 7.9.1.3, p. 7.9-1		
Appendix B (g) (15) (A) (ii)	An identification of other physical and chemical characteristics of the soil necessary to allow an evaluation of soil erodibility, permeability, re-vegetation potential, and cycling of pollutants in the soil-vegetation system;	Soil Resources , Section 7.9.1.3, p. 7.9-1		
Appendix B (g) (15) (A) (iii)	The location of any proposed fill disposal or fill procurement (borrow) sites; and	Construction , Section 7.9.2.2, p. 7.9-3		
Appendix B (g) (15) (A) (iv)	The location of any contaminated soils that could be disturbed by project construction.	Construction , Section 7.9.2.2, p. 7.9-3		
Appendix B (g) (15) (B)	An assessment of the effects of the proposed project on soil resources and agricultural land uses. This discussion shall include:	Environmental Consequences , Section 7.9.2, p. 7.9-3		
Appendix B (g) (15) (B) (i)	The quantification of accelerated soil loss due to wind and water erosion; and	Soil Loss and Erosion , Section 7.9.1.4, p. 7.9-2		

Adequacy Issue: Adequate _____ Inadequate _____

DATA ADEQUACY WORKSHEET

Revision No. 0 Date _____

Technical Area: Soils

Project: _____

Technical Staff: _____

Project Manager: _____

Docket: _____

Technical Senior: _____

SITING REGULATIONS	INFORMATION	AFC PAGE NUMBER AND SECTION NUMBER	ADEQUATE YES OR NO	INFORMATION REQUIRED TO MAKE AFC CONFORM WITH REGULATIONS
Appendix B (g) (15) (B) (ii)	The effect of power plant emissions on surrounding soil-vegetation systems.	Operation , Section 7.9.2.3, p. 7.9-4		
Appendix B (i) (1) (A)	Tables which identify laws, regulations, ordinances, standards, adopted local, regional, state, and federal land use plans, leases, and permits applicable to the proposed project, and a discussion of the applicability of, and conformance with each. The table or matrix shall explicitly reference pages in the application wherein conformance, with each law or standard during both construction and operation of the facility is discussed; and	Laws, Ordinances, Regulations, and Standards , Table 7.9-2, p. 7.9-10		
Appendix B (i) (1) (B)	Tables which identify each agency with jurisdiction to issue applicable permits, leases, and approvals or to enforce identified laws, regulations, standards, and adopted local, regional, state and federal land use plans, and agencies which would have permit approval or enforcement authority, but for the exclusive authority of the commission to certify sites and related facilities.	Involved Agencies and Agency Contacts , Section 7.9.6, p. 7.9-6 Applicable Permits and Schedule , Section 7.9.7, p. 7.9-7		
Appendix B (i) (2)	The name, title, phone number, address (required), and email address (if known), of an official who was contacted within each agency, and also provide the name of the official who will serve as a contact person for Commission staff.	Involved Agencies and Agency Contacts , Section 7.9.6, p. 7.9-6		
Appendix B (i) (3)	A schedule indicating when permits outside the authority of the commission will be obtained and the steps the applicant has taken or plans to take to obtain such permits.	Applicable Permits and Schedule , Section 7.9.7, p. 7.9-7		

Adequacy Issue: Adequate _____ Inadequate _____

DATA ADEQUACY WORKSHEET

Revision No. 0 Date _____

Technical Area: **Traffic and Transportation**

Project: _____

Technical Staff: _____

Project Manager: _____

Docket: _____

Technical Senior: _____

SITING REGULATIONS	INFORMATION	AFC PAGE NUMBER AND SECTION NUMBER	ADEQUATE YES OR NO	INFORMATION REQUIRED TO MAKE AFC CONFORM WITH REGULATIONS
Appendix B (g) (1)	...provide a discussion of the existing site conditions, the expected direct, indirect and cumulative impacts due to the construction, operation and maintenance of the project, the measures proposed to mitigate adverse environmental impacts of the project, the effectiveness of the proposed measures, and any monitoring plans proposed to verify the effectiveness of the mitigation.	Affected Environment, Section 7.10.1, p. 7.10-1 Environmental Consequences, Section 7.10.2, p. 7.10-5 Cumulative Impacts, Section 7.10.3, p. 7.10-13 Mitigation Measures, Section 7.10.4, p. 7.10-14		
Appendix B (g) (5) (A)	A regional transportation setting, on topographic maps (scale of 1:250,000), identifying the project location and major transportation facilities. Include a reference to the transportation element of any applicable local or regional plan.	Regional Vicinity, Figure 7.10-1A		
Appendix B (g) (5) (B)	If the proposed project including any linear facility is to be located within 20,000 feet of an airport runway that is at least 3,200 feet in actual length, or 5,000 feet of a heliport (or planned or proposed airport runway or an airport runway under construction, that is the subject of a notice or proposal on file with the Federal Aviation Administration), discuss the project's compliance with the applicable sections of the current Federal Aviation Regulation Part 77 – Objects Affecting Navigable Airspace, specifically any potential to obstruct or impede air navigation generated by the project at operation; such as, a thermal plume, a visible water vapor plume, glare, electrical interference, or surface structure height. The discussion should include a map at a scale of 1:24,000 that displays the airport or airstrip runway configuration, the proposed power plant site and related facilities.	Federal Authorities and Administering Agencies, Section 7.10.5.1, p. 7.10-16 Map Not Applicable to Project Site		

Adequacy Issue: Adequate _____ Inadequate _____

DATA ADEQUACY WORKSHEET

Revision No. 0 Date _____

Technical Area: **Traffic and Transportation**

Project: _____

Technical Staff: _____

Project Manager: _____

Docket: _____

Technical Senior: _____

SITING REGULATIONS	INFORMATION	AFC PAGE NUMBER AND SECTION NUMBER	ADEQUATE YES OR NO	INFORMATION REQUIRED TO MAKE AFC CONFORM WITH REGULATIONS
Appendix B (g) (5) (C)	An identification, on topographic maps at a scale of 1:24,000, and a description of existing and planned roads, rail lines, (including light rail), bike trails, airports, bus routes serving the project vicinity, pipelines, and canals in the project area affected by or serving the proposed facility. For each road identified, include the following information, where applicable:	Existing Transportation Facilities, Section 7.10.1.1, p. 7.10-1 Project Location, Figure 7.10-1b		
Appendix B (g) (5) (C) (i)	Road classification and design capacity;	Link/Volume Capacity/Level of Service for Riverside County Roadways, Table 7.10-2, p. 7.10-23		
Appendix B (g) (5) (C) (ii)	Current daily average and peak traffic counts;	Existing AM/PM Peak Hour Turning Movement Volumes, Figure 7.10-4		
Appendix B (g) (5) (C) (iii)	Current and projected levels of service before project development, during construction, and during project operation;	Freeway/Roadway Segment Level of Service Existing Conditions, Tables 7.10-3, p. 7.10-23 Peak-Hour Intersection LOS – Existing Conditions, Table 7.10-4, p. 7.10-24 Freeway/Roadway Segment Level of Service Year 2009 No Project Conditions, Table 7.10-6, p. 7.10-25 Freeway/Roadway Segment Level of Service Year 2009 Project Construction Conditions, Table 7.10-7, p. 7.10-25 Peak-Hour Intersection LOS – Year 2009 No Project Conditions, Table 7.10-8, p. 7.10-26		

Adequacy Issue: Adequate _____ Inadequate _____

DATA ADEQUACY WORKSHEET

Revision No. 0 Date _____

Technical Area: **Traffic and Transportation**

Project: _____

Technical Staff: _____

Project Manager: _____

Docket: _____

Technical Senior: _____

SITING REGULATIONS	INFORMATION	AFC PAGE NUMBER AND SECTION NUMBER	ADEQUATE YES OR NO	INFORMATION REQUIRED TO MAKE AFC CONFORM WITH REGULATIONS
		Peak-Hour Intersection LOS – Year 2009 Project Construction Conditions, Table 7.10-9, p. 7.10-26 Freeway/Roadway Segment Level of Service Year 2010 No Project Conditions, Table 7.10-10, p. 7.10-27 Freeway/Roadway Segment Level of Service Year 2010 Project Operations Conditions, Table 7.10-11, p. 7.10-27 Peak-Hour Intersection LOS – Year 2010 No Project Conditions, Table 7.10-12, p. 7.10-28 Peak-Hour Intersection LOS – Year 2010 Project Operation Conditions, Table 7.10-13, p. 7.10-28		
Appendix B (g) (5) (C) (iv)	Weight and load limitations;	Laws, Ordinances, Regulations and Standards, Section 7.10.5, p. 7.10-16		
Appendix B (g) (5) (C) (v)	Estimated percentage of current traffic flows for passenger vehicles and trucks; and	Freeway/Roadway Segment Level of Service Existing Conditions, Tables 7.10-3, p. 7.10-23		
Appendix B (g) (5) (C) (vi)	An identification of any road features affecting public safety.	Existing Transportation Facilities, Section 7.10.1.1, p. 7.10-1 Construction Impacts, Section 7.10.2.2, p. 7.10-7		

Adequacy Issue: Adequate _____ Inadequate _____

DATA ADEQUACY WORKSHEET

Revision No. 0 Date _____

Technical Area: **Traffic and Transportation**

Project: _____

Technical Staff: _____

Project Manager: _____

Docket: _____

Technical Senior: _____

SITING REGULATIONS	INFORMATION	AFC PAGE NUMBER AND SECTION NUMBER	ADEQUATE YES OR NO	INFORMATION REQUIRED TO MAKE AFC CONFORM WITH REGULATIONS
Appendix B (g) (5) (D)	An assessment of the construction and operation impacts of the proposed project on the transportation facilities identified in subsection (g)(5)(C). Also include anticipated project-specific traffic, estimated changes to daily average and peak traffic counts, levels of service, and traffic/truck mix, and the impact of construction of any facilities identified in subsection (g)(5)(C).	Construction Impacts, Section 7.10.2.2, p. 7.10-7 Operations Impacts, Section 7.10.2.3, p. 7.10-12 Hazardous Materials Transport, Section 7.10.2.4, p. 7.10-13 Peak-Hour Intersection LOS – Year 2009 No Project Conditions, Table 7.10-8, p. 7.10-26 Peak-Hour Intersection LOS – Year 2009 Project Construction Conditions, Table 7.10-9, p. 7.10-26 Freeway/Roadway Segment Level of Service Year 2010 No Project Conditions, Table 7.10-10, p. 7.10-27 Freeway/Roadway Segment Level of Service Year 2010 Project Operations Conditions, Table 7.10-11, p. 7.10-27 Peak-Hour Intersection LOS – Year 2010 No Project Conditions, Table 7.10-12, p. 7.10-28 Peak-Hour Intersection LOS – Year 2010 Project Operation Conditions, Table 7.10-13, p. 7.10-28		

Adequacy Issue: Adequate _____ Inadequate _____

DATA ADEQUACY WORKSHEET

Revision No. 0 Date _____

Technical Area: **Traffic and Transportation**

Project: _____

Technical Staff: _____

Project Manager: _____

Docket: _____

Technical Senior: _____

SITING REGULATIONS	INFORMATION	AFC PAGE NUMBER AND SECTION NUMBER	ADEQUATE YES OR NO	INFORMATION REQUIRED TO MAKE AFC CONFORM WITH REGULATIONS
Appendix B (g) (5) (E)	A discussion of project-related hazardous materials to be transported to or from the project during construction and operation of the project, including the types, estimated quantities, estimated number of trips, anticipated routes, means of transportation, and any transportation hazards associated with such transport.	Hazardous Materials Transport, Section 7.10.2.4, p. 7.10-13		
Appendix B (i) (1) (A)	Tables which identify laws, regulations, ordinances, standards, adopted local, regional, state, and federal land use plans, leases, and permits applicable to the proposed project, and a discussion of the applicability of, and conformance with each. The table or matrix shall explicitly reference pages in the application wherein conformance, with each law or standard during both construction and operation of the facility is discussed; and	Laws, Ordinances, Regulations, and Standards, Table 7.10-14, p. 7.10-29		
Appendix B (i) (1) (B)	Tables which identify each agency with jurisdiction to issue applicable permits, leases, and approvals or to enforce identified laws, regulations, standards, and adopted local, regional, state and federal land use plans, and agencies which would have permit approval or enforcement authority, but for the exclusive authority of the commission to certify sites and related facilities.	Involved Agencies and Agency Contacts, Section 7.10.6, p. 7.10-19		
Appendix B (i) (2)	The name, title, phone number, address (required), and email address (if known), of an official who was contacted within each agency, and also provide the name of the official who will serve as a contact person for Commission staff.	Involved Agencies and Agency Contacts, Section 7.10.6, p. 7.10-19		

Adequacy Issue: Adequate _____ Inadequate _____

DATA ADEQUACY WORKSHEET

Revision No. 0 Date _____

Technical Area: **Traffic and Transportation**

Project: _____

Technical Staff: _____

Project Manager: _____

Docket: _____

Technical Senior: _____

SITING REGULATIONS	INFORMATION	AFC PAGE NUMBER AND SECTION NUMBER	ADEQUATE YES OR NO	INFORMATION REQUIRED TO MAKE AFC CONFORM WITH REGULATIONS
Appendix B (i) (3)	A schedule indicating when permits outside the authority of the commission will be obtained and the steps the applicant has taken or plans to take to obtain such permits.	Permit Requirements, Section 7.10.7, p. 7.10-21		

Adequacy Issue: Adequate _____ Inadequate _____

DATA ADEQUACY WORKSHEET

Revision No. 0 Date _____

Technical Area: **Trans Line Safety & Nuisance**

Project: _____

Technical Staff: _____

Project Manager: _____

Docket: _____

Technical Senior: _____

SITING REGULATIONS	INFORMATION	AFC PAGE NUMBER AND SECTION NUMBER	ADEQUATE YES OR NO	INFORMATION REQUIRED TO MAKE AFC CONFORM WITH REGULATIONS
Appendix B (g) (1)	...provide a discussion of the existing site conditions, the expected direct, indirect and cumulative impacts due to the construction, operation and maintenance of the project, the measures proposed to mitigate adverse environmental impacts of the project, the effectiveness of the proposed measures, and any monitoring plans proposed to verify the effectiveness of the mitigation.	Transmission Interconnection Line Location Section 4.1, p. 4-1 Transmission Line safety and Nuisance Section 4.5.3, p. 4-4		
Appendix B (g) (18) (A)	The locations and a description of the existing switchyards and overhead and underground transmission lines that would be affected by the proposed project.	Appendix H		
Appendix B (g) (18) (B)	An estimate of the existing electric and magnetic fields from the facilities listed in (A) above and the future electric and magnetic fields that would be created by the proposed project, calculated at the property boundary of the site and at the edge of the rights of way for any transmission line. Also provide an estimate of the radio and television interference that could result from the project.	Transmission Lines Safety and Nuisance, Section 4.5.3, p. 4-4		
Appendix B (g) (18) (C)	Specific measures proposed to mitigate identified impacts, including a description of measures proposed to eliminate or reduce radio and television interference, and all measures taken to reduce electric and magnetic field levels.	Transmission line Safety and Nuisance Section 4.5.3. p. 4-4		

Adequacy Issue: Adequate _____ Inadequate _____

DATA ADEQUACY WORKSHEET

Revision No. 0 Date _____

Technical Area: Trans Line Safety & Nuisance

Project: _____

Technical Staff: _____

Project Manager: _____

Docket: _____

Technical Senior: _____

SITING REGULATIONS	INFORMATION	AFC PAGE NUMBER AND SECTION NUMBER	ADEQUATE YES OR NO	INFORMATION REQUIRED TO MAKE AFC CONFORM WITH REGULATIONS
Appendix B (i) (1) (A)	Tables which identify laws, regulations, ordinances, standards, adopted local, regional, state, and federal land use plans, leases, and permits applicable to the proposed project, and a discussion of the applicability of, and conformance with each. The table or matrix shall explicitly reference pages in the application wherein conformance, with each law or standard during both construction and operation of the facility is discussed; and	Laws, Ordinances, Regulations, Standards Section 4.7, p. 4-6		
Appendix B (i) (1) (B)	Tables which identify each agency with jurisdiction to issue applicable permits, leases, and approvals or to enforce identified laws, regulations, standards, and adopted local, regional, state and federal land use plans, and agencies which would have permit approval or enforcement authority, but for the exclusive authority of the commission to certify sites and related facilities.	Involved Agencies and Agency Contacts Section 2.11, p. 2-36		
Appendix B (i) (2)	The name, title, phone number, address (required), and email address (if known), of an official who was contacted within each agency, and also provide the name of the official who will serve as a contact person for Commission staff.	Involved Agencies and Agency Contacts Section 2.11, p. 2-36		
Appendix B (i) (3)	A schedule indicating when permits outside the authority of the commission will be obtained and the steps the applicant has taken or plans to take to obtain such permits.	Transmission Line Agreements and Necessary Approvals, Section 4.6, p. 4-6		

Adequacy Issue: Adequate Inadequate
 Technical Area: Transmission System Design
 Project Manager: _____

DATA ADEQUACY WORKSHEET

Revision No. 0 Date _____
 Technical Staff: _____
 Technical Senior: _____

Project: _____
 Docket: _____

SITING REGULATIONS	INFORMATION	AFC PAGE NUMBER AND SECTION NUMBER	ADEQUATE YES OR NO	INFORMATION REQUIRED TO MAKE AFC CONFORM WITH REGULATIONS
Appendix B (h) (2) (A)	A discussion of the need for the additional electric transmission lines, substations, or other equipment, the basis for selecting principal points of junction with the existing electric transmission system, and the capacity and voltage levels of the proposed lines, along with the basis for selection of the capacity and voltage levels.	Transmission System Evaluation, Section 4.5, p. 4-3 Appendix H		
Appendix B (h) (2) (B)	A discussion of the extent to which the proposed electric transmission facilities have been designed, planned, and routed to meet the transmission requirements created by additional generating facilities planned by the applicant or any other entity.	Transmission Line Configuration, Section 4.2, p. 4-1 Transmission Line Evaluation, Section 4.5, p. 4-3		
Appendix B (b) (2) (C)	A detailed description of the design, construction, and operation of any electric transmission facilities, such as power lines, substations, switchyards, or other transmission equipment, which will be constructed or modified to transmit electrical power from the proposed power plant to the load centers to be served by the facility. Such description shall include the width of rights of way and the physical and electrical characteristics of electrical transmission facilities such as towers, conductors, and insulators. This description shall include power load flow diagrams which demonstrate conformance or nonconformance with utility reliability and planning criteria at the time the facility is expected to be placed in operation and five years thereafter; and	Transmission Line Configuration, Section 4.2, p. 4-1 Transmission Interconnection Construction Section 4.3, p. 4-2 Transmission System Operation and Maintenance Section 4.4, p. 4-2 Transmission System Reliability Criteria, Section 4.5.1, p. 4-4 Appendix H		
Appendix B (b) (2) (D)	A description of how the route and additional transmission facilities were selected, and the consideration given to engineering constraints, environmental impacts, resource conveyance constraints, and electric transmission constraints.	Transmission System Evaluation, Section 4.5, p. 4-3 Appendix H		

Adequacy Issue: Adequate Inadequate

DATA ADEQUACY WORKSHEET

Revision No. 0 Date _____

Technical Area: **Transmission System Design**

Project: _____

Technical Staff: _____

Project Manager: _____

Docket: _____

Technical Senior: _____

SITING REGULATIONS	INFORMATION	AFC PAGE NUMBER AND SECTION NUMBER	ADEQUATE YES OR NO	INFORMATION REQUIRED TO MAKE AFC CONFORM WITH REGULATIONS
Appendix B (b) (2) (E)	<p>A completed System Impact Study or signed System Impact Study Agreement with the California Independent System Operator and proof of payment. When not connecting to the California Independent System Operator controlled grid, provide the executed System Impact Study agreement and proof of payment to the interconnecting utility.</p> <p>If the interconnection and operation of the proposed project will likely impact an transmission system that is not controlled by the interconnecting utility (or California Independent System Operator), provide evidence of a System Impact Study or agreement and proof of payment (when applicable) with/to the impacted transmission owner or provide evidence that there are no system impacts requiring mitigation.</p>	<p>Transmission System Evaluation, Section 4.5, p. 4-3 Appendix H</p>		
Appendix B (i) (1) (A)	<p>Tables which identify laws, regulations, ordinances, standards, adopted local, regional, state, and federal land use plans, leases, and permits applicable to the proposed project, and a discussion of the applicability of, and conformance with each. The table or matrix shall explicitly reference pages in the application wherein conformance, with each law or standard during both construction and operation of the facility is discussed; and</p>	<p>Laws, Ordinances, Regulations, Standards Section 2.10, p. 2-35</p>		
Appendix B (i) (1) (B)	<p>Tables which identify each agency with jurisdiction to issue applicable permits, leases, and approvals or to enforce identified laws, regulations, standards, and adopted local, regional, state and federal land use plans, and agencies which would have permit approval or enforcement authority, but for the exclusive authority of the commission to certify sites and related facilities.</p>	<p>Involved Agencies and Agency Contacts Section 2.11, p. 2-36</p>		

Adequacy Issue: Adequate _____ Inadequate _____

DATA ADEQUACY WORKSHEET

Revision No. 0 Date _____

Technical Area: **Transmission System Design**

Project: _____

Technical Staff: _____

Project Manager: _____

Docket: _____

Technical Senior: _____

SITING REGULATIONS	INFORMATION	AFC PAGE NUMBER AND SECTION NUMBER	ADEQUATE YES OR NO	INFORMATION REQUIRED TO MAKE AFC CONFORM WITH REGULATIONS
Appendix B (i) (2)	The name, title, phone number, address (required), and email address (if known), of an official who was contacted within each agency, and also provide the name of the official who will serve as a contact person for Commission staff.	Involved Agencies and Agency Contacts Section 2.11, p. 2-36		
Appendix B (i) (3)	A schedule indicating when permits outside the authority of the commission will be obtained and the steps the applicant has taken or plans to take to obtain such permits.	Transmission Line Agreements and Necessary Approvals, Section 4.6, p. 4-6		

Adequacy Issue: Adequate _____ Inadequate _____

DATA ADEQUACY WORKSHEET

Revision No. 0 Date _____

Technical Area: **Visual Resources**

Project: _____

Technical Staff: _____

Project Manager: _____

Docket: _____

Technical Senior: _____

SITING REGULATIONS	INFORMATION	AFC PAGE NUMBER AND SECTION NUMBER	ADEQUATE YES OR NO	INFORMATION REQUIRED TO MAKE AFC CONFORM WITH REGULATIONS
Appendix B (g) (1)	...provide a discussion of the existing site conditions, the expected direct, indirect and cumulative impacts due to the construction, operation and maintenance of the project, the measures proposed to mitigate adverse environmental impacts of the project, the effectiveness of the proposed measures, and any monitoring plans proposed to verify the effectiveness of the mitigation.	Affected Environment, Section 7.11.1, p. 7.11-1 Impact Results, Section 7.11.2.3, p. 7.11-9 Cumulative Impacts, Section 7.11.3, p. 7.11-13 Mitigation Measures, Section 7.11.4, p. 7.11-14		
Appendix B (g) (6) (A)	Descriptions of the existing visual setting of the vicinity of the proposed project site and the proposed routes for any project-related linear facilities. Include:	Affected Environment, Section 7.11.1, p. 7.11-1		

Adequacy Issue: Adequate _____ Inadequate _____

DATA ADEQUACY WORKSHEET

Revision No. 0 Date _____

Technical Area: **Visual Resources**

Project: _____

Technical Staff: _____

Project Manager: _____

Docket: _____

Technical Senior: _____

SITING REGULATIONS	INFORMATION	AFC PAGE NUMBER AND SECTION NUMBER	ADEQUATE YES OR NO	INFORMATION REQUIRED TO MAKE AFC CONFORM WITH REGULATIONS
Appendix B (g) (6) (A) (i)	Topographic maps at a scale of 1:24,000 that depict directions from which the project would be seen, the view areas most sensitive to the potential visual impacts of the project, and the locations where photographs were taken for (g)(6)(C); and	<p>Key Observation Points, Figure 7.11-3 KOP 1: View From I-10 Looking North – Existing Conditions, Figure 7.11-4 KOP 1: View From I-10 Looking North – Simulation, Figure 7.11-5 KOP 2: View From Dillon Rd. Looking Northwest– Existing Conditions, Figure 7.11-6 KOP 2: View From Dillon Rd. Looking Northwest– Simulation, Figure 7.11-7 KOP 3: View From Diablo Rd. Looking Northeast– Existing Conditions, Figure 7.11-8 KOP 3: View From Diablo Rd. Looking Northeast– Simulation, Figure 7.11-9 KOP 4: View From Salton View Rd, Looking Southeast– Existing Conditions, Figure 7.11-10 KOP 4: View From Salton View Rd, Looking Southeast– Simulation, Figure 7.11-11 KOP 5: View From Western Ave. Looking Southwest– Existing Conditions, Figure 7.11-12 KOP 5: View From Western Ave. Looking Southwest– Simulation, Figure 7.11-13</p>		

Adequacy Issue: Adequate _____ Inadequate _____

DATA ADEQUACY WORKSHEET

Revision No. 0 Date _____

Technical Area: **Visual Resources**

Project: _____

Technical Staff: _____

Project Manager: _____

Docket: _____

Technical Senior: _____

SITING REGULATIONS	INFORMATION	AFC PAGE NUMBER AND SECTION NUMBER	ADEQUATE YES OR NO	INFORMATION REQUIRED TO MAKE AFC CONFORM WITH REGULATIONS
Appendix B (g) (6) (A) (ii)	Description of the existing visual properties of the topography, vegetation, and any modifications to the landscape as a result of human activities, including existing water vapor plumes, above-ground electrical transmission lines, and nighttime lighting levels in the project viewshed.	Visual Inventory Results , Section 7.11.1.4, p. 7.11-4 Night Lighting , Section 7.11.2.4, p. 7.11-11		
Appendix B (g) (6) (B)	An assessment of the visual quality of those areas that would be affected by the proposed project. For projects proposed to be located within the coastal zone, the assessment should also describe how the proposed project would be sited to protect views to and along the ocean and scenic coastal areas, would minimize the alteration of natural land forms, would be visually compatible with the character of surrounding areas.	Visual Inventory Results , Section 7.11.1.4, p. 7.11-4		
Appendix B (g) (6) (C)	In consultation with Energy Commission staff, identify: i) any designated scenic roadways or scenic corridors and any visually sensitive areas that would be affected by the proposed project, including recreational and residential areas; and ii) the locations of the key observation points to represent the most critical viewing locations from which to conduct detailed analyses of the visual impacts of the proposed project. Indicate the approximate number of people using each of these sensitive areas and the estimated number of residences with views of the project. Also identify any major public roadways and trails of local importance that would be visually impacted by the project and indicate the types of travelers (e.g., local residents, recreationists, workers, commuters, etc.) and the approximate number of vehicles, bicyclists, and/or hikers per day.	Visual Inventory Results , Section 7.11.1.4, p. 7.11-4 Summary of Visual Impacts on Key Observation Points , Table 7.11-5, p. 7.11-20		

Adequacy Issue: Adequate _____ Inadequate _____

DATA ADEQUACY WORKSHEET

Revision No. 0 Date _____

Technical Area: **Visual Resources**

Project: _____

Technical Staff: _____

Project Manager: _____

Docket: _____

Technical Senior: _____

SITING REGULATIONS	INFORMATION	AFC PAGE NUMBER AND SECTION NUMBER	ADEQUATE YES OR NO	INFORMATION REQUIRED TO MAKE AFC CONFORM WITH REGULATIONS
Appendix B (g) (6) (D)	A table providing the dimensions (height, length, and width, or diameter) and, proposed color(s), materials, finishes, patterns, and other proposed design characteristics of each major component visible from off the project site, including any project-related electrical transmission line and/or offsite aboveground pipelines and metering stations.	Mitigation Measures, Section 7.11.4, p. 7.11-14 Significant Structures and Equipment, Table 2.4-2, p. 2-41		
Appendix B (g) (6) (E)	Provide the cooling tower and heat recovery steam generator (HRSG) exhaust design parameters that affect visible plume formation. For the cooling tower, data shall include heat rejection rate, exhaust temperature, exhaust mass flow rate, liquid to gas mass flow ratio, and, if the tower is plume-abated, moisture content (percent by weight) or plume-abated fogging curve(s). The parameters shall account for a range of ambient conditions (temperature and relative humidity) and proposed operating scenarios, such as duct firing and shutting down individual cells. For the heat recovery steam generator exhausts, data shall include moisture content (percent by weight), exhaust mass flow rate, and exhaust temperature. The parameters must correspond to full-load operating conditions at specified ambient conditions, and shall account for proposed operating scenarios, such as power augmentation (i.e., evaporative coolers, inlet foggers, or steam injection) and duct firing, or proposed HRSG visible plume abatement, such as the use of an economizer bypass. For simple-cycle projects, provide analogous data for the exhaust stack(s).	Visible Vapor Plumes Section 7.11.2.5, p. 7.11-11		

Adequacy Issue: Adequate Inadequate

DATA ADEQUACY WORKSHEET

Revision No. 0 Date _____

Technical Area: **Visual Resources**

Project: _____

Technical Staff: _____

Project Manager: _____

Docket: _____

Technical Senior: _____

SITING REGULATIONS	INFORMATION	AFC PAGE NUMBER AND SECTION NUMBER	ADEQUATE YES OR NO	INFORMATION REQUIRED TO MAKE AFC CONFORM WITH REGULATIONS
Appendix B (g) (6) (F)	Provide: i) full-page color photographic reproductions of the existing site, and ii) full-page color simulations of the proposed project at life-size scale when the picture is held 10 inches from the viewer's eyes, including any project-related electrical transmission lines, in the existing setting from each key observation point. If any landscaping is proposed to comply with zoning requirements or to mitigate visual impacts, include the landscaping in simulation(s) representing sensitive area views, depicting the landscaping five years after installation; and estimate the expected time until maturity is reached.	<p>KOP 1: View From I-10 Looking North – Existing Conditions, Figure 7.11-4 KOP 1: View From I-10 Looking North – Simulation, Figure 7.11-5 KOP 2: View From Dillon Rd. Looking Northwest– Existing Conditions, Figure 7.11-6 KOP 2: View From Dillon Rd. Looking Northwest– Simulation, Figure 7.11-7 KOP 3: View From Diablo Rd. Looking Northeast– Existing Conditions, Figure 7.11-8 KOP 3: View From Diablo Rd. Looking Northeast– Simulation, Figure 7.11-9 KOP 4: View From Salton View Rd, Looking Southeast– Existing Conditions, Figure 7.11-10 KOP 4: View From Salton View Rd, Looking Southeast– Simulation, Figure 7.11-11 KOP 5: View From Western Ave. Looking Southwest– Existing Conditions, Figure 7.11-12 KOP 5: View From Western Ave. Looking Southwest– Simulation, Figure 7.11-13</p>		

Adequacy Issue: Adequate _____ Inadequate _____

DATA ADEQUACY WORKSHEET

Revision No. 0 Date _____

Technical Area: **Visual Resources**

Project: _____

Technical Staff: _____

Project Manager: _____

Docket: _____

Technical Senior: _____

SITING REGULATIONS	INFORMATION	AFC PAGE NUMBER AND SECTION NUMBER	ADEQUATE YES OR NO	INFORMATION REQUIRED TO MAKE AFC CONFORM WITH REGULATIONS
Appendix B (g) (6) (G)	An assessment of the visual impacts of the project, including light, glare, and any modeling of visible plumes. Include a description of the method and identify any computer model used to assess the impacts. Provide an estimate of the expected frequency and dimensions (height, length, and width) of the visible cooling tower and/or exhaust stack plumes. Provide the supporting assumptions, meteorological data, operating parameters, and calculations used.	Regional Landscape Setting , Section 7.11.1.1, p. 7.11-1 Visual Inventory Results , Section 7.11.1.4, p. 7.11-4 Assessment Methodology , Section 7.11.2.2, p. 7.11-7 Impact Results , Section 7.11.2.3, p. 7.11-9		
Appendix B (g) (6) (H)	If any landscaping is proposed to reduce the visual impacts of the project, provide a conceptual landscaping plan at a 1:40 scale (1"=40'). Include information on the type of plant species proposed, their size, quantity, and spacing at planting, expected heights at 5 years and maturity, and expected growth rates.	Not applicable		
Appendix B (i) (1) (A)	Tables which identify laws, regulations, ordinances, standards, adopted local, regional, state, and federal land use plans, leases, and permits applicable to the proposed project, and a discussion of the applicability of, and conformance with each. The table or matrix shall explicitly reference pages in the application wherein conformance, with each law or standard during both construction and operation of the facility is discussed; and	Applicable Laws, Ordinances, Regulations, and Standards: Visual Resources , Table 7.11-6, p. 7.11-21		
Appendix B (i) (1) (B)	Tables which identify each agency with jurisdiction to issue applicable permits, leases, and approvals or to enforce identified laws, regulations, standards, and adopted local, regional, state and federal land use plans, and agencies which would have permit approval or enforcement authority, but for the exclusive authority of the commission to certify sites and related facilities.	Permits Required and Permit Schedule , Section 7.11.7, p. 7.11-16		

Adequacy Issue: Adequate _____ Inadequate _____

DATA ADEQUACY WORKSHEET

Revision No. 0 Date _____

Technical Area: **Visual Resources**

Project: _____

Technical Staff: _____

Project Manager: _____

Docket: _____

Technical Senior: _____

SITING REGULATIONS	INFORMATION	AFC PAGE NUMBER AND SECTION NUMBER	ADEQUATE YES OR NO	INFORMATION REQUIRED TO MAKE AFC CONFORM WITH REGULATIONS
Appendix B (i) (2)	The name, title, phone number, address (required), and email address (if known), of an official who was contacted within each agency, and also provide the name of the official who will serve as a contact person for Commission staff.	Involved Agencies and Agency Contacts , Section 7.11.6, p. 7.11-16		
Appendix B (i) (3)	A schedule indicating when permits outside the authority of the commission will be obtained and the steps the applicant has taken or plans to take to obtain such permits.	Permits Required and Permit Schedule , Section 7.11.7, p. 7.11-16		

Adequacy Issue: Adequate _____ Inadequate _____

DATA ADEQUACY WORKSHEET

Revision No. 0 Date _____

Technical Area: **Waste Management**

Project: _____

Technical Staff: _____

Project Manager: _____

Docket: _____

Technical Senior: _____

SITING REGULATIONS	INFORMATION	AFC PAGE NUMBER AND SECTION NUMBER	ADEQUATE YES OR NO	INFORMATION REQUIRED TO MAKE AFC CONFORM WITH REGULATIONS
Appendix B (b) (1) (C)	A detailed description of the design, construction and operation of the facilities, specifically including the power generation, cooling, water supply and treatment, waste handling and control, pollution control, fuel handling, and safety, emergency and auxiliary systems, and fuel types and fuel use scenarios; and	Affected Environment, Section 7.12.1, p. 7.12-1 Environmental Consequences, Section 7.12.2, p. 7.12-1 Affected Environment, Section 7.13.1, p. 7.13-1 Environmental Consequences, Section 7.13.2, p. 7.13-3		
Appendix B (e) (1)	A discussion of how facility closure will be accomplished in the event of premature or unexpected cessation of operations.	Temporary Facility Closure, Section 7.13.4.4, p. 7.13-12 Permanent Closure, Section 7.13.4.5, p. 7.13-12		
Appendix B (g) (1)	...provide a discussion of the existing site conditions, the expected direct, indirect and cumulative impacts due to the construction, operation and maintenance of the project, the measures proposed to mitigate adverse environmental impacts of the project, the effectiveness of the proposed measures, and any monitoring plans proposed to verify the effectiveness of the mitigation.	Affected Environment, Section 7.13, p. 7.13-1 Environmental Consequences, Section 7.13.2, p. 7.13-3 Cumulative Impacts, Section 7.13.3, p. 7.13-9 Mitigation Measures Section 7.13.4, p. 7.13-10		
Appendix B (g) (12) (A)	A Phase I Environmental Site Assessment (ESA) for the proposed power plant site using methods prescribed by the American Society for Testing and Materials (ASTM) document entitled "Standard Practice for Environmental Site Assessments: Phase 1 Environmental Site Assessment Process" (Designation: E 1527-93, May 1993), which is incorporated by reference in its entirety; or an equivalent method agreed upon by the applicant and the CEC Staff that provides similar documentation of the potential level and extent of site contamination. The Phase I ESA shall have been completed no earlier than one year prior to the filing of the AFC.	Affected Environment, Section 7.13.1, p. 7.13-1		

Adequacy Issue: Adequate _____ Inadequate _____

DATA ADEQUACY WORKSHEET

Revision No. 0 Date _____

Technical Area: **Waste Management**

Project: _____

Technical Staff: _____

Project Manager: _____

Docket: _____

Technical Senior: _____

SITING REGULATIONS	INFORMATION	AFC PAGE NUMBER AND SECTION NUMBER	ADEQUATE YES OR NO	INFORMATION REQUIRED TO MAKE AFC CONFORM WITH REGULATIONS
Appendix B (g) (12) (B)	A description of each waste stream estimated to be generated during project construction and operation, including origin, hazardous or nonhazardous classification pursuant to Title 22, California Code of Regulations, § 66261.20 et seq., chemical composition, estimated annual weight or volume generated, and estimated frequency of generation.	Project Waste Generation, Section 7.13.2.1, p. 7.13-3 Summary of Anticipated Construction Waste Streams and Management Methods, Table 7.13-1, p. 7.13-16		
Appendix B (g) (12) (C)	A description of all waste disposal sites which may feasibly be used for disposal of project wastes. For each site, include the name, location, classification under Title 23, California Code of Regulations, § 2530 et seq., the daily or annual permitted capacity, daily or annual amounts of waste currently being accepted, the estimated closure date and remaining capacity, and a description of any enforcement action taken by local or state agencies due to waste disposal activities at the site.	Waste Disposal Sites, Landfills, TSDFs, and Transfer Stations, Table 7.13-2, p. 7.13-18 Recycling/Transfer Centers, Table 7.13-3, p. 7.13-19		
Appendix B (g) (12) (D)	A description of management methods for each waste stream, including methods used to minimize waste generation, length of on- and off-site waste storage, re-use and recycling opportunities, waste treatment methods used, and use of contractors for treatment.	Summary of Anticipated Construction Waste Streams and Management Methods, Table 7.13-1, p. 7.13-16 Summary of Anticipated Operating Waste Streams and Management Methods, Table 7.13-4, p. 7.13-16		
Appendix B (h) (1) (B)	A discussion of any measures proposed to improve adverse site conditions.	Mitigation Measures, Section 7.13-4, p. 7.13-9		
Appendix B (h) (1) (D) (v)	The waste disposal system and on-site disposal sites;	Mitigation Measures, Section 7.13-4, p. 7.13-9		

Adequacy Issue: Adequate _____ Inadequate _____

DATA ADEQUACY WORKSHEET

Revision No. 0 Date _____

Technical Area: Waste Management

Project: _____

Technical Staff: _____

Project Manager: _____

Docket: _____

Technical Senior: _____

SITING REGULATIONS	INFORMATION	AFC PAGE NUMBER AND SECTION NUMBER	ADEQUATE YES OR NO	INFORMATION REQUIRED TO MAKE AFC CONFORM WITH REGULATIONS
Appendix B (i) (1) (A)	Tables which identify laws, regulations, ordinances, standards, adopted local, regional, state, and federal land use plans, leases, and permits applicable to the proposed project, and a discussion of the applicability of, and conformance with each. The table or matrix shall explicitly reference pages in the application wherein conformance, with each law or standard during both construction and operation of the facility is discussed; and	Laws, Ordinances, Regulations, and Standards , Table 7.13-5, p. 7.13-22		
Appendix B (i) (1) (B)	Tables which identify each agency with jurisdiction to issue applicable permits, leases, and approvals or to enforce identified laws, regulations, standards, and adopted local, regional, state and federal land use plans, and agencies which would have permit approval or enforcement authority, but for the exclusive authority of the commission to certify sites and related facilities.	Permits Required and Permit Schedule , Section 7.13.7, p. 7.13-15		
Appendix B (i) (2)	The name, title, phone number, address (required), and email address (if known), of an official who was contacted within each agency, and also provide the name of the official who will serve as a contact person for Commission staff.	Involved Agencies and Agency Contacts , Section 7.13.6, p. 7.13-13		
Appendix B (i) (3)	A schedule indicating when permits outside the authority of the commission will be obtained and the steps the applicant has taken or plans to take to obtain such permits.	Permits Required and Permit Schedule , Section 7.13.7, p. 7.13-15		

Adequacy Issue: Adequate _____ Inadequate _____

DATA ADEQUACY WORKSHEET

Revision No. 0 Date _____

Technical Area: **Water Resources**

Project: _____

Technical Staff: _____

Project Manager: _____

Docket: _____

Technical Senior: _____

SITING REGULATIONS	INFORMATION	AFC PAGE NUMBER AND SECTION NUMBER	ADEQUATE YES OR NO	INFORMATION REQUIRED TO MAKE AFC CONFORM WITH REGULATIONS
Appendix B (g) (1)	...provide a discussion of the existing site conditions, the expected direct, indirect and cumulative impacts due to the construction, operation and maintenance of the project, the measures proposed to mitigate adverse environmental impacts of the project, the effectiveness of the proposed measures, and any monitoring plans proposed to verify the effectiveness of the mitigation.	Water Resources , Section 7.14, p. 7.14-1		
Appendix B (g) (14) (A)	All the information required to apply for the following permits, if applicable, including:	Permits Required and Permit Schedule , Section 7.14.7, p. 7.14-30		
Appendix B (g) (14) (A) (i)	Waste Discharge Requirements; National Pollutant Discharge Elimination System Permit; and/or a Section 401 Certification or Waiver from the appropriate Regional Water Quality Control Board (RWQCB);	Permits Required and Permit Schedule , Section 7.14.7, p. 7.14-30		
Appendix B (g) (14) (A) (ii)	Construction and Industrial Waste Discharge and/or Industrial Pretreatment permits from wastewater treatment agencies;	Permits Required and Permit Schedule , Section 7.14.7, p. 7.14-30		
Appendix B (g) (14) (A) (iii)	Nationwide Permits and/or Section 404 Permits from the U.S. Army Corps of Engineers; and	Waters of the United States , Section 7.2.1.3, p. 7.2-4		
Appendix B (g) (14) (A) (iv)	Underground Injection Control Permit(s) from the U.S. Environmental Protection Agency, California Division of Oil and Gas, and RWQCB.	Not Applicable		
Appendix B (g) (14) (B)	A detailed description of the hydrologic setting of the project. The information shall include a narrative discussion and on maps at a scale of 1:24,000 (or appropriate scale approved by staff), describing the chemical and physical characteristics of the following nearby water bodies that may be affected by the proposed project:	Affected Environment , Section 7.14.1, p. 7.14-2		

Adequacy Issue: Adequate _____ Inadequate _____

DATA ADEQUACY WORKSHEET

Revision No. 0 Date _____

Technical Area: **Water Resources**

Project: _____

Technical Staff: _____

Project Manager: _____

Docket: _____

Technical Senior: _____

SITING REGULATIONS	INFORMATION	AFC PAGE NUMBER AND SECTION NUMBER	ADEQUATE YES OR NO	INFORMATION REQUIRED TO MAKE AFC CONFORM WITH REGULATIONS
Appendix B (g) (14) (B) (i)	Ground water bodies and related geologic structures;	Groundwater Subbasins , Section 7.14.1.1, p. 7.14-2		
Appendix B (g) (14) (B) (ii)	Surface water bodies;	Surface Water , Section 7.14.1.2, p. 7.14-6		
Appendix B (g) (14) (B) (iii)	Water inundation zones, such as the 100-year flood plain and tsunami run-up zones;	Flooding , Section 7.14.1.7, p. 7.14-18		
Appendix B (g) (14) (B) (iv)	Flood control facilities (existing and proposed); and	Site Drainage , Section 7.14.1.6, p. 7.14-15 Flooding , Section 7.14.1.7, p. 7.14-18		
Appendix B (g) (14) (B) (v)	Groundwater wells within ½ mile if the project will include pumping.	Groundwater , Section 7.14.1.1, p. 7.14-2		
Appendix B (g) (14) (C)	A description of the water to be used and discharged by the project. This information shall include:	Current and Proposed Water Supply and Use , Section 7.14.1.4, p. 7.14-8		
Appendix B (g) (14) (C) (i)	Source(s) of the primary and back-up water supplies and the rationale for their selection;	Current and Proposed Water Supply and Use , Section 7.14.1.4, p. 7.14-8		
Appendix B (g) (14) (C) (ii)	The expected physical and chemical characteristics of the source and discharge water(s) including identification of both organic and inorganic constituents before and after any project-related treatment. For source waters with seasonal variation, provide seasonal ranges of the expected physical and chemical characteristics. Provide copies of background material used to create this description (e.g., laboratory analysis);	Water Supply and Treatment , Section 2.4.4, p. 2-7 Onsite Groundwater Well Water Analysis , Table 2.4-7, p. 2-47		

Adequacy Issue: Adequate _____ Inadequate _____

DATA ADEQUACY WORKSHEET

Revision No. 0 Date _____

Technical Area: **Water Resources**

Project: _____

Technical Staff: _____

Project Manager: _____

Docket: _____

Technical Senior: _____

SITING REGULATIONS	INFORMATION	AFC PAGE NUMBER AND SECTION NUMBER	ADEQUATE YES OR NO	INFORMATION REQUIRED TO MAKE AFC CONFORM WITH REGULATIONS
Appendix B (g) (14) (C) (iii)	Average and maximum daily and annual water demand and waste water discharge for both the construction and operation phases of the project;	Current and Proposed Water Supply and Use , Section 7.14.1.4, p. 7.14-8 Water Supply and Treatment , Section 2.4.4, p. 2-7 Wastewater Discharge , Section 7.14.1.5, p. 7.14-13		
Appendix B (g) (14) (C) (iv)	A detailed description of all facilities to be used in water conveyance (from primary source to the power plant site), water treatment, and wastewater discharge. Include a water mass balance diagram;	Current and Proposed Water Supply and Use , Section 7.14.1.4, p. 7.14-8 Construction Water Requirements , Table 2.4-4, p. 2-43 Water Balances , Table 2.4-5, p. 2-44 Daily and Annual Average Water Consumption Requirements , Table 2.4-6, p. 2-46 Water Balance Diagram , Figure 2.4-6		
Appendix B (g) (14) (C) (v)	For all water supplies intended for industrial uses to be provided from public or private water purveyors, a letter of intent or will-serve letter indicating that the purveyor is willing to serve the project, has adequate supplies available for the life of the project, and any conditions or restrictions under which water will be provided. In the event that a will-serve letter or letter of intent can not be provided, identify the most likely water purveyor and discuss the necessary assurances from the water purveyor to serve the project;	Current and Proposed Water Supply and Use , Section 7.14.1.4, p. 7.14-8		

Adequacy Issue: Adequate _____ Inadequate _____

DATA ADEQUACY WORKSHEET

Revision No. 0 Date _____

Technical Area: **Water Resources**

Project: _____

Technical Staff: _____

Project Manager: _____

Docket: _____

Technical Senior: _____

SITING REGULATIONS	INFORMATION	AFC PAGE NUMBER AND SECTION NUMBER	ADEQUATE YES OR NO	INFORMATION REQUIRED TO MAKE AFC CONFORM WITH REGULATIONS
Appendix B (g) (14) (C) (vi)	For all water supplied which necessitates transfers and/or exchanges at any point, identify all parties and contracts/agreements involved, the primary source for the transfer and/or exchange water (e.g., surface water, groundwater), and provide the status of all appropriate agencies' approvals for the proposed use, environmental impact analysis on the specific transfers and/or exchanges required to obtain the proposed supplies, a copy of any agency regulations that govern the use of the water, and an explanation of how the project complies with the agency regulation(s);	Current and Proposed Water Supply and Use , Section 7.14.1.4, p. 7.14-8		
Appendix B (g) (14) (C) (vii)	Provide water mass balance and heat balance diagrams for both average and maximum flows that include all process and/or ancillary water supplies and wastewater streams. Highlight any water conservation measures on the diagram and the amount that they reduce water demand; and	Heat and Mass Balance Diagram , Figure 2.4-4 Water Balance Diagram , Figure 2.4-6		

Adequacy Issue: Adequate _____ Inadequate _____

DATA ADEQUACY WORKSHEET

Revision No. 0 Date _____

Technical Area: **Water Resources**

Project: _____

Technical Staff: _____

Project Manager: _____

Docket: _____

Technical Senior: _____

SITING REGULATIONS	INFORMATION	AFC PAGE NUMBER AND SECTION NUMBER	ADEQUATE YES OR NO	INFORMATION REQUIRED TO MAKE AFC CONFORM WITH REGULATIONS
Appendix B (g) (14) (C) (viii)	<p>For all projects which have a discharge, provide a copy of the will-serve letter, permit or contract with the public or private entity that will be accepting the wastewater and contact storm water from the project. The letter, permit or contract, if possible, shall identify the discharge volumes and the chemical or physical characteristics under which the wastewater and contact storm water will be accepted.</p> <p>In the event that a will-serve letter, permit, or contract cannot be provided, identify the most likely wastewater/storm water entity and discuss why the applicant was unable to secure the necessary assurances to serve the project's wastewater/storm water needs. Also, discuss the term of the wastewater service to the project, whether the wastewater entity has adequate permit capacity for the volume of wastewater from the project and has adequate permit levels for the chemical/physical characteristics of the project's wastewater and storm water for the life of the project, and any issues or conditions/restrictions the wastewater entity may impose on the project.</p>	Not Applicable		
Appendix B (g) (14) (D)	Identify all project elements associated with stormwater drainage, including a description of the following:	Site Drainage, Section 7.14.1.6, p. 7.14-15 Surface Water, Section 7.14.1.2, p. 7.14-6		
Appendix B (g) (14) (D) (i)	Monthly and/or seasonal precipitation and stormwater runoff and drainage patterns for the proposed site and surrounding area that may be affected by the project's construction and operation;	Surface Water, Section 7.14.1.2, p. Climate and Precipitation, Section 7.14.1.3., p. 7.14-7		

Adequacy Issue: Adequate _____ Inadequate _____

DATA ADEQUACY WORKSHEET

Revision No. 0 Date _____

Technical Area: **Water Resources**

Project: _____

Technical Staff: _____

Project Manager: _____

Docket: _____

Technical Senior: _____

SITING REGULATIONS	INFORMATION	AFC PAGE NUMBER AND SECTION NUMBER	ADEQUATE YES OR NO	INFORMATION REQUIRED TO MAKE AFC CONFORM WITH REGULATIONS
Appendix B (g) (14) (D) (ii)	Drainage facilities and the design criteria used for the plant site and ancillary facilities, including but not limited to capacity of designed system, design storm, and estimated runoff;	Site Drainage , Section 7.14.1.6, p. 7.14-15 Flooding , Section 7.14.1.7, p. 7.14-18 Groundwater Modeling , Appendix R-1 Hydrology Report , Appendix R-2		
Appendix B (g) (14) (D) (iii)	All assumptions and calculations used to calculate runoff and to estimate changes in flow rates between pre- and post construction; and	Groundwater Modeling , Appendix R-1 Hydrology Report , Appendix R-2		
Appendix B (g) (14) (D) (iv)	A copy of applicable regional and local requirements regulating the drainage systems, and a discussion of how the project's drainage design complies with these requirements.	Groundwater Modeling , Appendix R-1 Hydrology Report , Appendix R-2		
Appendix B (g) (14) (E)	An impacts analysis of the proposed project on water resources and a discussion of conformance with water-related LORS and policy. This discussion shall include:	Laws, Ordinances, Regulations, and Standards , Section 7.14.5, p. 7.14-25		
Appendix B (g) (14) (E) (i)	The effects of project demand on the water supply and other users of this source, including, but not limited to, water availability for other uses during construction or after the power plant begins operation, consistency of the water use with applicable RWQCB basin plans or other applicable resource management plans, and any changes in the physical or chemical conditions of existing water supplies as a result of water use by the power plant;	Groundwater , Section 7.14.2.1, p. 7.14-19		

Adequacy Issue: Adequate _____ Inadequate _____

DATA ADEQUACY WORKSHEET

Revision No. 0 Date _____

Technical Area: **Water Resources**

Project: _____

Technical Staff: _____

Project Manager: _____

Docket: _____

Technical Senior: _____

SITING REGULATIONS	INFORMATION	AFC PAGE NUMBER AND SECTION NUMBER	ADEQUATE YES OR NO	INFORMATION REQUIRED TO MAKE AFC CONFORM WITH REGULATIONS
Appendix B (g) (14) (E) (ii)	If the project will pump groundwater, an estimation of aquifer drawdown based on a computer modeling study shall be conducted by a professional geologist and include the estimated drawdown on neighboring wells within 0.5 mile of the proposed well(s), any effects on the migration of groundwater contaminants, and the likelihood of any changes in existing physical or chemical conditions of groundwater resources shall be provided;	Groundwater, Section 7.14.2.1, p. 7.14-19 Hydrology Report, Appendix R-2		
Appendix B (g) (14) (iii)	The effects of construction activities and plant operation on water quality and to what extent these effects could be mitigated by best management practices;	Environmental Consequences, Section 7.14.2, p. 7.14-18		
Appendix B (g) (14) (iv)	If not using a zero liquid discharge project design for cooling and process waters, include the effects of the proposed wastewater disposal method on receiving waters, the feasibility of using pre-treatment techniques to reduce impacts, and beneficial uses of the receiving waters. Include an explanation why the zero liquid discharge process is “environmentally undesirable,” or “economically unsound;”	NA Project will use a 2LD System		
Appendix B (g) (14) (v)	If using fresh water, include a discussion of the cumulative impacts, alternative water supply sources and alternative cooling technologies considered as part of the project design. Include an explanation of why alternative water supplies and alternative cooling are “environmentally undesirable,” or “economically unsound;”	Current and Proposed Water Supply and Use, Section 7.14.1.4, p. 7.14-8		
Appendix B (g) (14) (vi)	The effects of the project on the 100-year flood plain, flooding potential of adjacent lands or water bodies, or other water inundation zones; and	Flooding, Section 7.14.2.3, p. 7.14-22		

Adequacy Issue: Adequate _____ Inadequate _____

DATA ADEQUACY WORKSHEET

Revision No. 0 Date _____

Technical Area: Water Resources

Project: _____

Technical Staff: _____

Project Manager: _____

Docket: _____

Technical Senior: _____

SITING REGULATIONS	INFORMATION	AFC PAGE NUMBER AND SECTION NUMBER	ADEQUATE YES OR NO	INFORMATION REQUIRED TO MAKE AFC CONFORM WITH REGULATIONS
Appendix B (g) (14) (vii)	All assumptions, evidence, references, and calculations used in the analysis to assess these effects.	Flooding , Section 7.14.2.3, p. 7.14-22		
Appendix B (i) (1) (A)	Tables which identify laws, regulations, ordinances, standards, adopted local, regional, state, and federal land use plans, leases, and permits applicable to the proposed project, and a discussion of the applicability of, and conformance with each. The table or matrix shall explicitly reference pages in the application wherein conformance, with each law or standard during both construction and operation of the facility is discussed; and	Laws, Ordinances, Regulations, and Standards , Table 7.14-8, p. 7.14-41		
Appendix B (i) (1) (B)	Tables which identify each agency with jurisdiction to issue applicable permits, leases, and approvals or to enforce identified laws, regulations, standards, and adopted local, regional, state and federal land use plans, and agencies which would have permit approval or enforcement authority, but for the exclusive authority of the commission to certify sites and related facilities.	Permits Required and Permit Schedule , Section 7.14.7, p. 7.14-30		
Appendix B (i) (2)	The name, title, phone number, address (required), and email address (if known), of an official who was contacted within each agency, and also provide the name of the official who will serve as a contact person for Commission staff.	Included Agencies and Agency Contacts , Section 7.14.6, p. 7.14-29		
Appendix B (i) (3)	A schedule indicating when permits outside the authority of the commission will be obtained and the steps the applicant has taken or plans to take to obtain such permits.	Permits Required and Permit Schedule , Section 7.14.7, p. 7.14-30		

Adequacy Issue: Adequate _____ Inadequate _____

DATA ADEQUACY WORKSHEET

Revision No. 0 Date _____

Technical Area: Worker Safety

Project: _____

Technical Staff: _____

Project Manager: _____

Docket: _____

Technical Senior: _____

SITING REGULATIONS	INFORMATION	AFC PAGE NUMBER AND SECTION NUMBER	ADEQUATE YES OR NO	INFORMATION REQUIRED TO MAKE AFC CONFORM WITH REGULATIONS
Appendix B (g) (1)	...provide a discussion of the existing site conditions, the expected direct, indirect and cumulative impacts due to the construction, operation and maintenance of the project, the measures proposed to mitigate adverse environmental impacts of the project, the effectiveness of the proposed measures, and any monitoring plans proposed to verify the effectiveness of the mitigation.	Workplace Description , Section 7.7.1, p. 7.7-1 Occupational Safety and Health , Section 7.7.2, p. 7.7-1 Injury and Illness Prevention Programs , Section 7.7.3, p. 7.7-2 Safety Training Programs , Section 7.7.4, p. 7.7-6 Fire Protection , Section 7.7.5, p. 7.7-7		
Appendix B (g) (11) (A)	A description of the safety training programs which will be required for construction and operation personnel.	Safety Training Programs , Section 7.7.4, p. 7.7-6		
Appendix B (g) (11) (B)	A complete description of the fuel handling system and the fire suppression system.	Fire Protection , Section 7.7.5, p. 7.7-7		
Appendix B (g) (11) (C)	Provide draft outlines of the Construction Health and Safety Program and the Operation Health and Safety Program, as follows:	Injury and Illness Prevention Programs , Section 7.7.3, p. 7.7-2		
	Construction Health and Safety Program: * Injury and Illness Prevention Plan (8 Cal. Code Regs., § 1509);	Construction Injury and Illness Prevention Programs , Section 7.7.3.1, p. 7.7-2		
	* Fire Protection and Prevention Plan (8 Cal. Code Regs., § 1920);	Construction Safety Fire Protection and Prevention Plan Example Outline , Table 7.7-4, p. 7.7-21		
* Personal Protective Equipment Program (8 Cal. Code Regs., §§ 1514-1522)	Construction Safety Personal Protection Equipment Program Example Outline , Table 7.7-5, p. 7.7-22			

Adequacy Issue: Adequate _____ Inadequate _____

DATA ADEQUACY WORKSHEET

Revision No. 0 Date _____

Technical Area: **Worker Safety**

Project: _____

Technical Staff: _____

Project Manager: _____

Docket: _____

Technical Senior: _____

SITING REGULATIONS	INFORMATION	AFC PAGE NUMBER AND SECTION NUMBER	ADEQUATE YES OR NO	INFORMATION REQUIRED TO MAKE AFC CONFORM WITH REGULATIONS
	<p>Operation Health and Safety Program: * Injury and Illness Prevention Program (8 Cal. Code Regs., § 3203);</p> <p>* Fire Prevention Plan (8 Cal. Code Regs., § 3221);</p> <p>* Emergency Action Plan (8 Cal. Code Regs., § 3220);</p> <p>Personal Protective Equipment Program (8 Cal. Code Regs., §§ 3401-3411).</p>	<p>Operations and Maintenance Injury and Illness Prevention Programs, Section 7.7.3.2, p. 7.7-4</p> <p>Operations Fire Prevention Plan Example Outline, Table 7.7-7, p. 7.7-25</p> <p>Operations Emergency Action Plan Example Outline, Table 7.7-3, p. 7.7-19</p> <p>Operations Personal Protective Equipment Program Example Outline, Table 7.7-9, p. 7.7-27</p>		
<p>Appendix B (i) (1) (A)</p>	<p>Tables which identify laws, regulations, ordinances, standards, adopted local, regional, state, and federal land use plans, leases, and permits applicable to the proposed project, and a discussion of the applicability of, and conformance with each. The table or matrix shall explicitly reference pages in the application wherein conformance, with each law or standard during both construction and operation of the facility is discussed; and</p>	<p>Applicable Worker Safety and Health Laws, Ordinances, Regulations, and Standards, Table 7.7-12, p. 7.7-30</p>		
<p>Appendix B (i) (1) (B)</p>	<p>Tables which identify each agency with jurisdiction to issue applicable permits, leases, and approvals or to enforce identified laws, regulations, standards, and adopted local, regional, state and federal land use plans, and agencies which would have permit approval or enforcement authority, but for the exclusive authority of the commission to certify sites and related facilities.</p>	<p>Permits Required and Permit Schedule, Section 7.7.8, p. 7.7-12</p>		

Adequacy Issue: Adequate _____ Inadequate _____

DATA ADEQUACY WORKSHEET

Revision No. 0 Date _____

Technical Area: **Worker Safety**

Project: _____

Technical Staff: _____

Project Manager: _____

Docket: _____

Technical Senior: _____

SITING REGULATIONS	INFORMATION	AFC PAGE NUMBER AND SECTION NUMBER	ADEQUATE YES OR NO	INFORMATION REQUIRED TO MAKE AFC CONFORM WITH REGULATIONS
Appendix B (i) (2)	The name, title, phone number, address (required), and email address (if known), of an official who was contacted within each agency, and also provide the name of the official who will serve as a contact person for Commission staff.	Involved Agencies and Agency Contacts , Section 7.7.7, p. 7.7-11		
Appendix B (i) (3)	A schedule indicating when permits outside the authority of the commission will be obtained and the steps the applicant has taken or plans to take to obtain such permits.	Permits Required and Permit Schedule , Section 7.7.8, p. 7.7-12		