7 Index

A
Accessibility · 5-13
Actual Lighting Power · 5-2, 5-8, 5-29, 5-46, 5-51, 5-52, 5-54, 5-55, 5-56, 5-69, 5-71, 6-6
Actual Lighting Power Calculation · 5-52
Actual Skylight Area · 3-62
addition · 1-2, 1-6
Addition · 2-12, 2-13, 6-6
ADJUSTED ROOF AREA · 3-68
ADJUSTED SKYLIGHT AREA · 3-68
ADJUSTED WALL AREA · 3-68
ADJUSTED WINDOW AREA · 3-68
administrative requirements · 1-5
AFUE · 4-3, 4-4, 4-12, 4-84
Agricultural · 3-57, 3-58, 4-77, 4-78, *5-63*, *5-64*
Air Balance · 4-83
Air Delivery Systems · 4-6
Air Economizer · 4-7, 4-8
AIR FILMS · 3-69, 3-72
Air Infiltration · 3-29
Air Mixing · 4-6
Airflow · 4-16
Allotted Watts · 5-73, 5-74, 5-75, 5-76
ALLOWED % · 3-61
allowed lighting · 1-13
Allowed Lighting · 5-2, 5-9, 5-10, 5-29, 5-30, 5-31, 5-34, 5-35, 5-36, 5-40, *5-41*, 5-42, 5-43, 5-45, 5-50, 5-51, 5-56, *5-61*, 5-69, 5-70, 5-71, 5-73, 5-75, 6-5, 6-6
Allowed Lighting Power · 5-2, 5-9, 5-10, 5-29, 5-30, 5-31, 5-34, 5-35, 5-36, 5-40, *5-41*, 5-42, 5-43, 5-45, 5-50, 5-51, 5-56, *5-61*, 5-69, 5-70, 5-71, 5-73, 5-75, 6-5, 6-6
Allowed Lighting Power Density · 5-40, 6-5, 6-6
Allowed Skylight Area · 3-62
Allowed U-value · 3-43
Allowed Watts · 5-31, 5-71, 5-73, 5-74, 5-75, 5-76
Alterations · 2-10, 2-11, 3-52, 4-58, 5-57, 6-7
Altered Duct Work · 2-12
alternative approaches · 1-13
Alternative Calculation Method (ACM) · 5-50, 6-1, 6-10
Alternative Calculation Methods Approval Manual · 4-58, 6-2
Analysis Procedures · 6-8
Annual Fuel Utilization Efficiency · 4-3
Annunciated · **5-3**, 5-8
Apartments · 4-18, 4-20
Appliance Efficiency Regulations · 1-5, 2-11, 4-3, 4-4, 4-12, 4-13, 4-14, 4-81, 5-23, 5-57
application · 1-1, 1-8
Application · 1-1, 2-3, 4-59, 5-72, 6-4
Application Scenarios · 6-4
Arcades · 4-20, **5-7**, 5-33
architects · 1-6
Area · 1-13, 3-42, 3-53, 4-2, 4-18, 4-19, 4-20, 5-2, **5-4**, **5-5**, **5-6**, 5-8, 5-9, 5-12, 5-17, 5-20, 5-29, 5-31, 5-32, 5-33, 5-34, 5-35, 5-37, 5-40, 5-41, 5-45, 5-46, 5-47, 5-48, 5-49, 5-50, 5-54, 5-65, 5-70, 5-73, 5-76, 5-77, 6-3, 6-8, 6-16, 6-18
AREA CATEGORY · 5-46, 5-48, 5-49, *5-62*, 5-70
Area Category Method · 1-13, 5-2, **5-6**, 5-9, 5-31, 5-32, 5-33, 5-34, 5-35, 5-45, 5-47, 5-48, 5-49, 5-50, 5-70, 6-8, 6-16, 6-18
Area Controls · 5-12
Area of a Task · 5-40, 5-41
Arenas · 4-19
ARI · 4-12, 4-82, 6-9, 6-11
ASHRAE 62-1999 · 4-22
ASHRAE Handbook · 3-8, 3-9, 3-10, 3-11, 3-69, 3-72, 4-38, 4-39, 4-42, 4-43, 4-90, 4-91
Assembly · 2-1, 3-8, 3-9, 3-10, 3-54, 3-62, 3-64, 3-65, 3-68, 3-71, 4-18, 4-19
ASSEMBLY NAME · 3-62, 3-64, 3-65, 3-69, 3-71
ASSEMBLY TYPE · 3-69, 3-71
ASSEMBLY U-VALUE · 3-62, 3-70, 3-71, 3-72

Associated Air Balance Council · 4-27, 4-80
Atrium · 3-2
Attics · 4-6
Auditoriums · 4-18, 4-19
Automatic Daylighting Controls · 5-12
Automatic Lighting Control Credits · 5-56
Automatic lighting controls · 5-8, 5-56
Automatic Time · 4-30, 5-8, 5-11

B

Balancing · 4-23, 4-27, 4-80
Ballasts · 5-23
Bank/Financial Institution · 4-20, **5-6**
Bars · 4-16, 4-21
Basements · 4-19
BASIC APPROACHES TO COMPLIANCE · 1-8
Basic Lighting Concepts · 5-3
Beauty Shops · 4-19
Boilers · 4-86
building · 1-1, 1-2, 1-6, 1-8, 1-11, 1-13
Building · 1-13, 2-1, 2-2, 2-3, 2-5, 3-1, 3-32, 3-36, 3-37, 3-41, 3-43, 3-48, 3-69, 3-72, 4-17, 4-21, 4-27, 4-90, 5-2, *5-3*, **5-6**, 5-28, 5-29, 5-30, 5-31, 5-45, 5-46, 5-47, 5-48, 5-49, 5-50, 5-53, 5-54, 5-57, 5-65, 5-69, 5-71, 6-2, 6-3, 6-7, 6-8, 6-16
building codes · 1-6
building component · 1-2, 1-6, 1-8
building department · 1-1
Building Department · 4-90
building envelope · 1-8
Building Envelope · 3-1, 3-37
Building Lighting Shut-off · 5-65
Business and Professions Code · 3-56, 4-77, *5-62*

C

California Code of Regulations · 1-5, 3-54, 3-57, 4-13, 4-77, *5-63*, 6-2
California Code of Regulations, · 1-5, 6-2
California Quality Standards for Insulating Material · 3-7, 3-30, 3-58
California Safety Code · 4-27, 4-80
Captive-Key Override · 5-8
Category E · 5-37, 5-38, *5-41*, 5-42, 5-72, 5-73
Category G · 5-42, 5-43, 5-74, 5-75, 5-76
CAVITY R-VALUE · 3-69, 3-72
CEC DEFAULT · 5-69
Ceilings · 3-31, 3-64, 3-65
Central Plant · 4-34, 4-71, 4-73
Certificate of Compliance · 3-54, 3-55, 3-56, 3-73, 4-75, 4-77, 4-85, 4-95, *5-61*, *5-62*, 5-78, 6-3, 6-6, 6-11, 6-12
Certified Ballasts XE "Ballasts" and Luminaires · 5-23
Certified Insulating Materials · 3-30
Certified Products Directory · 3-29
Chandelier · *5-3*, **5-4**, 5-35
Change of Occupancy · 2-14
Changeover Systems · 4-26
Churches · 2-2, 4-18, 4-19, 5-37
Circulating Systems · 4-39
Classroom · 4-22, **5-6**
climate · 1-6, 1-11, 1-13
Climate · 1-2, 1-11, 1-12, 2-11, 3-56, 3-65, 4-58, 6-3, 6-8, 6-9
climate zone · 1-11, 1-13
Climate Zone · 1-2, 1-11, 1-12, 2-11, 3-56, 3-65, 6-8, 6-9
Coefficient of Performance · viii, 4-3
Combustion Efficiency · viii, 4-3, 4-12
comfort · 1-6
Commercial · 2-2, 4-16, 4-18, 4-20, **5-6**, 5-7, 5-33, 5-47
Complete Building Approach · 5-30, 5-53, 6-5
COMPLETE BUILDING AREA · 5-70
compliance · 1-1, 1-2, 1-6, 1-7, 1-8
Compliance · 1-2, 2-3, 2-9, 3-31, 4-13, 4-14, 4-58, 5-3, 5-69, 6-3, 6-4, 6-5, 6-6, 6-7, 6-11, 6-12, 6-13, 6-14, 6-15, 6-16, 6-18
COMPLIANCE · 1-8
Compliance by Permit Stage · 6-5
compliance manual · 1-7
compliance procedure · 1-8
Compliance Procedure · 6-4
Component Description · 3-69, 3-70, 3-71
components · 1-1, 1-6, 1-8
Components · 4-58
Computer · 4-44, 4-58, 6-2, 6-3
Computer Method · 4-58, 6-3
Computer Programs · 6-2
concepts · 1-2
Concepts · 1-2, 2-3, 4-54, 6-1, 6-14, 6-17
Concrete · 3-11, 3-12
Conditioned Floor Area · 2-3
Conditioned Space · 2-3, 2-4, 2-5, 2-6, 2-8, 2-9
Conduction · 3-65, 3-68
Conference Rooms · 4-21
Constant Volume · 4-6
Construction Components · 3-69, 3-72
construction documents · 1-1

contractors · 1-6
Control Credit Watts · 5-71
Control Credits · 5-69
Control Devices · *5-8*, 5-11, 5-65
Control Equipment Certification · 4-14
Control of Exterior Lights · 5-65
Controls · 4-2, 4-12, 4-14, 4-23, 4-28, 4-31, 4-38, 4-42, 4-43, 4-48, 4-56, 4-79, 4-80, 5-13, 5-20, 5-56
Convention · 3-32, 4-21, **5-6**, 5-33
Cooling · 2-4, 2-6, 4-3, 4-43, 4-69, 4-82, 6-9
Cooling System · 6-9
Cooling System Capacity · 6-9
Corridors · 4-20, 5-21, 5-33, 5-35, 5-46, 5-47, 5-48, 5-49, 5-54

D

Dampers · 4-27, 4-32, 4-70, 4-72
DATE OF PLANS · 3-56, 4-76, *5-62*
Daylit Area · **5-3**, 5-14, 5-15, 5-16, 5-17, 5-18, 5-19, 5-57, 5-65
Default Fenestration · 3-17
Default Solar Heat Gain Coefficient · 3-19
Definitions of Efficiency · 4-2
Demand Control Ventilation · 4-10, 4-25
Demising Partition · 3-3
Demising Wall · 3-3, 3-30, 3-33, **3-59**
Demising Wall Insulation · 3-59
Density · 5-30, 5-46, 5-48, 5-49, 6-6
Department of Consumer Affairs Consumer Guide · 3-30
DESCRIPTION OF ASSEMBLY · 3-70
Design Watts · 5-73, 5-74, 5-75, 5-76
designer · 1-1
Determining Allowed Watts · 5-45
Determining Illuminance Categories · 5-36
Dimensions · 3-27, 5-35
Dining Rooms · 4-18, 4-19, 4-21
Direct Air Transfer · 4-22
Directly Conditioned · 2-3
Directly Conditioned Space · 2-3
Directory of Automatic Lighting Control Devices · 5-11
DISPLAY AREA · 3-63
Display Cases · 5-75
Display Lighting · **5-4**, 5-10, 5-22, 5-42
Display Perimeter · 3-3
Display, Public Areas · **5-42**
Distribution of Outdoor Air · 4-22
documentation · 1-8
Documentation · 3-56, 4-77, 4-89, *5-62*, 6-7
Documentation Author · 3-56, 4-77, *5-62*
DOOR AREA · 3-68
Doors · 3-17, 3-29, 3-59, 6-9
Duct Insulation · 4-38
Duct Work · 2-12
Ducts · 4-12, 4-36, 4-61, 4-64, 4-68, 4-72, 4-74

E

East · 3-5, 3-27, 3-28
Economizer · 4-8, 4-9, 4-10, 4-51, 4-92
Effective Aperture · **5-4**, 5-15, 5-16, 5-17, 5-19
electrical engineer · 1-8
Enclosed Space · 2-5
energy budget · 1-13
Energy Budget · 6-2, 6-8, 6-9
Energy Calculations and Data · 3-11
Energy Efficiency Ratio · 4-3
Energy Factor · 4-4
energy simulation model · 1-13
Energy Use Goal · 3-53
enforcement · 1-6
engineers · 1-6
Entire Building · 2-5, 5-2, *5-3*, **5-4**
ENV-1 · 3-54, 3-55, 3-59, 3-61, 3-62, 3-63, 3-67, 3-70, 3-71, 3-73, 4-76, *5-62*, 6-11, 6-12, 6-13
ENV-2 · 3-31, 3-37, 3-41, 3-44, 3-49, 3-52, 3-54, 3-61, 3-63, 3-64, 3-65, 3-66, 3-67, 3-71, 4-91
ENV-3 · 3-9, 3-10, 3-11, 3-13, 3-54, 3-59, 3-62, 3-64, 3-65, 3-66, 3-68, 3-69, 3-70, 3-71, 3-72, 6-4, 6-11, 6-13
Envelope Compliance · 3-1, 6-11, 6-12, 6-13
Envelope Component Approach · 1-13, 3-1, 3-2, 3-30, 3-35, 3-36, 3-37, 3-43, 3-65, 3-66
Envelope Concepts · 3-2
Envelope Mandatory Measures · 3-58
Envelope Plan Check Documents · 3-1
Equipment Certification · 4-12
Equipment Schedules · 4-85
Equipment Sizing · 4-42
Exceptional Conditions List · 6-10
Exempt Lighting · 5-51
Exercise · **5-7**
Exhaust Air · 4-5
Existing Buildings · 2-10, 6-7
Existing Construction · 6-5
EXISTING-ENV · 6-5, 6-7, 6-13
Exterior Door · 3-3, 3-4, 3-36
Exterior Floors and Soffits · 3-34
Exterior Joints · 3-59
Exterior Lights · 5-22
Exterior Partition · 3-3

Exterior Roof/Ceiling · 3-3, 3-6
Exterior Shade · 3-60
Exterior Walls · 3-32, 6-9

F

Fan Coils · 4-32
Fan Cycling · 4-26
Fan Power · 4-4, 4-44, 4-45, 4-48, 4-68, 4-75, 4-90, 4-92, 6-9
Fan Power Consumption · 4-44, 4-45, 4-92
Feature Displays · 5-37
Fenestration U-value · 3-15
Field-Fabricated · 3-4, 3-5, 4-37
Floor Area · 2-3, 5-43
Floor/Soffit · 3-3, 3-4, 3-5, 3-34
Floors · 3-64, 3-65, 4-19, 4-20
Framed Assemblies · 3-10
Framed Floor · 3-62, 3-64, 3-65, 3-71
Furring · 3-70
Future Construction · 6-5

G

Garages · 3-57, 3-58, 4-77, 4-78, *5-63*, *5-64*
Garden Window · 3-17
Gas Furnace · 4-59, 4-84
General Commercial · **5-7**, 5-33
General Lighting · 5-9, 5-40, 5-43
Glazing · 3-3, 3-4, 3-7, 3-19, 3-30, 3-35, 3-36, 3-42, 3-47, 3-52, 5-17
Glazing Area · 3-42
Glazing Heat Transfer · 3-52
Glazing Orientation · 3-47
GLAZING TYPE · 3-60
Greenhouses · 2-8
Grocery Store · 5-7, 5-33, 5-35, 5-47, 5-48
GROSS AREA · 3-68
Gross Exterior Roof Area · 3-5, 3-68
Gross Exterior Surface · 6-9
Gross Exterior Wall Area · 3-5, 3-68
Gross Sales Floor Area · 5-43, 5-45, 5-71, 5-72
Gross Sales Wall Area · *5-4*, 5-43, 5-44, 5-45, 5-71, 5-72, 5-75
GROSS WALL AREA · 3-61
Guest Room · 3-38, 3-39, 4-20, 4-29, 5-23, 6-10

H

Heat Capacity · 3-12, 3-32, 3-34, 3-46, 3-70
Heat Gain · 3-27, 3-35, 3-48, 3-68
Heat Loss · 3-41, 3-43
Heat Pump · 4-57, 4-59, 4-69, 4-73, 4-80, 4-86
Heat Transfer · 3-51
heating · 1-8
Heating · 2-4, 2-6, 4-3, 4-12, 4-27, 4-41, 4-43, 4-56, 4-57, 4-59, 4-61, 4-63, 4-64, 4-67, 4-69, 4-70, 4-72, 4-74, 4-82, 4-90, 6-9, 6-10
Heating Efficiency · 6-9
Heating System Capacity · 6-10
High Bay · **5-4**, **5-7**, 5-33
High-Rise Residential · 1-1, 2-7, 3-38, 3-39, 4-29
Hollow Unit Masonry · 3-12
Hotel Function Area · 4-20, 5-7, 5-33
Hotel Lobby · 4-20, 5-7, 5-33
Hotel/Motel · 2-7, 3-38, 3-39, 4-29, 5-23, 5-26, 5-27, 6-1, 6-2, 6-14, 6-15, 6-16

I

IES Handbook · 5-36, 5-37, 5-71, 5-72
Illuminance Categories · 5-37, 5-40, *5-61*, 5-71, 5-72
Illuminating Engineering Society (IES · 5-36
Indirectly Conditioned Space · 2-5, 3-3
Industrial · 2-1, 3-32, 4-20, **5-6**, **5-7**, 5-33
Inspection · 4-95, 5-1, 5-78, 6-13, 6-16, 6-19
Installation · 4-36
Insulating Material · 3-58, 3-69, 3-72
Insulation · 3-7, 3-13, 3-30, 3-62, 3-70, 4-35, 4-36
INSULATION R-VALUE · 3-62, 3-69
Integrated Part Load Value · 4-4
Interior Partitions · 2-12
Interzone Surfaces · 3-52
Isolation Area Devices · 4-32
Isolation of Central Air Systems · 4-33
Isolation Zones · 4-33

J

Joints · 3-29

K

Kitchens · 4-18
Known Occupancy · 2-13

L

Lavatories · 4-39, 4-81
Legislature · 1-7
lighting · 1-1, 1-8, 1-13
Lighting · 1-13, 2-11, 4-43, 4-91, 5-1, 5-2, 5-3, **5-5**, **5-6**, 5-8, 5-9, 5-10, 5-11, 5-13, 5-23, 5-25, 5-26, 5-27, 5-29, 5-30, 5-32, 5-33, 5-46, 5-47, 5-48, 5-49, 5-50, 5-51, 5-59, 5-61, *5-64*, 5-65, 5-69, 5-70, 5-71, 5-73, 5-74, 6-8, 6-10,

6-11, 6-12, 6-13, 6-15, 6-16, 6-17, 6-18
Lighting Compliance Approaches · 5-2
Lighting Compliance Summary · 5-61, 5-69, 5-70, 6-11, 6-12, 6-13
Lighting Controls · 5-8, 5-59, *5-61*, 5-70, 6-11, 6-12
Lighting Controls Credit Worksheet · 5-61, 6-11, 6-12
Lighting Energy Budget · 6-8
Lighting Energy Use · 5-1
Lighting Mandatory Measures · 5-64, 5-65, 6-15, 6-18
Lighting Plan Check Documents · 5-1
lighting systems · 1-8
Lighting Trade-off · 5-9, 5-10
Lighting Zone · 5-9
Load Calculations · 4-42
Lobby · 5-7, 5-33
LTG-1 · 5-61, 5-67, 5-72, 5-73, 5-74, 5-75, 5-78, 6-11, 6-12, 6-13, 6-16
LTG-2 · 4-91, 5-50, 5-57, *5-61*, *5-62*, 5-69
LTG-3 · 5-61, 5-69, 5-70, 5-71, 6-11, 6-12, 6-13
LTG-4 · 5-40, *5-61*, *5-62*, 5-69, 5-70, 5-71, 5-72, 5-73, 5-74, 5-75, 5-76, 5-77, 6-11, 6-12, 6-13, 6-16
LTG-5 · 5-39, 5-71, 5-72, 5-76
Luminaries · 5-23, 5-28

M

Malls · 3-2, 4-18, 4-20, **5-7**, 5-33
mandatory measures · 1-8, 1-13
Mandatory Measures · 1-2, 3-29, 3-58, 4-12, 4-79, 6-15, 6-17
Manual Switches · 5-13
Manufactured Doors · 3-59
Manufacturers · 3-30, 4-14
Masonry · 3-11, 3-12, 3-33, 3-54, 3-69, 3-70
Masonry Assembly · 3-54
Masonry U-values · 3-11
Masonry Wall Assembly · 3-11, 3-70
Mass Wall · 3-13
Maximum Allowable Window Area · 3-61
Maximum Allowed Skylight Area · 3-62
Maximum Area · 3-35, 3-36
Maximum U-value · 3-35, 3-36, 3-65, 3-66
MECH-1 · 4-75, 4-90, 4-95, 6-11, 6-12, 6-13
MECH-2 · 4-75, 4-84, 4-85, 4-89, 6-11, 6-12, 6-13
MECH-3 · 4-75, 4-84, 4-88, 4-90, 4-91, 6-11, 6-12, 6-13
MECH-4 · 4-75, 4-85, 4-86, 4-87, 4-88, 4-90
Mechanical Compliance Approaches · 4-2
Mechanical Concepts · 4-2
Mechanical Cooling · 2-6
mechanical engineer · 1-8
Mechanical Equipment · 4-18, 4-20, 4-75, 4-85, 4-86, 4-87, 6-11, 6-12, 6-13
Mechanical Equipment Summary · 4-75, 4-85, 6-12, 6-13
Mechanical Heating · 2-6
Mechanical Mandatory Measures · 4-79
Mechanical Room · 5-7, 5-33, 5-47, 5-48
mechanical systems · 1-8
Mechanical Ventilation · 4-17, 4-75, 4-88, 6-11, 6-12, 6-13
Medical · 3-32, 4-20, **5-7**, 5-30, 5-33
Medium Base Sockets · 5-54
Medium Mass · 3-46
Metal Frame U-values · 3-9
Metal Framed Assembly · 3-10
Metal Framing · 3-11
METAL FRAMING FACTOR · 3-69
METHOD OF COMPLIANCE · 3-56
Mezzanine · 2-12
Minor Occupancy · 2-14
Mixed Air · 4-5
Mixed Occupancies · 2-7
Mixed Use Buildings · 2-14
Modeling · 3-51, 4-58, 6-5
Modeling Envelope Components · 3-51
Mounting Height · 5-41, *5-42*
Mounting Height Adjustments · 5-42
Multi-Scene Dimming System · 5-9
Museum · 5-7, 5-33

N

National Electric Code · 4-41
National Environmental Balancing Bureau · 4-27, 4-80
Natural Ventilation · 4-16, 4-25, 4-84
new buildings · 1-5, 1-7
New Buildings · 1-11, 2-13
New Construction · 2-10
New Interior Partitions · 2-12
New Lighting Fixture · 2-11
Newly Conditioned Space · 2-6, 2-8, **5-4**
No Heating or Cooling · 6-9
North · 3-5
notation conventions · 1-2
Notes to Field · 3-61, 3-73, 4-95, 5-78
NUMBER OF LUMINAIRES · 5-69
Nurseries · 4-20

O

occupancy · 1-13

Occupancy · 2-1, 2-7, 2-8, 2-13, 2-14, 4-14, 4-19, 4-25, 4-30, 4-58, 4-82, **5-6**, 5-31, 6-3, 6-14, 6-17
Occupancy Sensors · 4-14
Office Lighting · 5-37, *5-41*
Offices · 2-1, 4-18, 4-20
Opaque · 3-36, 3-51, 3-59, 3-62, 6-9
Opaque Roofs/Ceilings · 6-9
Opaque Surface · 3-51, 3-59, 3-62
Openings · 3-29
Orientation · 3-5, 4-58
Outdoor Air · 4-5, 4-43, 4-89
Outdoor Ventilation · 4-15, 4-23
Outside Air Certification · 4-27, 4-81, 4-83
Outside Air Measurement · 4-27, 4-81
Overall Assembly U-value · 3-7
Overall Envelope Approach · 3-2, 3-37, 3-39
Overall Heat Gain · 3-44, 3-65, 3-66, 3-67, 3-68
Overall Heat Loss · 3-41, 3-64, 3-65, 3-68
Overhang · 3-27, 3-28, 3-60, 3-62
Overhang Factor · 3-28, 3-62
Override · 5-13, 5-21, 5-65

P

Packaged Air Conditioner · 4-59
Parallel Path Method · 3-9, 3-71
Partition · 3-8, 3-9
performance approach · 1-8, 1-13
Performance Approach · 1-1, 1-2, 1-13, 3-2, 3-30, 3-51, 4-58, 5-2, 5-50, 6-1
Performance Plan Check · 6-10
permit · 1-8
Permit · 6-5, 6-11
PHASE OF CONSTRUCTION · 3-56, 4-76, *5-62*
Photocell · 5-12
Pilot Lights · 4-12, 4-15
Pipe Insulation · 4-12, 4-34, 4-35, 4-36
Plan Check Documents · 1-1, 6-16, 6-19
plan checker · 1-1
plans · 1-1
Plenum · 4-6, 4-36, 4-84
Pool · 4-12, 4-15, 4-19, 4-20, 4-41, 4-81, 4-82
Power Savings Adjustment Factor · 5-71
prescriptive approach · 1-8, 1-13
Prescriptive Approach · 1-2, 3-1, 4-41, 4-86, 4-87, 4-88, 4-90, 5-29
prescriptive envelope · 1-13
Prescriptive Envelope · 1-13, 3-30
Prescriptive Envelope Component Approach · 3-30
prescriptive lighting · 1-13
Prescriptive Lighting · 1-13
prescriptive mechanical · 1-13
Prescriptive Mechanical · 1-13
Prescriptive Overall Envelope Approach · 3-37
Pressure Dependent · 4-6
Pressure Independent · 4-6
Primary Function Areas · 5-46, 5-49
PRINCIPAL DESIGNER - ENVELOPE · 3-55
Printing · 5-38
process · 1-1, 1-6
Process · 2-6, 6-15
Professional Judgment · 6-7
PROPOSED AREA · 3-64, 3-65, 3-66, 3-67
Proposed Building Heat Gain · 3-44, 3-48, 3-49
Proposed Building Heat Loss · 3-41, 3-43, 3-44
Proposed Construction Assembly · 3-13, 3-54, 3-62, 3-64, 3-65, 3-71
Proposed Design · 6-3
Proposed Lighting Power Density · 6-10
PROPOSED OVERHANG · 3-67
PROPOSED RSHG · 3-62
PROPOSED SKYLIGHT AREA · 3-64
PROPOSED UA · 3-64
PROPOSED WINDOW AREA · 3-61, 3-63
Public Areas · **5-5**, 5-13
Purge · 4-24, 4-25, 4-34

R

Raised Floors · 6-9
Recooling · 4-6, 4-48
Rectangular Shaped Rooms · 5-38
Reduced Flicker · **5-5**
Refrigeration · 4-12, 4-82
Reheating · 4-48
Repair · 2-15, 4-19, **5-6**, 5-33
Residential Compliance · 6-17
Residential Manual · 2-3
Residential Standards · 2-3, 5-23
Restaurant · 5-8
Restroom · 5-8, 5-47
retail · 1-7
Retail · 2-1, 3-32, 4-19, 4-20, 5-8, 5-33, 5-35, 5-42, 5-47, 5-48, 5-49, 5-50, 5-54
Return Air · 4-5, 4-6
Roofs · 3-31, 3-64, 3-65
Room Cavity Height · 5-76, 5-77
Room Cavity Ratio (RCR) · 5-5, 5-38
Room Switching · 5-13

Room Width · 5-76
RSHG · 3-27, 3-28, 3-29, 3-35, 3-36, 3-45, 3-46, 3-48, 3-62, 3-63, 3-66, 3-67
R-value · 3-3, 3-7, 3-8, 3-10, 3-11, 3-30, 3-31, 3-32, 3-34, 3-36, 3-62, 3-69, 3-70, 3-71, 3-72, 4-34, 4-39, 4-81, 4-85, 4-86

S

Safety Factor · 4-92
Sales Feature Floor Display · 5-43, 5-74, 5-75
Sample Notes Block · 3-58
Schools · 2-2, 3-32
Sconces · 5-34, 5-73
Scope and Application · 1-1, 3-1, 5-1
Seasonal Energy Efficiency Ratio · 4-4
Security or Emergency · 5-13
Semi-Conditioned Space · 2-6, 5-57
Service Water Heating · 4-12, 4-40, 4-57, 4-81, 6-9, 6-10
Setback · 4-30, 4-31
SHGC · 3-1, 3-7, 3-17, 3-26, 3-27, 3-28, 3-29, 3-36, 3-37, 3-45, 3-46, 3-48, 3-60, 3-62, 3-66, 3-67
Shut-off · 4-28, 4-30, 5-13, 5-21, 5-57
Skylight · 3-6, 3-7, 3-17, 3-36, 3-61, 3-63, 3-68, 5-5, 5-15, 5-17, 5-19, 5-20, 6-9
Skylight Adjustment Factor · 3-68
Skylight Area · 3-6, 3-61, 3-63, 3-68
SKYLIGHT NAME · 3-63
Slab Floors · 6-9
Slope · 3-6, 3-7
Smoking Lounges · 4-21
Soffits · 3-64, 3-65
Solar Heat Gain · 3-5, 3-7, 3-17, 3-26, 3-35, 3-36, 3-62, 3-63, 3-67
Solar Heat Gain Coefficient · 3-7, 3-17, 3-36, 3-62, 3-63, 3-67
Source Energy Use · 6-3, 6-9, 6-10
Sources of Contaminants · 4-10
South · 3-5
Space Conditioning · 2-7, 4-5, 4-12, 4-28, 4-48, 6-8, 6-9
Space Conditioning System · 2-7, 4-12, 4-28
Space Conditioning Zone · 4-48
Specifications · 4-89
Speculative Buildings · 2-13, 2-14
Stack Lighting · 5-44, 5-45
STANDARD AREA · 3-64, 3-65, 3-66, 3-67
Standard Building · 3-39, 3-41, 3-42, 3-43, 3-44, 3-45, 3-46, 3-48
Standard Building Heat Gain · 3-44, 3-45, 3-46, 3-48
Standard Building Heat Loss · 3-39, 3-41, 3-42, 3-43, 3-44, 3-45
Standard Design · 6-3
STANDARD SKYLIGHT AREA · 3-64
STANDARD UA · 3-65
STANDARD U-VALUE · 3-65
State Building · 4-41
state energy policy · 1-7
State Historic Building Code · 2-2
Statement of Compliance · 3-56, 4-77, *5-62*
Storage Tank Insulation · 4-39
Summer Design Dry Bulb · 4-30, 4-43, 4-90
Summer Design Wet Bulb · 4-43, 4-90
Supply Air · 4-5, 4-56
Supply Air Reset · 4-56
Swimming Pool · 4-19, 4-20

T

Tailored Lighting Summary · 5-71
Tailored LPD Summary and Worksheet · 6-12
Tailored Method · 1-13, 5-2, 5-10, 5-29, 5-35, 5-36, 5-38, 5-39, 5-42, 5-45, 5-46, *5-61*, 5-69, 5-70, 5-71, 5-76, 6-8, 6-16, 6-18
Tandem Wiring · 5-22, 5-23, 5-65
Task Area · 5-42, 5-45
Task Lighting · 5-45
Tenant · 2-10, 5-45, 5-57
Theaters · 2-2, 3-32, 4-19, 5-33
Thermal Efficiency · 4-4, 4-12
Thermal Mass · 3-13
Thermal Resistance · 3-7
Thermostats · 4-2, 4-29, 4-80
Throw Distance · **5-5**, 5-41
Time Control · 4-32
Total Allowed Lighting Power · 5-49, 5-50
TOTAL ALLOWED WATTS · 5-70
TOTAL R-VALUE · 3-69, 3-70
TOTAL WATTS · 5-69
Track Lighting · 5-55, 5-58
Trade-offs · 5-9, 5-10, 6-4
Transfer Air · 4-5
Tuning · 5-9
Types of Air · 4-5
Typical Building Energy Use · 4-1

U

UBC · 2-1, 2-2, 2-7, 2-15, 3-2, 3-36, 3-59, 4-17, 4-18, 4-19, 4-21, 5-7, 5-51
Unconditioned Space · 2-7, 2-8

Uniform Building Code Occupancy Groups · 2-1
Unknown Occupancy · 2-14
U-value · 2-11, 3-3, 3-4, 3-5, 3-7, 3-8, 3-9, 3-10, 3-11, 3-15, 3-17, 3-29, 3-30, 3-31, 3-32, 3-33, 3-34, 3-35, 3-36, 3-37, 3-43, 3-44, 3-45, 3-52, 3-54, **3-59**, 3-60, 3-62, 3-63, 3-64, 3-65, 3-66, 3-68, 3-70, 3-71, 3-72, 6-9, 6-13, 6-15, 6-17

V

Valuable Merchandise · 5-75
Variable Air Volume · 4-6, 4-26, 4-46
VAV Box · 4-6
VAV Systems · 4-23
Ventilation · 4-2, 4-12, 4-14, 4-15, 4-17, 4-19, 4-21, 4-23, 4-26, 4-27, 4-43, 4-60, 4-63, 4-66, 4-68, 4-69, 4-70, 4-71, 4-72, 4-73, 4-74, 4-80, 4-89, 6-9
Ventilation Rate · 4-17, 4-19, 4-26
Ventilation System Operation and Controls · 4-23
Very Valuable Merchandise · **5-5**
Visible Light Transmittance · **5-6**, 5-16, 5-17

W

Wall · 3-4, 3-7, 3-10, 3-33, 3-70, 3-71, **5-4**, 5-16, 5-17, 5-43, 5-75, 5-76
Wall Area · 3-4, 5-16, 5-43
Wall Assembly · 3-10, 3-71
WALL ASSEMBLY NAME · 3-70
WALL ASSEMBLY R-VALUE · 3-71
WALL ASSEMBLY U-VALUE · 3-71
WALL HEAT CAPACITY · 3-70
WALL NAME · 3-67
WALL R-VALUE · 3-70, 3-71
WALL UNIT THICKNESS · 3-70
Warehouses · 4-19, 4-20
Water Heaters · 4-41, 4-86
water heating · 1-8
Weighting factors · 3-46
Weighting Factors · 3-46, 3-47
Well Index · 3-7, **5-6**, 5-16, 5-18
West · 3-5
Whole Building Compliance · 6-4, 6-11
wholesale · 1-7
Wholesale · 3-32, 4-20, 5-8, 5-33
Window Area · 3-3, 3-7, 3-61, 3-63, 3-67
Window Area Adjustment Calculations · 3-67
Window Area Calculation · 3-61
Window Area Test · 3-63
WINDOW NAME · 3-62
Window Wall Ratio · 3-7, **5-6**, 5-17
WINDOW/SKYLIGHT NAME · 3-67
Windows · 3-29, 3-59, 3-62, 5-16
Wood Framing · 3-9

Z

Zonal Systems · 4-33
Zone Controls · 4-49, 4-60, 4-63, 4-66, 4-69, 4-70, 4-72, 4-74
Zone Reheat · 4-6
Zone Thermostatic Control · 4-28
zones · 1-11
Zones · 1-11, 1-12