

CEC-LMCV-MCH-33-H

SAMPLE FORM – NOT VALID FOR SUBMISSION TO BUILDING DEPARTMENTS

CERTIFICATE OF VERIFICATION

Note: This table completed by HERS Registry.

Project Name:	Enforcement Agency:	0
Dwelling Address:	Permit Number:	10
City and Zip Code:	Permit Application Date:	-01,

A. VCHP System Information

Procedures for verification of VCHP compliance credit eligibility are described in the Energy Code Reference Appendices Section RA3.4.4.

		11.5 = 1.5.87
01	SC System ID/Name from LMCC	100
02	SC System Description of Area Served	7.0
03	Conditioned Floor Area Served by the System (ft²)	()
04	Status: Refrigerant charge verification from MCH-25	1.60
05	Verification: Is conditioned airflow supplied to all habitable rooms in accordance with the	
05	procedure in RA3.1.4.1.7?	0.3
Notes		0.50

B. VCHP Indoor Unit Information Ducted indoor units are required to be certified to the Energy Commission as low static systems, and included in the list of certified indoor units published on the Energy Commission website page Manufacturer Certification for Building Equipment at the following URL: https://www.energy.ca.gov/rules-and-regulations/building-energy-efficiency/manufacturer-certification-building-equipment.

01	02	03	04	05	06	07	08	09
Indoor Unit Name or Description of	Installed Indoor Unit	Indoor Unit Duct	Conditioned Floor Area Served By The	Number of Air Filter Devices on	Indoor Unit Required Minimum System Airflow Rate	Status: Airflow Rate Verification from	Is Field Verification of Default Non-Continuous Fan Operation	Verification: Is Ducted Low Static Indoor Unit
Area Served	Type	Status	Indoor Unit (ft²)	Indoor Unit	(cfm)	MCH-23	Required?	Certified to CEC?
	100	- 2	3	6.70				
Notes:	1 1 1	A 64	127	No. of Contract of				



CEC-LMCV-MCH-33-H

SAMPLE FORM – NOT VALID FOR SUBMISSION TO BUILDING DEPARTMENTS

C. Verification: Ducted Indoor Units Located Entirely in Directly Conditioned Space - RA3.1.4.3.8

Ducted indoor units shall be verified in accordance with the Verified Low Leakage Ducts in Conditioned Space procedure in Section RA3.1.4.3.8.

01	02	03	04
Indoor Unit Name or Description of Area Served	A Visual Inspection Shall Confirm the Space Conditioning Distribution System Location(RA3.1.4.1.3)	Measured Duct Leakage to Outside (cfm) Using RA3.1.4.3.4	Compliance Statement:
			CO. 120.
Notes:			A - O

D. Verification: Ductless Indoor Units Located Entirely in Directly Conditioned Space - RA3.1.4.1.8

A visual inspection shall confirm that ductless indoor units are located entirely in conditioned space in accordance with the procedures of RA3.1.4.1.8.

	and the second s	
01	02 03	
Indoor Unit Name or Description of Area Served	Indoor Unit Installation Location Verification Compliance Statement:	
	V / / 76.	
Notes:		

E. Verification: Wall Mounted Thermostats - RA3.4.5

Field verification according to the procedure in RA3.4.5 shall confirm that VCHP space conditioning zones that are greater than 150 ft², are controlled by a permanently installed wall-mounted thermostat.

01	02	03	04	05
	Is a Wall-mounted Thermostat	6.7		
Indoor Unit Name or Description of	Installed in the Zone Served by the	Does the Thermostat Control the	Is the Thermostat Mounted	
Area Served	Indoor Unit?	Zone's Indoor Unit?	Permanently to the Wall?	Compliance Statement:
4 .	10			
10,	612	50. ** **00		
Notes:				



CEC-LMCV-MCH-33-H

SAMPLE FORM – NOT VALID FOR SUBMISSION TO BUILDING DEPARTMENTS

F. Verification: Non-Continuous Fan Operation - RA3.4.6

If the certificate of compliance indicates non-continuous indoor unit fan operation was specified for compliance credit, then the system shall be field verified in accordance with the procedures in SC3.4.6 to confirm that the installed system's indoor unit + outdoor unit combination does not operate the fan continuously when the system thermostat is not calling for conditioning.

01	02	03	04	05
Indoor Unit Name or Description of	Is Non-Continuous Default Fan Operation Shown in CEC Certification	Does Indoor Unit Air Distribution Fan Operate When There Is No Call	Does Indoor Unit Air Distribution Fan Operate When There Is No Call	10.
Area Served	Listings?	For Heating?	For Cooling?	Compliance Statement:
				N.
Notes:		10	12 2/10	

G. Verification: Installed Air Filter Sizing and Pressure Drop - RA3.1.4.7 and RA3.1.4.8

Nominal 2-inch or greater depth air filters shall be sized by the system designer to accommodate a maximum allowable clean-filter pressure drop of 0.1 inch w.c at the air filter's design airflow rate as verified according to the procedures in RA3.1.4.8. Nominal one-inch minimum depth air filters shall be allowed if the filter face area is sized based on a maximum face velocity of 150 ft per minute at the air filter design airflow rate according to the procedures in RA3.1.4.7. In order to inform the occupant of the airflow and clean filter pressure drop performance required for replacement air filters, the installer shall place a sticker in or near the filter grille displaying the air filter design airflow rate and the maximum allowed clean filter pressure drop at the design airflow rate as required by Standards Section 150.0(m)12Biv.

01	02	03	04	05	06	07	08	09	10	11	12
					0 1 4					Air Filter	
			AU	- %		. 10				Rated	
Indoor Unit		. 78	Design	0.6	N	-/3/1	Air Filter	Air Filter		Pressure	
Name or	Air Filter	- 18	Airflow Rate	Air Filter	Air Filter	Air Filter	Calculated	Required		Drop at	Air Filter
Description	Name or		for Air Filter	Nominal	Nominal	Nominal	Nominal	Minimum		Design	Pressure
of Area	Description	Air Filter	Device	Depth	Length	Width	Face Area	Face Area	Face Area	Airflow Rate	Drop
Served	of Location	Device Type	(cfm)	(inch)	(inch)	(inch)	(inch ²)	(inch²)	Compliance	(inch W.C.)	Compliance
	0, %	70				/ ±,					
	1 1	•	50	€.	AY						
Notes:	45	16.			L 10 700	l				L	

H. VCHP System Compliance Statement

01

I. Determination of HERS Verification Compliance

All applicable sections of this document shall indicate compliance with the specified verification protocol requirements in order for this Certificate of Verification as a whole to be determined to be in compliance

Registration Number:

Registration Date/Time:

HERS Provider:



CEC-LMCV-MCH-33-H

SAMPLE FORM – NOT VALID FOR SUBMISSION TO BUILDING DEPARTMENTS

01



CEC-LMCV-MCH-33-H

SAMPLE FORM – NOT VALID FOR SUBMISSION TO BUILDING DEPARTMENTS

DOCUMENTATION AUTHOR'S DECLARATION STATEMENT

I certify that this Certificate of Verification documentation is accurate and complete.

. Teering that this certificate of verification about fertilation is accura	te una complete:
Documentation Author Name:	Documentation Author Signature:
Documentation Author Company Name:	Date Signed:
Address:	CEA/HERS Certification Identification (if applicable):
City/State/Zip:	Phone:

RESPONSIBLE PERSON'S DECLARATION STATEMENT

- 2. I certify the following under penalty of perjury, under the laws of the state of California:
 - 1. The information provided on this Certificate of Verification is true and correct.
 - 2. I am the certified HERS Rater who performed the verification identified and reported on this Certificate of Verification (responsible rater).
 - 3. The installed features, materials, components, manufactured devices, or system performance diagnostic results that require HERS verification identified on this Certificate of Verification comply with the applicable requirements in Reference Appendices RA2, RA3, and the requirements specified on the Certificate of Compliance for the building approved by the enforcement agency.
 - 4. The information reported on applicable sections of the Certificate(s) of Installation (LMCI) signed and submitted by the person(s) responsible for the construction or installation conforms to the requirements specified on the Certificate(s) of Compliance (LMCC) approved by the enforcement agency.
 - 5. I understand that a registered copy of this Certificate of Verification shall be posted, or made available with the building permit(s) issued for the building, and made available to the enforcement agency for all applicable inspections, and I will take the necessary steps to ensure this requirement is accomplished.
 - 6. I understand that a registered copy of this Certificate of Verification is required to be included with the documentation the builder provides to the building.

BUILDER OR INSTALLER INFORMATION AS SHOWN ON THE CERTIFICATE OF INSTALLATION

Company Name (Installing Subcontractor, General Contractor, or Builder/Owner):	
Responsible Builder or Installer Name:	CSLB License:
HERS PROVIDER DATA REGISTRY INFORMATION	
Sample Group Number (if applicable):	Dwelling Test Status in Sample Group (if applicable):
141.	



CEC-LMCV-MCH-33-H

SAMPLE FORM – NOT VALID FOR SUBMISSION TO BUILDING DEPARTMENTS

HERS RATER INFORMATION

HERS Rater Company Name:		30	
			·
Responsible Rater Name:	Responsible Rater Signature:		
	,	116	. 2. / .
Responsible Rater Certification Number w/ this HERS Provider:	Date Signed:		110
		V2.	010

For assistance or questions regarding the Energy Standards, contact the Energy Hotline at: 1-800-772-3300

CERTIFICATE OF VERIFICATION – DATA FIELD DEFINITIONS AND CALCULATIONS	LMCV-MCH-33-H
Variable Capacity Heat Pump (VCHP) Compliance Credit – MCH-33	(Page 1 of 3)

LMCV-MCH-33-H User Instructions

Section A. VCHP System Information

- 1. This field is filled out automatically. It is referenced from the LMCI-MCH-01 which must be completed prior to this document.
- 2. This field is filled out automatically. It is referenced from the LMCI-MCH-01 which must be completed prior to this document.
- 3. This field is filled out automatically. It is referenced from the LMCI-MCH-01 which must be completed prior to this document.
- 4. This field is filled out automatically. It is referenced from the LMCI-MCH-25 which must be completed prior to this document.
- 5. Perform the verification specified by RSC3.1.4.1.7 and select the value that describes the result of the verification.

Section B. VCHP Indoor Unit Information

- 1. This field is filled out automatically. It is referenced from the LMCI-MCH-01 which must be completed prior to this document.
- 2. This field is filled out automatically. It is referenced from the LMCI-MCH-01 which must be completed prior to this document.
- 3. This field is filled out automatically. It is referenced from the LMCI-MCH-01 which must be completed prior to this document.
- 4. Accept the default value from the LMCI, otherwise enter the conditioned floor area served by the indoor unit a value in ft².
- 5. Accept the default value from the LMCI, otherwise enter the number of air filter devices on this indoor unit.
- 6. This field is filled out automatically. It is referenced from the LMCI-MCH-23 which must be completed prior to this document.
- 7. This field is filled out automatically. It is referenced from the LMCI-MCH-23 which must be completed prior to this document.
- 8. This field is filled out automatically. It is referenced from the Certificate of Compliance which must be completed prior to this document.
- 9. Navigate to the URL for the Manufacturer certification listings and determine whether the installed system is included in the CEC listing, then select the value that describes the result of the verification.

Section C. Verification: Ducted Indoor Units Located Entirely in Directly Conditioned Space - RA3.1.4.3.8

- 1. This field is filled out automatically. It is referenced from a different section of this document.
- 2. Select the statement that best describes the location of the ducted distribution system.
- 3. Enter the leakage to outside airflow determined from the RA3.1.4.3.8
- 4. This field is filled out automatically

Section D. Verification: Ductless Indoor Units Located Entirely in Directly Conditioned Space - RA3.1.4.1.8

- 1. This field is filled out automatically. It is referenced from a different section of this document.
- 2. Select the statement that best describes the indoor unit installation location as determined according to RA3.1.4.1.8.
- 3. This field is filled out automatically

CERTIFICATE OF VERIFICATION – DATA FIELD DEFINITIONS AND CALCULATIONS	LMCV-MCH-33-H
Variable Capacity Heat Pump (VCHP) Compliance Credit – MCH-33	(Page 2 of 3)

Section E. Verification: Wall Mounted Thermostats - RA3.4.5

- 1. This field is filled out automatically. It is referenced from a different section of this document.
- 2. Answer yes or no to the question: Is a wall-mounted thermostat installed in the zone served by the indoor unit?
- 3. Answer yes or no to the question: Does the thermostat control the zone's indoor unit?
- 4. Answer yes or no to the question: Is the thermostat mounted permanently to the wall?
- 5. This field is filled out automatically

Section F. Verification: Non-Continuous Fan Operation RA3.4.6

- 1. This field is filled out automatically. It is referenced from a different section of this document.
- 2. Select the best response to the question: Is non-continuous default fan operation shown in CEC certification listings?
- 3. Select the best response to the question: Does indoor unit air distribution fan operate when there is no call for heating?
- 4. Select the best response to the question: Does indoor unit air distribution fan operate when there is no call for cooling?
- 5. This field is filled out automatically

Section G. Verification: Installed Air Filter Sizing and Pressure Drop - RA3.1.4.7 and RA3.1.4.8

- 1. This field is filled out automatically. It is referenced from the LMCI-MCH-01 which must be completed prior to this document.
- 2. This field is filled out automatically. It is referenced from the LMCI-MCH-01 which must be completed prior to this document.
- 3. This field is filled out automatically. It is referenced from the LMCI-MCH-01 which must be completed prior to this document.
- 4. This field is filled out automatically. It is referenced from another section on this document, or from the LMCI-MCH-01 which must be completed prior to this document.
- 5. Enter the nominal depth of the air filter in inches.
- 6. Enter the nominal length of the air filter in inches.
- 7. Enter the nominal width of the air filter in inches.
- 8. This field is filled out automatically by calculating the product of air filter length and air filter width.
- 9. This field is filled out automatically based on the depth of the filter.
- 10. This field is filled out automatically
- 11. Input the pressure drop at the design airflow rate from the performance data information published on the air filter label.
- 12. This field is filled out automatically

Section H. VCHP System Compliance Statement

1. This field is filled out automatically

Registration Number: Registration Date/Time:
CA Building Energy Efficiency Standards - 2022 Low-Rise Multifamily Compliance

HERS Provider:

CERTIFICATE OF VERIFICATION – DATA FIELD DEFINITIONS AND CALCULATIONS	LMCV-MCH-33-H
Variable Capacity Heat Pump (VCHP) Compliance Credit – MCH-33	(Page 3 of 3)

Section I. Determination of HERS Verification Compliance

1. This field is filled out automatically based on all verification protocol requirements in this document showing compliance.

Documentation Declaration Statements

- 1. The person who prepared the LMCV will sign and complete the fields for their name, company (if applicable), address, phone number, certification information (if applicable), date and signature.
- 2. The person who is assuming responsibility for the project being built to comply with Title 24, Part 6, will complete the fields (if applicable) for their company, responsible builder or installer name, CSLB license number, sample group number, dwelling test status in sample group, HERS Rater company name, HERS Rater name, HERS Rater signature, HERS Rater certification number and date signed.