

**CERTIFICATE OF INSTALLATION**

Note: This table completed by HERS Registry.

Project Details

Field Name	Data Entry	Field Name	Data Entry
Project Name		Enforcement Agency	
Dwelling Address		Permit Number	
City and Zip Code		Permit Application Date	

If more than one person has responsibility for installation of the items on this certificate, each person shall prepare and sign a certificate applicable to the portion of construction for which they are responsible. Alternatively, the person with chief responsibility for construction shall prepare and sign this certificate for the entire construction. The signer agrees that all applicable Mandatory Measures were met. Temporary labels are not to be removed before verification by the building inspector.

**A. Fenestration/Glazing**

Includes all Windows, Skylights, Greenhouse/Bay Windows, and Glazed Doors ($\geq 25\%$ glazing area).

Note: If meeting Exception 1 to 150.1(c)3A, Installing ≤ 3 square feet (ft^2) glass in door, it is assumed to meet the minimum required U-factor (0.30) & SHGC (0.23).

If meeting Exception 1 to 150.1(c)3A, Installing ≤ 3 square feet (ft^2) tubular skylight, it is assumed to meet the minimum required U-factor (0.55) & SHGC (0.30).

Doors with greater than or equal to 25 percent glazing area are considered glazed doors and are treated as fenestration products.

Field	Field Name	Entry 1	Entry 2	Entry 3
1	Tag/ID			
2	Manufacturer/ Brand			
3	Fenestration Area (ft^2)			
4	Orientation			
5	Chromogenic			
6	U-factor			
7	Source			
8	SHGC			
9	Source			
10	Fenestration Type			
11	Exterior Shading Devices (Describe)			
12	Comments/Special Features			

**B. Fenestration Installation**

Field	Field Description
01	The U-factor of the installed windows for new construction and existing buildings must be equal to or less than those listed on the CF1R.
02	The SHGC of the installed windows for new construction and existing buildings must be equal to or less than those listed on the CF1R in climate zones 2, 4 and 8-15. For climate zones 1, 3, 5 and 16 there is no SHGC requirement.
03	Temporary labels are not to be removed until verified by the building inspector.
04	The fenestration product manufacturer's installation specifications shall be followed when installing these products. The space between the fenestration product and rough opening shall be completely filled with insulation. If batt insulation is used, it is cut to size and placed properly around the fenestration product.

The responsible person's signature on this compliance document affirms that all applicable requirements in this table have been met.

**Documentation Author's Declaration Statement**

1. I certify that this Certificate of Compliance documentation is accurate and complete.

Documentation Author Name:	Documentation Author Signature:
Company:	Signature Date:
Address:	CEA/ HERS Certification Identification (if applicable):
City/State/Zip:	Phone:

Responsible Person's Declaration Statement

I certify the following under penalty of perjury, under the laws of the State of California:

1. The information provided on this Certificate of Installation is true and correct.
2. I am either: a) a responsible person eligible under Division 3 of the Business and Professions Code in the applicable classification to accept responsibility for the system design, construction, or installation of features, materials, components, or manufactured devices for the scope of work identified on this Certificate of Installation, and attest to the declarations in this statement, or b) I am an authorized representative of the responsible person and attest to the declarations in this statement on the responsible person's behalf.
3. The constructed or installed features, materials, components or manufactured devices (the installation) identified on this Certificate of Installation conforms to all applicable codes and regulations and the installation conforms to the requirements given on the Certificate of Compliance, plans, and specifications approved by the enforcement agency.
4. I understand that a registered copy of this Certificate of Installation shall be posted or made available with the building permit(s) issued for the building, and made available to the enforcement agency for all applicable inspections, and I will take the necessary steps to ensure this requirement is accomplished.
5. I understand that a registered copy of this Certificate of Installation is required to be included with the documentation the builder provides to the building owner at occupancy, and I will take the necessary steps to ensure this requirement is accomplished.

Responsible Designer Name:	Responsible Designer Signature:
Company:	Date Signed:
Address:	License:
City/State/Zip:	Phone:

For assistance or questions regarding the Energy Standards, contact the Energy Hotline at: 1-800-772-3300

Registration Number:

Registration Date/Time:

HERS Provider:

CA Building Energy Efficiency Standards - 2022 Residential Compliance

January 2022

CF2R-ENV-01-E User Instructions

Before installation of fenestration, the installer shall verify the fenestration product matches the CF1R (-ADD, -ALT, -NCB, or -PRF). If the efficiencies are worse (less efficient), then the windows cannot be installed until proof of compliance is shown with an updated certificate of compliance, or computer energy compliance run, documenting the less efficient windows. If the installed fenestration is better (more efficient) than the documentation shows, no updated documentation is required and installation is allowed.

A. Fenestration/Glazing

1. **Tag/ID:** The labeling format used in the plans ensures each unique type is used consistently throughout the plan set (elevations, finish schedules, etc.) to identify each matching fenestration product, such as: Window-1, Skylight-1 etc. It should also be consistently used on the other compliance documents for this project.
2. **Manufacturer/Brand:** Provide the manufacturer and brand name which identifies the fenestration product being installed.
3. **Fenestration Area (ft²):** Indicate the total installed surface area in square feet (ft²) of the fenestration.
4. **Orientation:** Indicate the orientation of the same like fenestration. Use different lines if the orientation of the same fenestration varies. Enter N, S, E, or W.
5. **Chromogenic:** Is the glazing product chromogenic? Yes/No
6. **U-factor:** Indicate the specified U-factor of the fenestration product(s) being installed. Do not mix different types on the same line.

NOTES: (1) For the exceptions – up to 3 square feet (ft²) of tubular skylights and up to 16 square feet (ft²) of skylight area, enter 0.55.

(2) For the exception – up to 3 square feet (ft²) of glass in door, enter 0.30.

7. **Source:** NFRC, CEC Default, NA6 Alternative, or Area-Weighted Average Worksheet (CF1R-ENV-02). Enter the appropriate temporary label certificate identified as NFRC, CEC Default, NA6, or Area-Weighted Average Worksheet (CF1R-ENV-02). All fenestration products installed must have a label certificate which identifies the product's efficiencies. NFRC rated products have a temporary label that can be looked up in the NFRC product directory (<http://search.nfrc.org/search/searchDefault.aspx>).
8. **SHGC:** Indicate the specified SHGC that is being installed of the fenestration product(s). Do not mix different types on the same line.

NOTES: (1) For the exceptions - up to 3 square feet (ft²) of tubular skylights and up to 16 square feet (ft²) of skylight area, enter 0.30.

(2) For the exception – up to 3 square feet (ft²) of glass in door, enter 0.23.

9. **Source:** NFRC, CEC Default, NA6 Alternative, or Area-Weighted Average Worksheet (CF1R-ENV-02). Enter the appropriate temporary label certificate identified as NFRC, CEC Default, NA6, or Area-Weighted Average Worksheet (CF1R-ENV-02). All fenestration products installed must have a label certificate which identifies the product's efficiencies. NFRC rated products have a temporary label that can be looked up in the NFRC product directory (<http://search.nfrc.org/search/searchDefault.aspx>).
10. **Fenestration Type:** Provide a description of the product; for instance, the frame material, coatings, whether it is operable or fixed.
11. **Exterior Shading Devices:** If exterior shading devices are installed in conjunction with fenestration then indicate the type used (e.g. sunscreens, vertical roller or shades, retractable or drop arm or operable awnings, or roll down blinds or slats); or if an overhang is, or will be installed.
12. **Comments/Special Features:** Additional information for the field inspector.