

CEC-LMCC-SAB-01-E

CERTIFICATE OF COMPLIANCE

This document is used to demonstrate compliance with prescriptive PV and battery requirements in \$140.10/\$170.2 for low-rise multifamily and low-rise mixed-use buildings and prescriptive solar thermal requirements in \$170.2(d)3C for low-rise multifamily and hotel/motel occupancies. When PV/battery/solar thermal requirements don't apply or are traded using the performance approach, this document demonstrates compliance with mandatory solar readiness requirements in \$110.10/\$160.8 for newly constructed buildings which are low-rise multifamily or low-rise mixed-use. It is also used to demonstrate compliance with solar readiness in \$160.8 for additions to low-rise multifamily which add more than 2,000 ft² of roof area. Alterations, or additions of less than 2,000 ft² of roof area, are not required to comply with solar readiness, solar PV and battery requirements and do not need to complete this document.

Project Name:	Enforcement Agency:
Dwelling Address:	Permit Number:
City and Zip Code:	Date Permit Issued:

A. GENERAL INFORMATION

01	Project Location (city)	04	Building Occupancies	
02	Climate Zone	05	Construction Type	
03	Square Footage of Building (ft ²)	06	Number of Stories	

STOP! Alterations, or additions that increase roof area by \leq 2,000 ft2, are not required to comply with requirements in 110.10/140.10/170.2 and h) and do not need to complete this compliance document.

STOP! Healthcare facilities are not required to comply with the requirements of §110.10/§140.10/§170.2(g and h) and do not need to complete this compliance document.

Registration Number:

CEC-LMCC-SAB-01-E

B. PROJECT SCOPE

The compliance path the project is using to comply per 110.10(b)1B/170.2(f) is indicated below.

Compliance with Solar Readiness Requirements in §110.10(b)1B

01						
Provide Solar Ready Area no exceptions	The project has allocated a solar zone on the roof plan per requireme	ents in §110.10(b), as documented in Table F.				
Exception to Solar Ready Area: Smart Thermostat and Alternative Energy Efficiency Measure	The project is a multifamily occupancy where all thermostats in each dwelling unit comply with §110.12(a) AND at least one additional measure listed in Exception 4 to §110.10(b)1B is installed, as documented in Table I.					
Exception to Solar Ready Area: Roof is designed for vehicular traffic, parking or for heliport	Plan sheet showing roof designed for vehicular traffic, parking, or heliport:					
Exception to Solar Ready Area: Roof too small	I The project is new construction and has a total root area <= 533 square feet +					

¹ FOOTNOTE: Buildings with roof area \leq 533 ft² would have a required solar zone \leq 80ft² and are therefore exempt per §110.10(b)1.

Compliance with Solar Photovoltaic (PV) Requirements in §170.2 (f)

01						
Provided PV system sized per §170.2(f)	The project has included an installed PV system per requirements in §170.2(f), as documented in Table J.					
Exception to PV & Battery: Required PV < 4kW	The required PV system capacity is less than 4 kWdc as documented in Table J.					
Exception to PV & Battery: No contiguous Solar Access Roof Area	The Solar Access Roof Area(s) of the project site contains less than 80 contiguous square feet as documented in Table J.					
Exception to PV & Battery: Can't meet snow load	The project has a roof design where the enforcement authority has verified it is not possible for the PV system, including panels, modules, components, supports, and attachments to the roof structure, to meet ASCE 7-16, Chapter 7, Snow Loads.					

Compliance with Solar Thermal Water Heating Requirements in §170.2(d)Bii(Multifamily and Hotel/motel occupancies only)

 6 (-)- (-)- (-)- (-)- (-)- (-)- (-)-
01
The project includes a hotel/motel or multifamily occupancy with a gas or propane central water-heating system (serves 2+ dwelling units) and includes a
permanently installed domestic solar water-heating system to comply with §170.2(d)2Bii and Reference Residential Appendix RA4, as documented in Table H.

Registration Number:



CEC-LMCC-SAB-01-E

C. COMPLIANCE RESULTS

Results in this table are automatically calculated from data input and calculations in Tables F through I.

Note: If any cell on this table says "COMPLIES with Exceptional Conditions" refer to Table D. Exceptional Conditions for guidance or see the applicable Table referenced below.

Allocate	d S	olar Zone	e Installed PV System			Installed SWH System					and Alternative Compliance Weasure Results			
01		02		03		04		05		06		07	08	09
Required Minimum Area (ft²)	<u></u>	Designated Area (ft²)	OR	Required Minimum DC Power Rating (Watts)	<u><</u>	Designed DC Power Rating (Watts)	OR	Required Minimum Solar Savings Fraction	<u><</u>	Designed/ Rated Solar Savings Fraction	OR	JA5 Compliant Thermostat Specified?	Alternative Energy Efficiency Measure	O COMPLIES O DOES NOT COMPLY O COMPLIES
(See	(See Table F)			(See Tables G or J)			(See Table H)			(See	Table I)	with Exceptional		
	<u><</u>		OR		<u><</u>		OR		<u><</u>		OR			Conditions
1	Location in construction documents show pathway for the routing of conduit/ plumb §110.10(c). Battery storage system design meets the minimum requirements in Joint A capacity per Table J.					ing to	the electrical se	rvice	/ water heating	system	per ower (kW)	O COMPLIES O DOES NOT AF O COMPLIES O DOES NOT CO O DOES NOT CO	PPLICABLE DMPLY	

D EXCEPTIONAL CONDITIONS

D. EXCEPTIONAL CONDITIONS						
This table is auto-filled with uneditable comments because of selections made or data entered in tables throughout the form.						
E. ADDITIONAL REMARKS						

Registration Number: Registration Date/Time: Registration Provider:

This table includes remarks made by the permit applicant to the Authority Having Jurisdiction.

CEC-LMCC-SAB-01-E

F. ALLOCATED SOLAR ZONE

This table is completed if the project is designating a solar zone to comply with §110.10(b)1B. New construction considers the total roof area; Additions consider only newly added roof area.

This table demonstrates that the project has designated the minimum area required for the Allocated Solar Zone, and also that the requirements for Solar Zone Subareas have been met. Each subarea must be shown on a roof plan or documented in construction documents. The solar zones must also comply with fire code requirements, including, but not limited to, setback and pathway requirements. Requirements for interconnection pathways must also be included in construction documents, and the location is specified in this table.

Required Minimum Solar Zone

01	02	03	04	05		06		07	08
Minimum	Total New	Total New or	Minimum Solar Zone Based on	Method/Tool(s) Used to	700/ C-I A				Required
Solar Zone Area Calculation Method	or Added Roof Area (ft²)	Added Roof Area Covered with Skylights (ft²)	Total or Added Roof Area (0.15 x (Roof- Skylit)) (ft²)	Deed to Determine Annual Solar Access for Potential Zones ¹	Low-Sloped Area (\leq 2:12 pitch) (ft ²)	Steep-Sloped Area (> 2:12 pitch), Oriented 90° - 300° (ft²)	Total Potential Solar Zone Area (ft²)	Zone Based on Potential Zone (0.5 x (Total Potential Zone)) (ft²)	Minimum Solar Zone Area (ft²)

Designated Solar Zone Subareas

09	10	11	12	13	14	15	16	17	18	19
Subarea Name or Tag	Building Plan Reference	Roof or Overhang Slope (Low \leq 2:12 pitch) (Steep > 2:12 pitch)	Is Steep- Sloped Roof or Overhang between 90 and 300 degrees?	Subarea Complies with Title 24, Part 9	Solar Zone Subarea Free of Obstructions per §110.10(b)3A	Subarea is Required Distance from Potential Obstructions per §110.10(b)3B	Is the Smallest Dimension 5 feet or greater?	Min. Area Required per Subarea (ft²)	Designate d Area (ft²)	Subarea Complies?
	Total Designated Solar Zone Area (ft²):									

Interconnection Pathways

Location in construction documents showing the location for inverters and metering equipment and a pathway for the routing of conduit/ plumbing to the electrical service/ water heating system per §110.10(c).

Registration Number:

Registration Date/Time:

Registration Provider:

CA Building Energy Efficiency Standards - 2025 Low-Rise Multifamily Compliance

CEC-LMCC-SAB-01-E

¹ FOOTNOTE: This field is used to document how the percentage of annual solar access was determined per §110.10(b)1B. Solar access is the ratio of solar insolation including shade to the solar insolation without shade. Shading from obstructions located on the roof or any other part of the building shall not be included in the determination of annual solar access.

G. PERMANENTLY INSTALLED SOLAR PV FOR SOLAR READY EXCEPTION

This table is completed if the project is installing a PV system to comply with §110.10(b)1B Exception 1.

01	02	03	04	0	5
Total Roof Area ¹ (ft²)	Required Minimum DC Power Rating (Watts)	Designed System DC Power Rating (Watts)	Location in Construction Documents showing PV System/ Components	Field In Pass	spector Fail
		(watts)			

¹ FOOTNOTES: Newly Constructed Projects should report total roof area; Additions should report newly added roof area.

H. PERMANENTLY INSTALLED SOLAR HOT WATER SYSTEM

This table is completed if the project is installing a solar water heating (SWH) system to comply with §110.10(b)1B Exception 2 or for multifamily/hotel/motel occupancies to demonstrate compliance with §170.2(d)2Bii.

OG-100 Certified Collectors			The SWH system is built-up and specifies collectors certified by the Solar Rating & Certification Company (SRCC) or the International Association of Plumbing & Mechanical Officials (IAPMO) as OG-100.					
	Drain Water Heat Recovery		A drain water heat recovery system that is field verified by a HERS Rater as specified in the Reference Appendix RA3.6.9 is being used to lower the required Solar Savings Fraction per §170.2(d)2Bii.					
01	02	03	04	05	5			
SRCC # or IAPMO	SRCC # or IAPMO File # Certification # Designed Solar Fraction for O		0 1 1	Field Ins	spector			
File #			Output from CEC's T24 SWH Calculator Attached ¹	Pass	Fail			

¹ FOOTNOTES:-Built-up SWH systems using OG-100 collectors must calculate the Designed Solar Savings Fraction using the SWH module in the CEC's CBECC software. The calculation output must be included within the permit application.

Registration Number:



CEC-LMCC-SAB-01-E

I. SMART THERMOSTATS AND ALTERNATIVE EFFICIENCY MEASURE FOR SOLAR READY EXCEPTION

This table indicates thermostats compliant with §110.12(a) have been specified and which additional energy efficiency measure has been included in the design for high-rise multifamily occupancies complying with Exception 4 to §110.10(b)1B.

	01							
Smart Thermos	Smart Thermostats							
	The contract documents clearly specify that all thermostats in earn enforcing agency.	ach dwelling unit comply with §110.12(a) prior to granting of an occupancy permit by the						
Location in cont	ract documents:							
		02						
Alternative Effic	ciency Measure							
In addition, my	project consists of (check at least one):							
	Energy Star Appliances and EC Motor	The contract documents include an ENERGY STAR dishwasher AND EITHER an ENERGY STAR refrigerator OR a whole house fan driven by an electronically commutated motor.						
	Home Automation System	The contract documents include a home automation system that is capable of, at a minimum, controlling the appliances and lighting of the dwelling and responding to demand response signals.						
	Greywater irrigation system	The contract documents include alternative plumbing piping to permit the discharge from the clothes washer and all showers and bathtubs to be used for an irrigation system in compliance with the California Plumbing Code and any applicable local ordinances.						
	Rainwater Catchment System	The contract documents include a rainwater catchment system designed to comply with the California Plumbing Code and any applicable local ordinances, and that uses rainwater flowing from at least 65% of the available roof area.						
	Part 11: Electric Vehicle Charging Space	The contract documents demonstrate compliance with Title 24, Part 11, §A4.106.8.2 requirements for electric vehicle charging spaces.						
Location in cont	ract documents:							



CEC-LMCC-SAB-01-E

J. PHOTOVOLTAIC (PV) SYSTEMS

This table documents compliance with prescriptive photovoltaic and battery system requirements in §140.10/§170.2(g & h). Unless the project meets one of the listed exceptions or trades-off PV in an energy model using the performance path, §140.10/§170.2(g & h) requires installed photovoltaic and battery systems for newly constructed buildings. The installed PV systems must meet the minimum requirements in Joint Appendix 11.

Photovoltaic (PV) System

Equation 170.2-C Calculation Method

01	02	03	04	05
Multifamily Building Name	Conditioned Floor Area (ft2)	# of Dwelling Units	Usable Capacity of BESS⁴ (kWh)	Min Capacity of PV System Required (kW _{dc})

SARA Calculation Method

06	07	08	09	10	11	12	13
Roof Name	Roof Slope	Area of New Roof ¹ (ft ²)	Roof Area < 70% Solar Access ² (ft ²)	Plansheet or Document showing Solar Access Calculations	Roof area occupied, no structural support, not available due to other state codes, < 80 contiguous ft ²	Solar Access Roof Area (SARA) (ft²)	Min Capacity of PV System Required (kW _{dc})
						-	
						Total Min Size PV System Required for all Roofs (kW_{dc}):	
						Total Size PV System in Design (kWdc):	

Registration Number:

Registration Date/Time:

Registration Provider:

CA Building Energy Efficiency Standards - 2025 Low-Rise Multifamily Compliance



CEC-LMCC-SAB-01-E

K. DECLARATION OF REQUIRED CERTIFICATES OF INSTALLATION

Selections have been made based on information provided in this document. If any selections have been changed by the permit applicant, an explanation should be included in Table E. Additional Remarks. These documents must be provided to the building inspector during construction and can be found online.

YES	NO	Form/Title	Field Inspector	
			Pass	Fail
0	0	LMCI-SAB-E - Must be submitted for all buildings that must comply with solar readiness or PV/Battery requirements.		
O	0	LMCI-STH-01-E - Must be submitted for all buildings that include a solar water heating system.		

L. DECLARATION OF REQUIRED CERTIFICATES OF ACCEPTANCE

There are no Certificates of Acceptance applicable to solar readiness or PV/battery requirements.



CEC-LMCC-SAB-01-E

DOCUMENTATION AUTHOR'S DECLARATION STATEMENT

1. I certify that this Certificate of Compliance documentation is accurate and complete.

Documentation Author Name:	Documentation Author Signature:
Company:	Signature Date:
Address:	CEA/AEA/ECC Certification Identification (if applicable):
City/State/Zip:	Phone:

RESPONSIBLE PERSON'S DECLARATION STATEMENT

I certify the following under penalty of perjury, under the laws of the State of California:

- 1. The information provided on this Certificate of Compliance is true and correct.
- 2. I am eligible under Division 3 of the Business and Professions Code to accept responsibility for the building design or system design identified on this Certificate of Compliance (responsible designer).
- 3. The energy features and performance specifications, materials, components, and manufactured devices for the building design or system design identified on this Certificate of Compliance conform to the requirements of Title 24, Part 1 and Part 6 of the California Code of Regulations.
- 4. The building design features or system design features identified on this Certificate of Compliance are consistent with the information provided on other applicable compliance documents, worksheets, calculations, plans and specifications submitted to the enforcement agency for approval with this building permit application.
- 5. I understand that a registered copy of this Certificate of Compliance shall be made available with the building permit(s) issued for the building and shall be made available to the enforcement agency for all applicable inspections. I will take the necessary steps to fulfill this requirement.
- 6. I understand that a registered copy of this Certificate of Compliance is required to be included with the documentation the builder provides to the building owner at occupancy. I will take the necessary steps to fulfill this requirement.

Responsible Designer Name:	Responsible Designer Signature:			
Company:	Date Signed:			
Responsible Person Scope:				
Address:	License:			
City/State/Zip:	Phone:			

Registration Number:

Registration Date/Time:

Registration Provider:

CA Building Energy Efficiency Standards - 2025 Low-Rise Multifamily Compliance

CERTIFICATE OF COMPLIANCE – USER INSTRUCTIONS	NRCC-SAB-E
Solar and Battery	(Page 1 of 4)

A. General Information

- 1. Enter the City the project is located in.
- 2. Climate Zone: Select from dropdown.
- 3. Enter the Conditioned Floor Area.
- 4. Building Occupancies: Select from dropdown.
- 5. Construction Type: Select from dropdown.
- 6. Number of Stories: Select from dropdown.

B. Project Scope

Compliance with Solar Readiness Requirements in §110.10(b)1B

1. Select the project scope.

Compliance with Solar Photovoltaic (PV) and Battery Requirements in §140.10/§170.2 (g & h)

1. Select the project scope.

Compliance with Solar Thermal Water Heating Requirements in §170.2(d)3C (Multifamily and hotel/motel occupancies only)

1. Select if your project meets the requirements.

C. Compliance Results

1. Results in this table are automatically calculated from data input and calculations in Tables F through I.

D. Exceptional Conditions

1. This table is auto-filled with uneditable comments because of selections made or data entered in tables throughout the form.

E. Additional Remarks

1. Enter any notes or comments for the AHJ.

F. Allocated Solar Zone

Required Minimum Solar Zone

- 1. Minimum Solar Zone Area Calculation Method: Select from dropdown.
- 2. Enter the Total New or Added Roof Area.
- 3. Enter the Total New or Added Roof Area Covered with Skylights.
- 4. This field is filled out automatically.
- 5. Enter the Method/Tools(s) Used to Determine Annual Solar Access for Potential Zones.

CERTIFICATE OF COMPLIANCE – USER INSTRUCTIONS	NRCC-SAB-E
Solar and Battery	(Page 2 of 4)

6. Enter the Low-Sloped Area

Enter the Steep-Sloped Area

The Total Potential Solar Zone Area is filled out automatically.

- 7. This field is filled out automatically.
- 8. This field is filled out automatically.

Designated Solar Zone Subareas

- 9. Enter the Subarea Name or Tag.
- 10. Enter the Building Plan Reference.
- 11. Roof or Overhang Slope: Select from dropdown.
- 12. Is Steep-Sloped Roof or Overhang between 90 and 300 degrees?: Select Yes or No.
- 13. Subarea Complies with Title 24, Part 9: Select Yes or No.
- 14. Solar Zone Subarea Free of Obstructions: Select Yes or No.
- 15. Subarea is Required Distance from Potential Obstructions: Select Yes or No.
- 16. Is the Smallest Dimension 5 feet or greater?: Select Yes or No.
- 17. This field is filled out automatically.
- 18. Enter the Designated Area.
- 19. This field is filled out automatically.

Interconnection Pathways

Enter the location in construction documents showing the location for inverters and metering equipment and a pathway for the routing of conduit/ plumbing to the electrical service/ water heating system.

G. Permanently Installed Solar PV for Solar Ready Exception

- 1. Enter the Total Roof Area.
- 2. This field is filled out automatically.
- 3. Enter the Designed System DC Power Rating.
- 4. Enter the Location in Construction Documents showing PV System/Components.
- 5. This is a Pass or Fail checkbox for the field inspector.

H. Permanently Installed Solar Hot Water System

- 1. SRCC # or IAPMO File #: Select from dropdown.
- 2. Enter the Certification #.
- 3. Enter the Designed Solar Savings Fraction for OG-100.

CERTIFICATE OF COMPLIANCE – USER INSTRUCTIONS	NRCC-SAB-E
Solar and Battery	(Page 3 of 4)

- 4. Output from CEC's T24 SWH Calculator Attached: Select Yes to confirm.
- 5. This is a Pass or Fail checkbox for the field inspector.

I. Smart Thermostat and Alternative Efficiency Measure for Solar Ready Exception

- 1. Confirm that the contract documents specify that all thermostats comply with the requirements.
- 2. Select which measures apply to the project.

J. Photovoltaic (PV) and Battery Energy Storage Systems

Photovoltaic (PV) System

- 1. Enter the Multifamily Building Name.
- 2. Enter the Conditioned Floor Area (ft2).
- 3. Enter the # of Dwelling Units.
- 4. Enter the Usable Capacity of BESS (kWh).
- 5. Enter Min Capacity of PV System Required (kW_{dc}).

SARA Calculation Method

- 6. Enter the Roof Name
- 7. Enter the Roof Slope.
- 8. Enter the Area of New Roof (ft²).
- 9. Enter the Roof Area < 70% Solar Access (ft²).
- 10. This field is filled out automatically.
- 11. This field is filled out automatically.
- 12. This field is filled out automatically.
- 13. This field is filled out automatically.

K. Declaration of Required Certificates of Installation

1. Selections have been automatically made based on information provided in this document. If any selections have been changed by the permit applicant, an explanation should be included in Table E. Additional Remarks.

L. Declaration of Required Certificates of Acceptance

1. Selections have been made based on information provided in this document. If any selections have been changed by the permit applicant, an explanation should be included in Table E. Additional Remarks.

CERTIFICATE OF COMPLIANCE – USER INSTRUCTIONS	NRCC-SAB-E
Solar and Battery	(Page 4 of 4)

Documentation Declaration Statements

- 1. The person who prepared the LMCC will sign and complete the fields for their name, company (if applicable), address, phone number, certification information (if applicable), date and signature.
- 2. The person who is assuming responsibility for the project being built to comply with Title 24, Part 6, will complete the fields for their name, company (if applicable), address, phone number, license number (if applicable), date and signature.