

First Quarter Errata Changes to the 2022 Single-Family Residential Compliance Manual

This errata addresses five revisions to the 2022 Single-Family Residential Compliance Manual (RCM). Page numbers refer to the 2022 Single-Family RCM posted at <https://www.energy.ca.gov/publications/2022/2022-single-family-residential-compliance-manual-2022-building-energy-efficiency>.

The text below shows changes in underline-strikeout format. Added text is underlined and deleted text is in strikeout. The revised 2022 Single-Family RCM contains vertical change bars in the margins of each page to indicate a location where the manual has been altered. Future non-substantive changes will be similarly published. To suggest errata changes, please send an email to T24CME@energy.ca.gov.

Disclaimer

DISCLAIMER

~~Staff members of the California Energy Commission prepared this report. As such, it does not necessarily represent the views of the California Energy Commission, its employees, or the State of California. The California Energy Commission, the State of California, its employees, contractors, and subcontractors make no warrant, express or implied, and assume no legal liability for the information in this report; nor does any party represent that the uses of this information will not infringe upon privately owned rights. This report has not been approved or disapproved by the California Energy Commission nor has the Commission passed upon the accuracy or adequacy of the information in this report.~~

DISCLAIMER

Staff members of the California Energy Commission (CEC) prepared this manual, which is intended to provide guidance on how to comply with the 2022 Building Energy Efficiency Standards. However, use of or compliance with the guidance does not assure compliance with the 2022 Building Energy Efficiency Standards, and it is the responsibility of the user of this document to ensure compliance with the 2022 Building Energy Efficiency Standards and all other applicable laws and regulations. The CEC, the State of California, its employees, contractors, and subcontractors make no warrant, express or implied, and assume no legal liability regarding the use of this manual; nor does any party represent that the uses of this information will not infringe upon privately owned rights. This report has not been approved or disapproved by the CEC nor has the Commission passed upon the accuracy or adequacy of the information in this report.

Chapter 1, Pg. 28-29

The CEC has comprehensive standards that affect the performance of many appliances.

[Appliance Standards information](http://www.appliances.energy.ca.gov/) is available from the CEC website at <http://www.appliances.energy.ca.gov/> - <https://www.energy.ca.gov/rules-and-regulations/appliance-efficiency-regulations-title-20>

<https://cacertappliances.energy.ca.gov/Pages/ApplianceSearch.aspx>.

Chapter 1, Pg. 29

The [complete appliance database](http://www.appliances.energy.ca.gov/) (including manufacturer, brand codes, rated efficiencies, and so forth) can be searched from the Energy Commission's website at <http://www.appliances.energy.ca.gov/> <https://cacertappliances.energy.ca.gov/Pages/ApplianceSearch.aspx>.

Chapter 3, Pg. 58

1. CBC, Title 24, Part 2, Vol. 1, ~~Section 1203.2~~ Section 1202.2 requires that the net-free ventilating area shall not be less than 1/300 of the area of the space ventilated.

Chapter 4, Pg. 93



